

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 32735 CAPRANO TD 30

Date of the previous version: 2013-04-30 Revision Date: 2015-04-07 Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

1.1. Product identifier

Product name CAPRANO TD 30

Number H36 Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Motor oil.

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL UK LIMITED

One Euston Square

40 Melton Street. London. NW1 2FD

UNITED KINGDOM Tel: +44 (0)20 7339 8000

Fax: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033***

For further information, please contact:

Contact Point Specific Product Related Info: 01977 636200***

E-mail Address rm.gb-msds@total.co.uk***

1.4. Emergency telephone number

00 33 149 00 00 49 (24h/24, 7d/7) TOTAL UK ltd: + 44 (0) 20 7339 8000

For Lubricants only: TOTAL Lubricants - +44 (0)1977 636200 For bitumen only: Total Bitumen -+44 (0) 17 7272 9302

. . .

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008 ***

For the full text of the H-Statements mentioned in this Section, see Section 2.2.***

Classification***

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008*** Serious eye damage/eye irritation - Category 2*** - (H319)***



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16.

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments***

Symbol(s)

Not classified***

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008***



Signal Word WARNING***

Hazard Statements ***

H319 - Causes serious eye irritation***

Precautionary statements

P280 - Wear eye protection/ face protection***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Environmental properties Should not be released into the environment.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Dir. 67/548)	GHS Classification
Phosphorodithioic acid, mixed	270-608-0	01-2119493628-22	68457-79-4	< 2.9	Xi;R38-41	Aquatic Chronic 2 (H411)
O,O-bis(iso-Bu and pentyl)					N;R51-53	Eye Dam. 1 (H318)
esters, zinc salts***						Skin Irrit. 2 (H315)

Version EUUK

.



Revision Date: 2015-04-07 Version 3

p-dodecylphenol***	310-154-3	01-2119513207-49**	121158-58-5	< 0.2	Xi;R36/38	Skin Irrit. 2 (H315)
		*			Repr.Cat.3;R62	Eye Irrit. 2 (H319)
					N;R50-53***	Repr. 2 (H361f)
						Aquatic Acute 1 (H400)
						Aquatic Chronic 1 (H410)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.***

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Rinse immediately with plenty of water and seek medical advice.***

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.***

Inhalation Inhalation of high concentrations of vapour or aerosols may cause irritation of the upper

respiratory tract.***

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control centre immediately. If swallowed, do not induce vomiting - seek

medical advice.***

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Severely irritating to eyes.***

Skin contactNot classified. High pressure injection of the products under the skin may have very

serious consequences even though no symptom or injury may be apparent.

Inhalation Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory

system.***

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.***

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media



Revision Date: 2015-04-07 Version 3

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.***

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.***

5.2. Special hazards arising from the substance or mixture

Special hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.***

5.3. Precautions for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.***

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.***

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.**

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent

material. Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see section 13).***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling



Revision Date: 2015-04-07 Version 3

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes

and clothing.***

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.***

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.***

Materials to avoid Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)

No information available.***

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH

(TLV) TWA 5 mg/m3 (highly refined)***

Legend See section 16

Derived No Effect Level (DNEL) ***

DNEL Worker (Industrial/Professional)

DNEL Worker (Industrial/Frolessional)							
Chemical Name	, ,	Short term, local effects	• • •	Long term, local effects			
	effects		effects				
Phosphorodithioic acid,			11.87 mg/kg bw/day				
mixed O,O-bis(iso-Bu			Dermal				
and pentyl) esters, zinc			8.13 mg/m³ Inhalation				
salts***			o. ro mg/m mmaianom				
68457-79-4							
00437-73-4							
p-dodecylphenol***	44.18 mg/m³ inhalation		1.7621 mg/m ³ inhalation				
121158-58-5	166 mg/kg bw/day		0.25 mg/kg bw/day				
	dermal***		dermal***				



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4			5.93 mg/kg bw/day Dermal 2.06 mg/m³ Inhalation 0.24 mg/kg bw/day Oral	
p-dodecylphenol*** 121158-58-5	13.26 mg/m³ inhalation 50 mg/kg bw/day dermal 1.26 mg/kg bw/day oral***		0.79 mg/m³ inhalation 0.075 mg/kg bw/day dermal 0.075 mg/kg bw/day oral***	

Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4	4 µg/l fw 4.6 µg/l mw 45 µg/l or***				100 mg/l	10.67 mg/kg food
p-dodecylphenol*** 121158-58-5	0.000074 mg/l fw 0.0000074 mg/l mw 0.00037 mg/l or ***	0.226 mg/kg dw fw 0.0266 mg/kg dw mw***	***		100 mg/l***	4 mg/kg food***

8.2. Exposure controls

Occupational Exposure Controls

Engineering measuresApply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.***

Personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the

manufacturer's instructions and the regulations governing their choices and uses.***

Eye protection If splashes are likely to occur, wear:. Safety glasses with side-shields.***

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Do not

wear rings, watches or anything similar which can retain the product and may cause a skin reaction. Extended and repeated contacts with skin can cause skin ailments which may be

aggravated by minor injuries or contact with soiled clothing.***



Revision Date: 2015-04-07 Version 3

Hand protection

Hydrocarbon-proof gloves. Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.***

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Colour yellow to amber

Physical state @20°C Liquid
Odour characteristic

<u>Property</u> <u>Values</u> <u>Remarks</u> <u>Method</u>

pH Not applicable
Boiling point/boiling range Not applicable

Flash point >= 225 °C Cleveland Open Cup (COC)

>= 437 °F Cleveland Open Cup (COC)

Evapouration rate No information available

Flammability Limits in Air

Vapour pressure

No information available
No information available

Vapour density No information available

Density 880 - 890 kg/m³ @ 15 °C **Water solubility** Insoluble

Solubility in other solvents

No information available
logPow

No information available

logPowNo information availableAutoignition temperatureNot applicable***Viscosity, kinematic100 mm2/s@ 40 °C

Explosive properties Not explosive Oxidising properties Not applicable Possibility of hazardous reactions Not applicable

9.2. Other information

No information available***

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

Version EUUK

ISO 3104



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

10.2. Chemical stability

Stability Stable under recommended storage conditions.***

10.3. Possibility of hazardous reactions

Hazardous reactions None under normal processing.***

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

Heat, flames and sparks. Take precautionary measures against static discharges. Strong

oxidising agents.***

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.***

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.*

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified. High pressure injection of the products under the skin may have very

serious consequences even though no symptom or injury may be apparent.

. Severely irritating to eyes.*** Eye contact

Inhalation . Not classified. Inhalation of vapours in high concentration may cause irritation of

respiratory system.***

Ingestion . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.***

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts***	LD50 3600 mg/kg (Rat - OECD 401)	LD50 > 20000 mg/kg (Rabbit - OECD 402)	
p-dodecylphenol***	LD50 2100 mg/kg bw (Rat - OECD 401)***	LD50 15000 mg/kg bw (Rabbit - OECD 402)***	

Sensitisation



Revision Date: 2015-04-07 Version 3

Sensitisation Not classified as a sensitizer.

Specific effects

Carcinogenicity This product is not classified carcinogenic. During use in engines, contamination of oil with

low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicityThis product does not present any known or suspected reproductive hazards.

Chemical Name	European Union	
p-dodecylphenol*** 121158-58-5	Repr. 2 (H361f)***	

Repeated Dose Toxicity

Subchronic Toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated

exposures (contact with contaminated clothing).***

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified. An additive present in the composition of this product would require a classification, however available experimental data indicate that no classification is required. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.***

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4	EbL50 (72h) 21 mg/l (Scenedesmus subspicatus - OECD 201)	EC50 (48h) 23 mg/l (Daphnia magna - OECD 202)	LC50 (96h) 4.5 mg/l (Cyprinodon variegatus - OECD 203)	
p-dodecylphenol*** 121158-58-5	LC50 (72h) 0.15 mg/l (Desmodesmus subspicatus - OECD 201)***	EC50 (48h) 0.037 mg/l (Daphnia magna - OECD 202)***	EL50 (96h) 40 mg/l (Pimephales promelas - OECD 203)***	



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information No information available.***

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4		NOEC(21d) 0.8 mg/l Daphnia magna		
p-dodecylphenol*** 121158-58-5		NOEC (21d) 0.0037 mg/l (Daphnia magna - OECD 211)***		

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

No information available. **Product Information**

logPow No information available

Component Information

Chemical Name	log Pow
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** - 68457-79-4	0.69
p-dodecylphenol*** - 121158-58-5	7.1***

12.4. Mobility in soil

Given its physical and chemical characteristics, the product generally shows low soil Soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

General Information No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden. If recycling is not practicable, dispose of in compliance with local regulations.***

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EWC Waste Disposal NoThe following Waste Codes are only suggestions:. 13 02 05. According to the European

Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was

used.***

Other information According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.***

Section 14: TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available***



Revision Date: 2015-04-07 Version 3

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

15.3. National regulatory information

The United Kingdom

· Avoid exceeding occupational exposure limits (see section 8).

Ireland

• Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R41 - Risk of serious damage to eyes

R38 - Irritating to skin

R62 - Possible risk of impaired fertility***

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R36/38 - Irritating to eyes and skin***

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage

H304 - May be fatal if swallowed and enters airways***

Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitiser * Skin designation

** Green Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2015-04-07

Revision Note*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006



CAPRANO TD 30

Revision Date: 2015-04-07 Version 3

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet