

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 32927 **MULTAGRI SUPER 10W30**

Date of the previous version: 2015-03-31 **Revision Date: 2016-08-02** Version 5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

1.1. Product identifier

MULTAGRI SUPER 10W30 Product name

Number B05 Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Multifunctional oil. Identified uses

1.3. Details of the supplier of the safety data sheet

A - TOTAL UK LIMITED Supplier

One Euston Square

40 Melton Street. London. NW1 2FD

UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

B-TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile

92029 Nanterre Cedex

FRANCE

Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

For further information, please contact:

A - HSE **Contact Point**

B - HSE

E-mail Address A - rm.gb-msds@total.co.uk

B - rm.msds-lubs@total.com

1.4. Emergency telephone number

Emergency telephone: +44 1235 239670 TOTAL UK ltd: + 44 (0) 20 7339 8000

For Lubricants only: TOTAL Lubricants - +44 (0)1977 636200 For bitumen only: Total Bitumen -+44 (0) 17 7272 9302

UK: National Poisons Information Service (NPIS): NHS111 or a doctor

Section 2: HAZARDS IDENTIFICATION



Revision Date: 2016-08-02 Version 5

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.***

Classification***

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008***

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008***

Hazard Statements ***

None***

Precautionary statements

None***

Supplemental Hazard Statements

EUH210 - Safety data sheet available on request***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Environmental properties Should not be released into the environment.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components ***

Chemical Name	EC-No	REACH	CAS-No	Weight %	GHS Classification
		Registration Number			
Distillates (petroleum), hydrotreated light paraffinic***	265-158-7***	01-2119487077-29	64742-55-8	5-<10	Asp. Tox. 1 (H304)
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts***	272-028-3***	no data available	68649-42-3	1-<2.5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)***

For the full text of the H-Statements mentioned in this Section, see Section 16.

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)***

	Chemical Name	CAS-No	SVHC candidates
Ī	Nonylphenol, ethoxylated	9016-45-9	X



Revision Date: 2016-08-02 Version 5

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified. The supplier of some components contained within this formulation has

indicated that the classification as irritant is not required.***

Skin contact Not classified.

Inhalation Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing MediaDo not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Precautions for fire-fighters

Special protective equipment for Wear self-contained breathing apparatus and protective suit.



Revision Date: 2016-08-02 Version 5

fire-fighters

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measuresEnsure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities



Revision Date: 2016-08-02 Version 5

Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Preferably

keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if

they are empty).

Incompatible materials Oxidizing agents. Strong acids.

7.3. Specific use(s)

Specific use(s) No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m³ (highly refined)

Legend See section 16

DNEL Worker (Industrial/Professional)

- 2	Dital Worker (madelina), reference all				
	Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
	Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8				5.4 mg/m³/8h (aerosol - inhalation)

DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8				1.2 mg/m ³ /24h (aerosol - inhalation)

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN

14387). Type A/P1. The use of breathing apparatus must comply strictly with the



Revision Date: 2016-08-02 Version 5

manufacturer's instructions and the regulations governing their choices and uses.***

Eye protection Tightly fitting safety goggles.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand protection Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact

with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the

appropriateness of its use and its replacement frequency.***

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

ColourbrownPhysical state @20°CLiquidOdourcharacteristic

Odour Threshold No information available

ououi iiiiooiioiu		Tro militarion available	
Property pH Melting point/range	<u>Values</u>	Remarks_ Not applicable Not applicable***	<u>Method</u>
Boiling point/boiling range		No information available	
Flash point	> 200 °C > 392 °F		ASTM D 93 ASTM D 93
Evapouration rate		No information available	
Flammability Limits in Air		No information available	
Upper ***	***	No information available***	***
Lower ***	***	No information available***	***
Vapour pressure		No information available	
Vapour density		No information available	
Relative density ***	*** 0.880***	@ 15 °C***	***
Density	880 kg/m ³	@ 15 °C	
Water solubility	333g,	Insoluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature	> 250 °C	140 momation available	ASTM E 659
	> 482 °F		ASTM E 659
Decomposition temperature		No information available	
Viscosity, kinematic	77.6 mm2/s	@ 40 °C	ISO 3104
***	*** 10.5*** -*** 10.9***		.00 0701



Revision Date: 2016-08-02 Version 5

mm2/s*** ISO 3104***

Explosive properties Not explosive Oxidising properties Not applicable

Possibility of hazardous reactions No information available

9.2. Other information

Freezing point No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified.

Eye contact . Not classified. The supplier of some components contained within this formulation has

indicated that the classification as irritant is not required.***

Inhalation . Not classified. Inhalation of vapours in high concentration may cause irritation of

respiratory system.

Ingestion . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and



Revision Date: 2016-08-02 Version 5

diarrhoea.

 ATEmix (oral)
 7,079.00 mg/kg

 ATEmix (dermal)
 6,973.00 mg/kg

 ATEmix (inhalation-dust/mist)
 7.30 mg/l

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated light	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
paraffinic***	OECD 420)	OECD 402)	OECD 403)
Phosphorodithioic acid, O,O-di-C1-14-alkyl	LD50 2230 mg/kg (Rat)***	LD50 > 2000 mg/kg (Rat)	
esters, zinc salts***			

Sensitisation

Sensitisation Not classified as a sensitizer.

Specific effects

Carcinogenicity This product is not classified carcinogenic. During use in engines, contamination of oil with

low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicityThis product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic Toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

.



SDS #: 32927

MULTAGRI SUPER 10W30

Revision Date: 2016-08-02 Version 5

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8	EL50 (72h) > 100 mg/l (Pseudokirchneriella subcapitata - OCDE 201)	EL50 (48h) > 10000 mg/L (Daphnia magna - OCDE 202)	LL50 (96h) > 100 mg/L (Oncorhynchus mykiss - OCDE 203)	
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts*** 68649-42-3	EC50 (72h) 2 mg/l (Algae)	EC50 (48h) 5.4 mg/l (Daphnia magna)	LC50 (96h) 4.5 mg/l (Fish)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8		NOEL (21d) 10 mg/l (Daphnia magna - OCDE 211)	NOEL (14/28d) >1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts*** 68649-42-3			NOEC (28d) 1.8 mg/l (Fish)	

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information	
Chemical Name	log Pow
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts*** -	0.56
68649-42-3	

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.



Revision Date: 2016-08-02 Version 5

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No

The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union



Revision Date: 2016-08-02 Version 5

Further information

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

15.3. National regulatory information

The United Kingdom

• Avoid exceeding occupational exposure limits (see section 8).

Ireland

• Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water



Revision Date: 2016-08-02 Version 5

or = occasional release

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitiser * Skin designation

** Hazard Designation C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2016-08-02

Revision Note *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet