according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2





#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : PRECISION TM/MC XL EP2

Product code : PXL2AL2, PXL2AL1, PXL2P17, PXL2KGL, PXL2DRL,

PXL2CBG, PXL2C30, PXL2, PXL2BLK

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PRECISION XL EP greases are high performance, long life, Use of the Sub-EP greases designed for trouble-free lubrication of a wide stance/Mixture

range of automotive and industrial equipment.

# 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

HollyFrontier LSP Europe BV

Mainhavenweg 6 1043 AL Amsterdam The Netherlands

Telephone: +31 (0)85 4000080

E-mail address of person

responsible for the SDS

: EUSDS@hollyfrontier.com

#### 1.4 Emergency telephone number

Emergency telephone num-

: CHEMTREC: +1-703-741-5970;

ber Poison Control Centre: Consult local telephone directory for

emergency number(s).

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling**

**EUH208** Contains Succinic Anhydride, Alkylation Products With C12-Rich Branched

Olefins From Propene Oligomerisation, Hydrolyzed, Esterification Products with

propylene oxide. May produce an allergic reaction.

Safety data sheet available on request. EUH210

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 1 / 10 Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

#### 2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Succinic Anhydride, Alkylation Products With C12-Rich Branched Olefins From Propene Oligomeri- sation, Hydrolyzed, Esterification Products with propylene oxide	943-535-3	Eye irr/damage 2; H319 Skin Sens. 1B; H317	0.1 - 1

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact : In case of contact, immediately flush eyes or skin with plenty

of water for at least 15 minutes while removing contaminated

clothing and shoes.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Wash clothing before reuse.

Seek medical advice.

In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.

In case of eye contact : Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Obtain medical attention.

If swallowed : Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

# 4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

: No information available.

# 5.2 Special hazards arising from the substance or mixture

fighting

Specific hazards during fire- : Cool closed containers exposed to fire with water spray.

ucts

Hazardous combustion prod: Carbon oxides (CO, CO2), sulphur oxides (SOx), hydrogen sulphide (H2S), alkyl mercaptans, sulfides, smoke and irritat-

ing vapours as products of incomplete combustion.

#### 5.3 Advice for firefighters

Further information Prevent fire extinguishing water from contaminating surface

water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

> Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

For personal protection see section 8.

6.4 Reference to other sections

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 3 / 10 Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2





# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition. Keep container closed when not in use.

Advice on protection against

fire and explosion

None known.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store

in heat or direct sunlight.

#### 7.3 Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### 8.2 Exposure controls

#### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 4 / 10
Petro-Canada Lubricants is a HollyFrontier brand



according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

cific work-place.

Use respiratory protection unless adequate local exhaust Respiratory protection

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Filter type organic vapour filter

Protective measures Wash hands and face before breaks and immediately after

handling the product.

Wash contaminated clothing before re-use.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance Stringy, smooth, semi-solid.

Colour green

Odour Mild grease like.

Odour Threshold No data available

No data available рΗ

-12 °C Pour point

Base Fluid Blend

Boiling point/boiling range No data available

Flash point 290 °C

Method: Cleveland open cup

Base Fluid Blend

Fire Point 300 °C

Base Fluid Blend

**Auto-Ignition Temperature** No data available Evaporation rate No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

Vapour pressure : No data available

Relative vapour density No data available

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

Relative density No data available

Density 0.9083 kg/l (15 °C)

Solubility(ies)

insoluble Water solubility

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, kinematic : 219.9 cSt (40 °C)

Base Fluid Blend

17.9 cSt (100 °C) Base Fluid Blend

Flammability

Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or ex-

pose containers to heat or sources of ignition.

#### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

## 10.2 Chemical stability

# 10.3 Possibility of hazardous reactions

Hazardous reactions Hazardous polymerisation does not occur.

Stable under normal conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Reactive with oxidising agents, acids and metal salt.

## 10.6 Hazardous decomposition products

Hazardous decomposition

products

May release COx, NOx, SOx, POx, H2S, KOx, SbOx, sulfides, alkyl mercaptans, diphenylamine, alkenes, ammonia, smoke

and irritating vapours when heated to decomposition.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of : Eye contact

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 6 / 10 Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



## 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

Ingestion exposure

Inhalation Skin contact

**Acute toxicity** 

**Product:** 

Acute oral toxicity Remarks: No data available

Acute inhalation toxicity Remarks: No data available

Acute dermal toxicity Remarks: No data available

Skin corrosion/irritation

**Product:** 

Remarks No data available

Serious eye damage/eye irritation

**Product:** 

Remarks No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

**Product:** 

Toxicity to fish Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 7 / 10 Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2



#### 000003000891

Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

## 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Waste must be classified and labelled prior to recycling or

disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions

of the person responsible for waste disposal.

## **SECTION 14: Transport information**

## International Regulations

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Remarks : ADR: Not Regulated

ADN: Not Regulated RID: Not Regulated


Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 8 / 10
Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2







## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly hazardous to water

#### The components of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory

**TSCA** All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

**IECSC** : On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

#### Full text of other abbreviations

Eve irr/damage Serious eve damage/eve irritation

Skin Sens. Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 9 / 10

Petro-Canada Lubricants is a HollyFrontier brand

according to Regulation (EC) No. 1907/2006

# PRECISION TM/MC XL EP2





Version 4.0 Revision Date 2021/02/10 Print Date 2021/02/10

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

For Copy of SDS : Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000

For Product Safety Information: 1 905-491-0565

Prepared by : Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 10 / 10
Petro-Canada Lubricants is a HollyFrontier brand