

000003000424

Version 3.1

Revision Date 2022/08/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: TURBOFLO ^{™/MC} EP 46
Product code	: TFEP46DCT, TFEP46IBC, TFEP46DRM, TFEP46, TFEP46BLK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Turboflo EP fluids are premium anti-wear lubricants designed
stance/Mixture	for geared heavy duty turbines with common gear and bearing
	lubrication systems.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Telephone	:	HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands +31 (0)85 4000080	
E-mail address of person responsible for the SDS	:	EUSDS@hfsinclair.com	

1.4 Emergency telephone number

Emergency telephone num- ber	:	CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

None known.



000003000424

Version 3.1

Revision Date 2022/08/15

Print Date 2022/08/15

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Phenol, isopropylated, phosphate	68937-41-7	Aquatic Chronic 4;	0.25 - 1
(3:1)		H413	
	273-066-3	Repr. 2; H361	
		STOT RE 2; H373	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



000003000424

Version 3.1	Revision Date 2022/08/15	Print Date 2022/08/15		
Unsuitable extinguishing media	: No information available.			
5.2 Special hazards arising from	the substance or mixture			
Specific hazards during fire- fighting	: Cool closed containers exposed to fi	re with water spray.		
Hazardous combustion prod- ucts	: Carbon oxides (CO, CO2), smoke an products of incomplete combustion.	nd irritating vapours as		
5.3 Advice for firefighters				
Further information	: Prevent fire extinguishing water from water or the ground water system.	contaminating surface		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
--	---

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.
-------------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the ap-
		plication area.
		In case of insufficient ventilation, wear suitable respiratory



000003000424

_

Version 3.1		Revision Date 2022/08/15	Print Date 2022/08/15	
		equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition Keep container closed when not in use.	n.	
Advice on protection against fire and explosion	:	None known.		
Hygiene measures	:	Remove and wash contaminated clothing an ing the inside, before re-use. Wash face, ha posed skin thoroughly after handling.	u	
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage	:	Store in original container. Containers which	n are opened must	

Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly
		labelled containers. To maintain product quality, do not store in heat or direct sunlight.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipm Eye protection	ent :	Wear face-shield and protective suit.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place. Suitable protective clothing should be worn.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.



000003000424

Version 3.1		Revision Date 2022/08/15		Print Date 2022/08/15	
Filter type		:	organic vapour filter		
Protective measures		:	Wash contaminated clothing before re-use.		


SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties				
Physical state	:	viscous liquid		
Colour	:	Pale, straw-yellow.		
Odour	:	Mild petroleum oil like.		
Odour Threshold	:	No data available		
Pour point	:	-30 °C		
Boiling point/boiling range	:	No data available		
Flash point	:	237 °C		
		Method: Cleveland open cup		
Fire Point	:	253 °C		
Auto-Ignition Temperature	:	No data available		
Evaporation rate	:	No data available		
Upper explosion limit / Upper flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Vapour pressure	:	No data available		
Relative vapour density	:	No data available		
Relative density	:	No data available		
Density	:	0.8691 kg/l (15 °C)		
Solubility(ies) Water solubility	:	insoluble		
Partition coefficient: n- octanol/water	:	No data available		
Viscosity Viscosity, kinematic	:	46.4 cSt (40 °C)		
Internet: lubricants.petro-canada.com/se	ds			



000003000424

000003000424			
Version 3.1		Revision Date 2022/08/15	Print Date 2022/08/
		6.8 cSt (100 °C)	
Flammability	:	Low fire hazard. This material mus will occur.	t be heated before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze pose containers to heat or sources	
9.2 Other information			
No data available			
SECTION 10: Stability and rea	acti	vity	
10.1 Reactivity			
10.2 Chemical stability			
10.3 Possibility of hazardous rea	actio	ons	
Hazardous reactions	:	Hazardous polymerisation does no mal conditions.	t occur.Stable under nor-
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	Reactive with oxidising agents, aciagents.	ds, alkalis and reducing
10.6 Hazardous decomposition p	oroc	lucts	
Hazardous decomposition products	:	May release COx, NOx, SOx, methols, smoke and irritating vapours tion.	
SECTION 11: Toxicological in	for	mation	
-			
		as defined in Regulation (EC) No 1	272/2008
Information on likely routes of exposure		Eye contact Ingestion Inhalation Skin contact	
Acute toxicity			
Product:			
Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Assessment: The substance or mix tion toxicity Remarks: No data available	ture has no acute inhala-
Acute dermal toxicity	:	Assessment: The substance or mix	ture has no acute dermal



	1
PETRO	CANADA

Version 3.1	Revision Date 2022/08/15	Print Date 2022/08/15
	toxicity Remarks: No data available	
Skin corrosion/irritation		
Product:		
Remarks	No data available	
Serious eye damage/eye irrita	ition	
Product:		
Remarks	No data available	
Respiratory or skin sensitisat	ion	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
2 Develotorics and developili	4	

12.2 Persistence and degradability

Product:

Biodegradability :	Remarks: No data available
Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.	



000003000424

Version 3.1

12.3 Bioaccumulative potential

No data available

- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment Not relevant

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil.
	Offer surplus and non-recyclable solutions to a licensed dis- posal company.
	Waste must be classified and labelled prior to recycling or disposal.
	Send to a licensed waste management company.
	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks

: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germa- : WGK 1 slightly hazardous to water ny)



000003000424

Version 3.1

Revision Date 2022/08/15

The components of this product are reported in the following inventories:IECSC:On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements		
H361		Suspected of damaging fertility or the unborn child if swal- lowed.
H373		May cause damage to organs through prolonged or repeated exposure.
H413	: 1	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ons	
Aquatic Chronic Repr. STOT RE	: F	Long-term (chronic) aquatic hazard Reproductive toxicity Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations: vPvB - Verv Persistent and Very Bioaccumulative

Further information

: Internet: lubricants.petro-canada.com/sds

For Copy of SDS : Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



000003000424

Version 3.1	Revision Date 2022/08/15	Print Date 2022/08/15
	Europe, telephone: 00-800-7387-600 For Product Safety Information: 1 905	

Prepared by

: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN