

Version 2.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Product name	: TURBOFLO TMMC R&O 100			
Product code	: TFRO100P5R, TFRO100P20, TFRO100DRR, TFRO100DRM, TFRO100DCT, TFRO100, TFRO100BLK			
1.2 Relevant identified uses of the substance or mixture and uses advised against				
Use of the Sub- stance/Mixture	: Turboflo R&O are fluids formulated to have long service life and provide corrosion and oxidation resistance in a wide range of applications. Primarily recommended as circulating			

oil for various industrial machinery.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Telephone	HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands : +31 (0)85 4000080
E-mail address of person responsible for the SDS	: EUSDS@hfsinclair.com

1.4 Emergency telephone number

Emergency telephone num-	: CHEMTREC: +1-703-741-5970;
ber	Poison Control Centre: Consult local telephone directory for
	emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

None known.



Version 2.6

Revision Date 2022/08/15

Print Date 2022/08/15

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components Remarks

: No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid mea	sures	i
If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray	
Internet: lubricante netro-canada com/ed	le.	T	201



Version 2.6	Revision Date 2022/08/15	Print Date 2022/08/15
Hazardous combustion prod- ucts	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), smoke and irritating vapours as products of incomplete combustion.	
5.3 Advice for firefighters Further information	: Prevent fire extinguishing water from cor water or the ground water system.	Itaminating surface

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation.
		Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.
	In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin, eyes and clothing.
	Do not ingest.
	Keep away from heat and sources of ignition.
	Keep container closed when not in use.

Advice on protection against : None known.



Version 2.6	Revision Date 2022/08/15	Print Date 2022/08/15
fire and explosion		
Hygiene measures :	Remove and wash contaminated clothing a ing the inside, before re-use. Wash face, he posed skin thoroughly after handling.	e
7.2 Conditions for safe storage, inc	cluding any incompatibilities	
Requirements for storage : areas and containers	Store in original container. Containers which be carefully resealed and kept upright to pr Keep in a dry, cool and well-ventilated place labelled containers. To maintain product qu in heat or direct sunlight.	event leakage. e. Keep in properly

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.
Filter type	:	organic vapour filter
Protective measures	:	Wash contaminated clothing before re-use.

Trademarks are owned or used under license.



Version 2.6

Print Date 2022/08/15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour : Pale, straw-yellow. Odour : Mild petroleum oil like. Odour Threshold : No data available Pour point : -24 °C Boiling point/boiling range : No data available Flash point : 262 °C Method: Cleveland open cup Method: Cleveland open cup Fire Point : 298 °C Auto-Ignition Temperature : No data available
Odour Threshold:No data availablePour point:-24 °CBoiling point/boiling range:No data availableFlash point:262 °CMethod: Cleveland open cup
Pour point:::24 °CBoiling point/boiling range:No data availableFlash point::262 °CMethod: Cleveland open cup::Fire Point::298 °C
Boiling point/boiling range : No data available Flash point : 262 °C Method: Cleveland open cup Fire Point : 298 °C
Flash point : 262 °C Method: Cleveland open cup Fire Point : 298 °C
Fire Point : 298 °C
Fire Point : 298 °C
Auto-Ignition Temperature : No data available
Evaporation rate : No data available
Upper explosion limit / Upper : No data available flammability limit
Lower explosion limit / Lower : No data available flammability limit
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available
Density : 0.8696 kg/l (15 °C)
Solubility(ies) Water solubility : insoluble
Partition coefficient: n- : No data available octanol/water
Viscosity Viscosity, kinematic : 94.3 cSt (40 °C)
11.1 cSt (100 °C)
Flammability : Low fire hazard. This material must be heated before ignition will occur.
Explosive properties : Do not pressurize, cut, weld, braze, solder, drill, grind or ex- Internet: lubricants.petro-canada.com/sds Page: 5 Trademarks are owned or used under license Petro-Canada Lubricants is a HE Sinclair t



9.2 Other information

Version 2.6

Revision Date 2022/08/15

pose containers to heat or sources of ignition.

No data available **SECTION 10: Stability and reactivity 10.1 Reactivity** 10.2 Chemical stability **10.3 Possibility of hazardous reactions** Hazardous reactions : Hazardous polymerisation does not occur. Stable under normal conditions. 10.4 Conditions to avoid Conditions to avoid : No data available **10.5 Incompatible materials** Materials to avoid : Reactive with oxidising agents, reducing agents, alkali metals, acids and alkalis. **10.6 Hazardous decomposition products** Hazardous decomposition : May release COx, methacrylate monomers, smoke and irritatproducts ing vapours when heated to decomposition. **SECTION 11: Toxicological information**


11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
<u>Product:</u> Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Skin corrosion/irritation		

Skin corrosion/irritation

Product:

: No data available



Version 2.6



Print Date 2022/08/15

3011 2.0	RCVI31011 Date 2022/00/13
Serious eye damage/eye irritati	on
Product:	
Remarks :	No data available
Respiratory or skin sensitisatio	n
No data available	
Germ cell mutagenicity	
No data available	
Carcinogenicity	
No data available	
Reproductive toxicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	

Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability	Remarks: No data available
Diouegradability	Tremarks. No uata av

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 TURBOFLO TM/MC R&O 100



000003001153

Version 2.6

Revision Date 2022/08/15

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

5

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks	:	ADR: Not Regulated
		ADN: Not Regulated
		RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germa- : WGK 1 slightly hazardous to water ny)

The components of this product are reported in the following inventories:

DSL	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
IECSC	:	On the inventory, or in compliance with the inventory

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 TURBOFLO TM/MC R&O 100



000003001153

Version 2.6

Revision Date 2022/08/15

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative


Further information

For Copy of SDS	: Internet: lubricants.petro-canada.com/sds
	Europe, telephone: 00-800-7387-6000
	For Product Safety Information: 1 905-491-0565

Prepared by

: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version 2.6

Print Date 2022/08/15

REG_EU / EN