

Version 4.6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: DURON TMMC HP 15W-40
Product code	: DHP15CBE, DHP15B6U, DHP15BLK, DHP15ICT, DHP15C02, DHP15C12, DHP15C16, DHP15P20, DHP15DRM, DHP15IBC, DHP15DCT, DHP15
1.2 Relevant identified use	es of the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: DURON HP 15W-40 is a superior quality heavy duty diesel engine oil specifically designed for '07 EPA engine require-

engines with cooled exhaust gas recirculation and exhaust after treatment technology. It is suitable also for passenger car and light truck diesel engines, and spark ignition engines.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

	HollyFrontier LSP Europe BV
	Mainhavenweg 6
	1043 AL Amsterdam
	The Netherlands
Telephone	: +31 (0)85 4000080
E-mail address of person	: EUSDS@hfsinclair.com

responsible for the SDS

# 1.4 Emergency telephone number

Emergency telephone num-	:	CHEMTREC: +1-703-741-5970;
ber		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



Version 4.6

#### 2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame	EC-No.	Classification	
	Index-No.		(% w/w)
	Registration number		00 50
Lubricating oils (petroleum), C15-	72623-86-0	Asp. Tox. 1; H304	30 - 50
30, hydrotreated neutral oil-based;			
Baseoil — unspecified	276-737-9		
	649-482-00-X		
	01-2119474878-16-		
	0001		
Distillates (petroleum), hy-	64742-54-7	Asp. Tox. 1; H304	50 - 70
drotreated heavy paraffinic;			
Baseoil — unspecified	265-157-1		
	649-467-00-8		
	01-2119484627-25-		
	0055		
reaction mass of isomers of: C7-	125643-61-0	Aquatic Chronic 4;	2.5 - 10
9-alkyl 3-(3,5-di-tert-butyl-4-	120010 01 0	H413	2.0 10
hydroxyphenyl)propionate	406-040-9		
nydroxypricny)propionate	607-530-00-7		
Distillates (petroleum), solvent-	64742-65-0	Asp. Tox. 1; H304	1 - 10
dewaxed heavy paraffinic; Baseoil	04742-05-0	Asp. 10x. 1, 11304	1 - 10
	265-169-7		
— unspecified			
	649-474-00-6		1 10
Paraffin oils (petroleum), catalytic	64742-70-7	Asp. Tox. 1; H304	1 - 10
dewaxed heavy; Baseoil — un-			
specified	265-174-4		
	649-477-00-2		
Distillates (petroleum), solvent-	64742-56-9	Asp. Tox. 1; H304	1 - 10
dewaxed light paraffinic; Baseoil			
— unspecified	265-159-2		
	649-469-00-9		
	01-2119480132-48-		
	0013		
Zinc alkyldithiophosphate		Eye Dam. 1; H318	1 - 2.5
		Skin irr. 2; H315	
	298-577-9	Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Eye Dam. 1	
		12.5 %	
		Eye Dam. 2	
		10 - < 12.5 %	
		Skin irr. 2	
	1		



## 000003005492

Version 4.6

Print Date 2022/07/19

	6.25 % Skin irr. 3 1 - < 6.25 %	
--	---------------------------------------	--

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first aid measures			
If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.		
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> <li>Wash clothing before reuse.</li> <li>Seek medical advice.</li> </ul>		
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Obtain medical attention.</li> </ul>		
If swallowed	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Seek medical advice.</li> </ul>		

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing No information available. : media 5.2 Special hazards arising from the substance or mixture Specific hazards during fire-: Cool closed containers exposed to fire with water spray. fighting Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur Hazardous combustion prod- : Internet: lubricants.petro-canada.com/sds Page: 3 / 11 Petro-Canada Lubricants is a HF Sinclair brand Trademarks are owned or used under license.



Version 4.6	Revision Date 2022/07/19	Print Date 2022/07/19
ucts	oxides (SOx), phosphorus oxides (POx) (H2S), zinc oxides (ZnOx), metal oxides smoke and irritating vapours as product bustion.	s, hydrocarbons,
5.3 Advice for firefighters		
Further information	: Prevent fire extinguishing water from co water or the ground water system.	ontaminating surface
SECTION 6: Accidental releas	e measures	
6.1 Personal precautions, protec	tive equipment and emergency procedur	es
Personal precautions	<ul> <li>Use personal protective equipment. Ensure adequate ventilation.</li> <li>Evacuate personnel to safe areas.</li> <li>Material can create slippery conditions.</li> <li>Mark the contaminated area with signs unauthorized personnel.</li> <li>Only qualified personnel equipped with equipment may intervene.</li> </ul>	and prevent access to

#### 6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation.
		· · · · · · · · · · · · · · · · · · ·
		Contact the proper local authorities.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> </ul>
	In case of insufficient ventilation, wear suitable respiratory equipment.
	Avoid contact with skin, eyes and clothing.
	Do not ingest.
	Keep away from heat and sources of ignition.
	Keep container closed when not in use.

Advice on protection against : None known.



Version 4.6	Revision Date 2022/07/19	Print Date 2022/07/19
fire and explosion		
Hygiene measures 7.2 Conditions for safe storage, ir	Remove and wash contaminated clothing a ing the inside, before re-use. Wash face, ha posed skin thoroughly after handling.	0
•	Store in original container. Containers which be carefully resealed and kept upright to pro- Keep in a dry, cool and well-ventilated place labelled containers. To maintain product que in heat or direct sunlight.	event leakage. e. Keep in properly

#### 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### 8.2 Exposure controls

## **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

## Personal protective equipment

Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.
Filter type	:	organic vapour filter
Protective measures	:	Wash contaminated clothing before re-use.



Version 4.6

Revision Date 2022/07/19

Print Date 2022/07/19

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	an :	
Colour	:	light brown
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
Pour point	:	-36 °C
Boiling point/boiling range	:	No data available
Flash point	:	228 °C
		Method: Cleveland open cup
Fire Point	:	247 °C
Auto-Ignition Temperature	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8711 kg/l (15 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	118.2 cSt (40 °C)
		15.6 cSt (100 °C)
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
Explosive properties nternet: lubricants.petro-canada.com/so	: sb	Do not pressurize, cut, weld, braze, solder, drill, grind or ex- Page: 6

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



Version 4.6

Revision Date 2022/07/19

pose containers to heat or sources of ignition.

## 9.2 Other information No data available **SECTION 10: Stability and reactivity 10.1 Reactivity** 10.2 Chemical stability **10.3 Possibility of hazardous reactions** Hazardous reactions : Hazardous polymerisation does not occur. Stable under normal conditions. 10.4 Conditions to avoid Conditions to avoid : No data available **10.5 Incompatible materials** Materials to avoid Reactive with oxidising agents and reducing agents. : **10.6 Hazardous decomposition products** Hazardous decomposition : May release COx, H2S, smoke and irritating vapours when products heated to decomposition.

## **SECTION 11: Toxicological information**

1 Information on hazard class Information on likely routes of exposure		<b>as defined in Regulation (EC) No 1272/2008</b> Skin contact Eye contact Inhalation Ingestion
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available
<u>Components:</u> Lubricating oils (petroleum).	C	15-30, hydrotreated neutral oil-based; Baseoil — unspeci-

: LD50 (Rat): > 5,000 mg/kg,

Acute oral toxicity

fied:



## 000003005492

sion 4.6	R	evision Date 2022/07/19	Print Date 2022/0
Acute inhalation toxicity	Ex	C50 (Rat): > 5.2 mg/l xposure time: 4 h est atmosphere: dust/mist	
Acute dermal toxicity	: LC	050 (Rabbit): > 2,000 mg/kg,	
Distillates (petroleum), s Acute oral toxicity		waxed heavy paraffinic; Baseoil 050 (Rat): > 5,000 mg/kg,	I — unspecified:
Acute dermal toxicity	: LC	050 (Rabbit): > 5,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	: No	o data available	
Serious eye damage/eye	rritation		
Product:			
Remarks	: No	o data available	
Respiratory or skin sens	isation		
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposu	•		
No data available			
TION 12: Ecological in	ormatio	n	
5			

## Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic	:	Remarks: No data available
Internet: lubricants.petro-canada.com/sc Trademarks are owned or used under license.		

Page: 8 / 11 Petro-Canada Lubricants is a HF Sinclair brand



# 000003005492 Version 4.6 Revision Date 2022/07/19 Print Date 2022/07/19 plants Toxicity to microorganisms Remarks: No data available 12.2 Persistence and degradability Product: Biodegradability : Remarks: No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Not relevant 12.6 Endocrine disrupting properties No data available 12.7 Other adverse effects No data available **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

Product

# The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

## **SECTION 14: Transport information**

#### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

:

Remarks

ADR: Not Regulated ADN: Not Regulated RID: Not Regulated



Version 4.6

Revision Date 2022/07/19

Print Date 2022/07/19

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germa-	:	WGK 2 obviously hazardous to water
ny)		

The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H411	:	Toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

:	Long-term (chronic) aquatic hazard
:	Aspiration hazard
:	Serious eye damage/eye irritation
:	Skin corrosion/irritation
	:

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;



#### 000003005492

#### Version 4.6

Revision Date 2022/07/19

Print Date 2022/07/19

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN