

Version 2.7

Revision Date 2022/08/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier							
Product name	: PURITY ™/MC FG00						
Product code	: PFG00KGL, PFG00P17, PFG00						
1.2 Relevant identified uses of the	e substance or mixture and uses advised against						
Use of the Substance/Mixture	: NSF H1 Registered.						
	This product complies with FDA requirements for "Lubricants with Incidental Food Contact". It is intended for application on industrial and food equipment. It should not be added directly to the food product.						
1.3 Details of the supplier of the safety data sheet							
Manufacturer or supplier's deta							
	HollyFrontier LSP Europe BV						
	Mainhavenweg 6 1043 AL Amsterdam						
	The Netherlands						

E-mail address of person	: EUSDS@hfsinclair.com
responsible for the SDS	

Telephone : +31 (0)85 4000080

1.4 Emergency telephone number

Emergency telephone	:	CHEMTREC: +1-703-741-5970;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.



Version 2.7

Revision Date 2022/08/10

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente					
Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Index-No.				
	Registration number				
White mineral oil (petroleum)	8042-47-5	Asp. Tox. 1; H304	30 - 100		
	232-455-8				
For explanation of abbreviations see section 16					

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.



Version 2.7

Revision Date 2022/08/10

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguis	shing media :		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable exting media	uishing :		No information available.
5.2 Special hazards a	arising from th	e	substance or mixture
Specific hazards firefighting	during :		Cool closed containers exposed to fire with water spray.
Hazardous comb products	ustion :		Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
5.3 Advice for firefig	nters		
Further information	on :		Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	---

6.2 Environmental precautions

Environmental precautions	:	Do not allow uncontrolled discharge of product into the
		environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Prevent further leakage or spillage if safe to do so.
		Remove all sources of ignition.
		Soak up with inert absorbent material.
		Non-sparking tools should be used.
		Ensure adequate ventilation.
		Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

Version 2.7

Revision Date 2022/08/10

Print Date 2022/08/10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.
---	---	---

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

	Personal protective equipme	nt		
	Eye protection	:	Wear face-shield and protective suit for abnormal properties.	cessing
	Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .	
	Remarks	:	Chemical-resistant, impervious gloves complying with approved standard should be worn at all times when h chemical products if a risk assessment indicates this i necessary.	nandling
	Skin and body protection	:	Choose body protection in relation to its type, to the	
eı	net: lubricants.petro-canada.com/so	ls		Page: 4



000003000626

Version 2.7		Revision Date 2022/08/10	Print Date 2022/08/10	
		concentration and amount of dangeron the specific work-place.	ous substances, and to	
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		essment demonstrates led exposure guidelines. n known or anticipated roduct and the safe	
Filter type	:	organic vapour filter		
Protective measures	:	Wash contaminated clothing before re	e-use.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Semi-solid.
Colour	:	white
Odour	:	Bland.
Odour Threshold	:	No data available
Pour point	:	-15 °C
		Base Fluid Blend
Boiling point/boiling range	:	> 371 °C
Flash point	:	249 °C
		Method: Cleveland open cup Base Fluid Blend
Fire Point	:	No data available
Auto-Ignition Temperature	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available



000003000626

000003000020			
Version 2.7		Revision Date 2022/08/10	Print Date 2022/08/10
Density	:	0.8979 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	182 cSt (40 °C) Base Fluid Blend 17 cSt (100 °C) Base Fluid Blend	
Flammability	:	Low fire hazard. This material mus will occur.	t be heated before ignition
Explosive properties	 Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. 		
9.2 Other information No data available			
SECTION 10: Stability and I	reactiv	vity	
10.1 Reactivity			
10.2 Chemical stability			
10.3 Possibility of hazardous	reactio	ons	
Hazardous reactions	:	Hazardous polymerisation does no normal conditions.	t occur.Stable under
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	

10.5 Incompatible materials

Materials to avoid :	:	Reactive with oxidising agents and acids.
----------------------	---	---

10.6 Hazardous decomposition products


Hazardous decomposition	:	May release COx, smoke and irritating vapours when heated
products		to decomposition.


SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation

Skin contact





12.1 Toxicity

	Product:				
	Toxicity to fish	:	Remarks: No data available		
	Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available		
	Toxicity to algae/aquatic plants	:	Remarks: No data available		
	Toxicity to microorganisms	:			
ernet: lubricants.petro-canada.com/sds					





000003000626

Version 2.7

Revision Date 2022/08/10

Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability

: Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
 Offer surplus and non-recyclable solutions to a licensed disposal company.
 Waste must be classified and labelled prior to recycling or disposal.
 Send to a licensed waste management company.
 Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

:

Remarks

ADR: Not Regulated ADN: Not Regulated RID: Not Regulated



Version 2.7

Revision Date 2022/08/10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germany)	:	WGK 1 slightly hazardous to water
The components of this proc	duo	ct are reported in the following inventories:
DSL	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
EINECS	:	On the inventory, or in compliance with the inventory
AICS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
	:	HSNO: HSR002605, Lubricants (Low Hazard) Group Standard 2020

15.2 Chemical safety assessment

SECTION 16: Other information

H304

: May be fatal if swallowed and enters airways.

Full text of other abbreviations

Asp. Tox.

: Aspiration hazard

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

000003000626

Version 2.7

Revision Date 2022/08/10

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

For Copy of SDS	: Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000 For Product Safety Information: 1 905-491-0565
Prepared by	: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN



Print Date 2022/08/10