SAFETY DATA SHEET

PURITY [™] FG WO WHITE MINERAL OIL 68



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

andertaning	
1.1 Product identifier	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68
EC number	: 232-455-8
REACH Registration nun	<u>nber</u>
Registratio	on number Legal entity
01-2119487078-27-0010	-
CAS number	: 8042-47-5
Product code	: PFWO68
Product description	: Not available.
Material uses	: Purity FG WO White Mineral Oil 68 is a highly refined white mineral oil intended for the food processing industry.
	NSF 3H and H1 Registered.
	This product complies with FDA 21 CFR 172.878 "White Mineral Oil" and 21 CFR 178.3620(a) regulations for direct food contact.
Product type	: Liquid.
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses			
Manufacture of substance - Industrial			
Use in cleaning agents - Consumer			
Use in metal working fluids/rolling oils - Industrial			
Use in metal working fluids/rolling oils - Professional			
Use in binder and release agents - Industrial			
Use in binder and release agents - Professional			
Use in agrochemicals - Professional			
Use in agrochemicals - Consumer			
Use in rubber production and processing - Industrial			
Use in polymer processing - Industrial			
Use as an intermediate - Industrial			
Use in lubricants - Industrial			
Use in lubricants (Low release) - Professional			
Use in lubricants (high release) - Professional			
Use in lubricants (Low release) - Consumer			
Use in lubricants (high release) - Consumer			
Use in laboratories - Industrial			
Use in laboratories - Professional			
Use in water treatment agents - Industrial			
Use in water treatment agents - Professional			
Use in explosives - Professional			
Distribution of substance - Industrial			
Use in functional fluids - Industrial			
Use in functional fluids - Professional			
Uses in cosmetics/personal care products, perfumes and fragrances - Consumer			
Formulation and (re)packing of substances and mixtures - Industrial			
Use in coatings - Industrial			
Date of issue : 1/22/2021 Internet: lubricants.petro-canada.com/sds	Page: 1/44		

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Use in coatings - Professional Use in coatings - Consumer Use in cleaning agents - Industrial Use in cleaning agents - Professional

1.3 Details of the supplier of the safety data sheet

Manufacturer	: Petro-Canada Lubricants Ind 2310 Lakeshore Road West Mississauga, Ontario Canada L5J 1K2	
Supplier	: HollyFrontier LSP Europe B ^N Mainhavenweg 6 1043 AL Amsterdam The Netherlands Tel: +31 (0)85 4000080	/
e-mail address of person responsible for this SDS	: eusds@hollyfrontier.com	

1.4 Emergency telephon	e number
National advisory body	/Poison Centre
Telephone number	: Not applicable.
Supplier	
Telephone number	: CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for emergency number(s).
Hours of operation	: 24-hours

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture			
Product definition	: Mono-constituent substance		
Classification according Not classified.	to Regulation (EC) No. 1272/2008 [CLP/GHS]		

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	1	Not applicable.
Supplemental label elements	:	Safety data sheet available on request.

Date of issue : 1/22/2021

Page: 2/44

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture,	:	Not applicable.					
placing on the market and use of certain dangerous substances, mixtures and articles							
Special packaging requirem	<u>ien</u>	<u>ts</u>					
Containers to be fitted with child-resistant fastenings	:	Not applicable.					
Tactile warning of danger	;	Not applicable.					
2.3 Other hazards							
Product meets the criteria	:	PBT	Р	В	Т	vPvB	vP
for PBT or vPvB according to Regulation (EC) No.		No	N/A	N/A	No	N/A	N/A

Other hazards which do : None known. not result in classification

1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.1 Substances :	Mono-constituent substance			
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
White mineral oil	REACH #: 01-2119487078-27 EC: 232-455-8 CAS: 8042-47-5	100	Not classified.	[A]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Туре

[A] Constituent

[B] Impurity

[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid n	neasures	
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the eyelids. Check for and remove any contact lenses. Get medical at occurs.	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortab Get medical attention if symptoms occur.	e for breathing.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminate shoes. Get medical attention if symptoms occur.	ed clothing and
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep a position comfortable for breathing. If material has been swallowed person is conscious, give small quantities of water to drink. Do not unless directed to do so by medical personnel. Get medical attenti occur.	and the exposed induce vomiting
Protection of first-aiders	: No action shall be taken involving any personal risk or without suita	ble training.
Date of issue : 1/22/2021	Internet: lubricants.petro-canada.com/sds	Page: 3/44

Trademarks owned or used under license.

Petro-Canada Lubricants is a HollyFrontier brand

vB

N/A

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 4: First aid measures

Eve contect	No encoific deta
Eye contact Inhalation	: No specific data.
	No specific data. Depended skip experience on produce level skip destruction or dermatitie
Skin contact Ingestion	 Repeated skin exposure can produce local skin destruction or dermatitis. No specific data.
ingestion	. No specific data.
4.3 Indication of any immedi	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Foam (Specifically trained personnel only) Water fog (Specifically trained personnel only) Dry chemical powder Carbon dioxide Other inert gases (subject to regulations) Sand or earth
Unsuitable extinguishing media	: Do not use direct water jets on the burning product; they could cause splattering ar spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as wate destroys the foam.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Additional information	 Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Date of issue : 1/22/2021

Page: 4/44

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	•	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not applicable
Industrial sector specific	: Not available.
solutions	

Date of issue : 1/22/2021

Page: 5/44

Trademarks owned or used under license.

Petro-Canada Lubricants is a HollyFrontier brand

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
White mineral oil	ACGIH TLV (United States). Notes: (Mineral oil) TWA: 5 mg/m ³ , (Inhalable fraction) 8 hours.
Recommended menitoring : If this product	contains ingradiants with exposure limits, personal, workplace

If this product contains ingredients with exposure limits, personal, workplace Recommended monitoring atmosphere or biological monitoring may be required to determine the effectiveness procedures of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Highly refined base oils	DNEL	Long term Dermal	220 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	160 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	92 mg/kg bw/day	General population [Human via the environment]	Systemic
	DNEL	Long term Inhalation	35 mg/m³	General population [Human via the environment]	Systemic
	DNEL	Long term Oral	40 mg/kg bw/day	General population [Human via the environment]	Systemic

DNEL/DMEL Summary

: Long-term systemic effects include non-reproductive effects and developmental / reproductive effects. Lowest DNEL is shown.

PNECs

controls

No PNECs available

8.2 Exposure controls

Appropriate engineering : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

: Wash hands, forearms and face thoroughly after handling chemical products, **Hygiene measures** before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that evewash stations and safety showers are close to the workstation location.

Date of issue : 1/22/2021

Internet: lubricants.petro-canada.com/sds

Page: 6/44

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 8: Exposure controls/personal protection

•	· · ·	
Eye/face protection	Safety eyewear complying with an approved standard should be used who ssessment indicates this is necessary to avoid exposure to liquid splash ases or dusts. If contact is possible, the following protection should be v nless the assessment indicates a higher degree of protection: safety gla ide-shields.	es, mists, vorn,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved stand e worn at all times when handling chemical products if a risk assessmer his is necessary. > 8 hours (breakthrough time): neoprene, nitrile, Viton®	it indicates
Body protection	Personal protective equipment for the body should be selected based on eing performed and the risks involved and should be approved by a spece efore handling this product.	
Other skin protection	ppropriate footwear and any additional skin protection measures should elected based on the task being performed and the risks involved and sh pproved by a specialist before handling this product.	
Respiratory protection	ased on the hazard and potential for exposure, select a respirator that m ppropriate standard or certification. Respirators must be used according espiratory protection program to ensure proper fitting, training, and other spects of use. Recommended: organic vapour filter	g to a
Environmental exposure controls	missions from ventilation or work process equipment should be checked nsure they comply with the requirements of environmental protection leg n some cases, fume scrubbers, filters or engineering modifications to the quipment will be necessary to reduce emissions to acceptable levels.	islation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **Appearance Physical state** : Viscous liquid. Colour : Clear and bright Odour : Mild petroleum oil like. **Odour threshold** : Not available. : Not available. pH Melting point/freezing point : Not available. Initial boiling point and : Not available. boiling range **Flash point** : Open cup: 255°C [Cleveland.] : Not available. **Evaporation rate** Flammability (solid, gas) : Low fire hazard. This material must be heated before ignition will occur. Upper/lower flammability or : Not available. explosive limits : Not available. Vapour pressure Vapour density : Not available. **Relative density** : 0.8666 kg/L @ 15°C (59°F) : Insoluble in water. Solubility in water Partition coefficient: n-octanol/ : Not available. water **Fire point** : Not available. **Decomposition temperature** : Not available. **Explosive properties** Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to 2 heat or sources of ignition. **Oxidising properties** : Not available. Date of issue : 1/22/2021 Internet: lubricants.petro-canada.com/sds Page: 7/44

PURITY [™] FG WO WHITE MINERAL OIL 68

PURITY "" FG WO WHITE MINERAL OIL 68				
SECTION 9: Physica	al and chemical properties			
Viscosity	: 67.8 cSt @ 40°C (104°F), 8.86 cSt @ 100°C (212°F)			
Pour point	: -18°C (0°F)			
9.2 Other information				
Solubility in water	: Not available.			
SECTION 10: Stabil	ity and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: No specific data.			
10.5 Incompatible materials	Reactive with oxidising agents.			
10.6 Hazardous decomposition products	: May release COx, smoke and irritating vapours when heated to decomposition.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Highly refined base oils	LC50 Inhalation Dusts and	Rat	>5.2 mg/l	4 hours
	mists			
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: Not available.			
Acute toxicity estimates				
N/A				
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitisation				
Conclusion/Summary	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			
Specific target organ toxicity	<u>(single exposure)</u>			
Not available.				

Date of issue : 1/22/2021

Internet: lubricants.petro-canada.com/sds

Page: 8/44

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 11: Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	:	Routes of entry anticipated: Oral, Dermal, Inhalation.
Potential acute health effects	2	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	sica	al, chemical and toxicological characteristics
Eye contact	1	No specific data.
Inhalation	:	No specific data.
Skin contact	1	Repeated skin exposure can produce local skin destruction or dermatitis.
Ingestion	:	No specific data.
Delayed and immediate effect	<u>ts a</u>	is well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ects	
Not available.		
Conclusion/Summary	:	Not available.
General	1	No known significant effects or critical hazards.
Carcinogenicity		All components listed in Annex VI to which Note L applies, and contained in t product, have been shown to contain less than 3% DMSO extractables as measured by IP346.
Mutagenicity	:	No known significant effects or critical hazards.
Toratogonicity	1.1	No known significant effects or critical bazards

- **Teratogenicity** : No known significant effects or critical hazards.
- **Developmental effects** : No known significant effects or critical hazards.
- **Fertility effects** : No known significant effects or critical hazards.

Other information

: Not available.

Date of issue : 1/22/2021

Page: 9/44

the

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Highly refined base oils	NOEC ≥100 mg/l	Algae	72 hours
	NOEC ≥100 mg/l	Daphnia	48 hours
	NOEC ≥100 mg/l	Fish	96 hours

Conclusion/Summary	2	Not available.
--------------------	---	----------------

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
PURITY [™] FG WO WHITE MINERAL OIL 68	No	N/A	N/A	No	N/A	N/A	N/A

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue : 1/22/2021

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 14: Transport information

		1	1	1
	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Industrial emissions : Not listed (integrated pollution prevention and control) -Air **Industrial emissions** : Not listed (integrated pollution prevention and control) -Water

Ozone depleting substances (1005/2009/EU)

Not listed.

Date of issue : 1/22/2021

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 15: Regu	ulatory information
Prior Informed Consen	t (PIC) (649/2012/EU)
Not listed.	
Seveso Directive	
This product is not control	olled under the Seveso Directive.
National regulations	
International regulations	
Chemical Weapon Conv	ention List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol (Anne	exes A, B, C, E)
Not listed.	
Stockholm Convention	on Persistent Organic Pollutants
Not listed.	
Bottordom Convention	on Prior Informed Consent (PIC)
Not listed.	<u>on Prior Informed Consent (PIC)</u>
	on POPs and Heavy Metals
Not listed.	
Inventory list	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
United States	: All components are listed or exempted.
15.2 Chemical safety assessment	: Complete.
SECTION 16: Othe	er information
Indicates information the	at has changed from previously issued version.
Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

Date of issue : 1/22/2021	Internet: lubricants.petro-canada.com/sds	Page: 12/44
Procedure used to derive th	e classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]	
Key literature references and sources for data	: Available upon request. Trademarks owned or used under license.	
	DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative	

Trademarks owned or used under license.

Petro-Canada Lubricants is a HollyFrontier brand

PURITY [™] FG WO WHITE MINERAL OIL 68

SECTION 16: Other information

Classification	Justification	
Not classified.		

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

Date of printing	:	1/22/2021
Date of issue/ Date of revision	:	1/22/2021
Date of previous issue	:	6/11/2019
Version	÷	4
Prepared by	÷	Product Safety
For Copy of SDS	÷	Internet: lubricants.petro-canada.com/sds
		Europe, telephone: 00-800-7387-6000

For Product Safety Information: (001) 905-491-0565

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.10.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in cleaning agents - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC03, PC04, PC09a, PC24, PC35, **PC38** Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.16.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in agrochemicals - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC12, PC27, PC22 Lawn and Garden Preparations, including fertilizers Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture				
Product definition	:	Mono-constituent substance		
Code	:	PFWO68		
Product name	1	PURITY [™] FG WO WHITE MINERAL OIL 68		
Section 1 - Title				
Short title of the exposure scenario	1	ES 9.23.1a - highly refined base oils		
List of use descriptors	:	Identified use name: Use in lubricants (Low release) - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: PC01, PC24, PC31, PC06 Automotive Care Products*** Article category related to subsequent service life: Not applicable.		

Identification of the substance or mixture			
Product definition	: Mono-constituent substance		
Code	: PFWO68		
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68		
Section 1 - Title			
Short title of the exposure scenario	: ES 9.24.4a - highly refined base oils		
List of use descriptors	 Identified use name: Use in lubricants (high release) - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC01, PC24, PC31, PC06 Automotive Care Products*** Article category related to subsequent service life: Not applicable. 		

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.32.1a - highly refined base oils scenario List of use descriptors : Identified use name: Uses in cosmetics/personal care products, perfumes and fragrances - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC28, PC39 Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.7.1a - Highly Refined Base Oils scenario List of use descriptors : Identified use name: Use in coatings - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC01, PC02, PC04, PC09a, PC09b, PC09c, PC15, PC18, PC23, PC24, PC31, PC34, PC05 Artists Supply and Hobby preparations, PC10 Building and construction preparations not covered elsewhere

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.1.1a - highly refined base oils scenario List of use descriptors : Identified use name: Manufacture of substance - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03, SU08, SU09 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.11.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in metal working fluids/rolling oils - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.12.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in metal working fluids/rolling oils - Professional Process Category: PROC01, PROC02, PROC03, PROC05, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.13.1a - highly refined base oils scenario : Identified use name: Use in binder and release agents - Industrial List of use descriptors Process Category: PROC01, PROC02, PROC03, PROC04, PROC06, PROC07, PROC08b, PROC10, PROC13, PROC14 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture			
Product definition	: Mono-constituent substance		
Code	: PFWO68		
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68		
Section 1 - Title			
Short title of the exposure scenario	: ES 9.14.1a - highly refined base oils		
List of use descriptors	 Identified use name: Use in binder and release agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC06, PROC08a, PROC08b, PROC10, PROC11, PROC14 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 		

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.15.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in agrochemicals - Professional Process Category: PROC01, PROC02, PROC04, PROC08a, PROC08b, PROC11, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.17.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in rubber production and processing - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC07, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC15, PROC21 Substance supplied to that use in form of: As such Sector of end use: SU03, SU10, SU11 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC04, ERC06d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.18.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in polymer processing - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC21 Substance supplied to that use in form of: As such Sector of end use: SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.2.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use as an intermediate - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03, SU08, SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC06a Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.20.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in lubricants - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17, PROC18 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04, ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.21.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in lubricants (Low release) - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.22.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in lubricants (high release) - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.25.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in laboratories - Industrial Process Category: PROC10, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC02, ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	


Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO68	
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.26.1a - highly refined base oils	
List of use descriptors	 Identified use name: Use in laboratories - Professional Process Category: PROC10, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable. 	

Identification of the subs Product definition Code Product name	 stance or mixture Mono-constituent substance PFWO68 PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.27.1a - highly refined base oils
List of use descriptors	 Identified use name: Use in water treatment agents - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC03, ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO68
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.28.1a - highly refined base oils
List of use descriptors	 Identified use name: Use in water treatment agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08f Market sector by type of chemical product: Not applicable.
	Article category related to subsequent service life: Not applicable.

Identification of the subs Product definition Code Product name	 stance or mixture Mono-constituent substance PFWO68 PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.29.1a - highly refined base oils
List of use descriptors	 Identified use name: Use in explosives - Professional Process Category: PROC01, PROC03, PROC05, PROC08a, PROC08b Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08e Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : PFWO68 Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name** Section 1 - Title Short title of the exposure : ES 9.3.1a - highly refined base oils scenario List of use descriptors : Identified use name: Distribution of substance - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC02, ERC03, ERC04, ERC05, ERC06a, ERC06b, ERC06c, ERC06d, ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.



Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.30.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in functional fluids - Industrial Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC09 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Professional

Identification of the sub Product definition Code Product name	 stance or mixture Mono-constituent substance PFWO68 PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.31.1a - highly refined base oils
List of use descriptors	 Identified use name: Use in functional fluids - Professional Process Category: PROC01, PROC02, PROC03, PROC08a, PROC09, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.
	39/44

39/44

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.4.1a - highly refined base oils scenario List of use descriptors : Identified use name: Formulation and (re)packing of substances and mixtures -Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC09, PROC14, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03, SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC02 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.5.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in coatings - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC10, PROC13, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO68
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.6.1a - highly refined base oils
List of use descriptors	 Identified use name: Use in coatings - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC10, PROC11, PROC13, PROC15, PROC19 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO68** Code : PURITY [™] FG WO WHITE MINERAL OIL 68 **Product name Section 1 - Title** Short title of the exposure : ES 9.8.1a - Highly Refined Base Oils scenario : Identified use name: Use in cleaning agents - Industrial List of use descriptors Process Category: PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC10, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO68
Product name	: PURITY [™] FG WO WHITE MINERAL OIL 68
Section 1 - Title	
Short title of the exposure scenario	: ES 9.9.1a - Highly Refined Base Oils
List of use descriptors	 Identified use name: Use in cleaning agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC10, PROC11, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.