# **SAFETY DATA SHEET**

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15



#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
: 232-455-8
<u>nber</u>
on number Legal entity
-
: 8042-47-5
: PFWO15
: Not available.
: Purity FG WO White Mineral Oil 15 is a highly refined white mineral oil intended for the food processing industry.
NSF 3H and H1 Registered.
This product complies with FDA 21 CFR 172.878 "White Mineral Oil" and 21 CFR 178.3620(a) regulations for direct food contact.
: Liquid.
: Not available.
(

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Manufacture of substance - Industrial	
Use in cleaning agents - Consumer	
Use in metal working fluids/rolling oils - Industrial	
Use in metal working fluids/rolling oils - Professional	
Use in binder and release agents - Industrial	
Use in binder and release agents - Professional	
Use in agrochemicals - Professional	
Use in agrochemicals - Consumer	
Use in rubber production and processing - Industrial	
Use in polymer processing - Industrial	
Use as an intermediate - Industrial	
Use in lubricants - Industrial	
Use in lubricants (Low release) - Professional	
Use in lubricants (high release) - Professional	
Use in lubricants (Low release) - Consumer	
Use in lubricants (high release) - Consumer	
Use in laboratories - Industrial	
Use in laboratories - Professional	
Use in water treatment agents - Industrial	
Use in water treatment agents - Professional	
Use in explosives - Professional	
Distribution of substance - Industrial	
Use in functional fluids - Industrial	
Use in functional fluids - Professional	
Uses in cosmetics/personal care products, perfumes and fragrances - Consumer	
Formulation and (re)packing of substances and mixtures - Industrial	
Use in coatings - Industrial	
Date of issue : 5/28/2021 Internet: lubricants.petro-canada.com/sds	Page: 1/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Use in coatings - Professional Use in coatings - Consumer Use in cleaning agents - Industrial Use in cleaning agents - Professional

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer	: Petro-Canada Lubricants In 2310 Lakeshore Road West Mississauga, Ontario Canada L5J 1K2	
Supplier	: HollyFrontier LSP Europe B Mainhavenweg 6 1043 AL Amsterdam The Netherlands Tel: +31 (0)85 4000080	V
e-mail address of person responsible for this SDS	: eusds@hollyfrontier.com	

1.4 Emergency telephon	e number
National advisory body	/Poison Centre
Telephone number	: Not applicable.
Supplier	
Telephone number	: CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for emergency number(s).
Hours of operation	: 24-hours

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Product definition : Mono-constituent substance Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Asp. Tox. 1, H304

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms



Signal word	Danger	
Hazard statements	May be fatal if swallowed and enters airways.	
Precautionary statements		
Prevention	Not applicable.	
Response	IF SWALLOWED: Immediately call a POISON CENTER or physician. Do induce vomiting.	o NOT
Storage	Store locked up.	

Date of issue : 5/28/2021

Internet: lubricants.petro-canada.com/sds

Page: 2/45

Trademarks owned or used under license.

Petro-Canada Lubricants is a HollyFrontier brand

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 2: Hazards identification**

Disposal	1	Dispose of con and internation			accordanc	e with all local	, regional, I	national
Supplemental label elements	:	Not applicable.						
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.						
Special packaging requirem	en	<u>ts</u>						
Containers to be fitted with child-resistant fastenings	:	Not applicable.						
Tactile warning of danger	:	Not applicable.						
2.3 Other hazards								
Product meets the criteria	:	PBT	Р	В	Т	vPvB	vP	vB
for PBT or vPvB according to Regulation (EC) No.		No	N/A	N/A	No	N/A	N/A	N/A

1907/2006, Annex XIII	
Other hazards which do	: None known.

not result in classification

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances : Mono-constituent substance **Product/ingredient name** % **Regulation (EC) No. Identifiers** Туре 1272/2008 [CLP] White mineral oil REACH #: 100 Asp. Tox. 1, H304 [A] 01-2119487078-27 EC: 232-455-8 CAS: 8042-47-5 See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Туре

[A] Constituent

[B] Impurity

[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

Date of issue : 5/28/2021

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 4: First aid measures**

4.1 Description of first aid r	neas	ures
Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

# Over-exposure signs/symptoms Eye contact : No specific data. Inhalation : No specific data. Skin contact : Repeated skin exposure can produce local skin destruction or dermatitis. Ingestion : Adverse symptoms may include the following: nausea or vomiting 4.3 Indication of any immediate medical attention and special treatment needed Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

: No specific treatment.

### SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	<ul> <li>Use an extinguishing agent suitable for the surrounding fire. Foam (Specifically trained personnel only) Water fog (Specifically trained personnel only) Dry chemical powder Carbon dioxide Other inert gases (subject to regulations) Sand or earth</li> </ul>
Unsuitable extinguishing media	<ul> <li>Do not use direct water jets on the burning product; they could cause splattering and spread the fire.</li> <li>Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.</li> </ul>

Date of issue : 5/28/2021

**Specific treatments** 

Page: 4/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 5: Firefighting measures**

5.2 Special hazards arising fr	e substance or mixture	
Hazards from the substance or mixture	a fire or if heated, a pressure increase will occur and the contain	er may burst.
Hazardous combustion products	rbon oxides (CO, CO2), smoke and irritating vapours as product mbustion.	s of incomplete
5.3 Advice for firefighters		
Special protective actions for fire-fighters	omptly isolate the scene by removing all persons from the vicinity are is a fire. No action shall be taken involving any personal risk itable training.	
Special protective equipment for fire-fighters	e-fighters should wear appropriate protective equipment and selection apparatus (SCBA) with a full face-piece operated in posite ode. Clothing for fire-fighters (including helmets, protective boots informing to European standard EN 469 will provide a basic level emical incidents.	ive pressure and gloves)
Additional information	not pressurise, cut, weld, braze, solder, drill, grind or expose co sources of ignition.	ntainers to heat

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	otec	tive equipment and emergency procedures
For non-emergency personnel		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	соі	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill		Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Date of issue : 5/28/2021

Page: 5/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hydene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations	: Not applicable
Industrial sector specific solutions	: Not available.

#### **SECTION 8: Exposure controls/personal protection**

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
White mineral oil	ACGIH TLV (United States). Notes: (Mineral oil) TWA: 5 mg/m <sup>3</sup> , (Inhalable fraction) 8 hours.
procedures atmosp of the v protect the follo the ass limit va atmosp of expo (Workp for the	product contains ingredients with exposure limits, personal, workplace othere or biological monitoring may be required to determine the effectiveness ventilation or other control measures and/or the necessity to use respiratory ive equipment. Reference should be made to monitoring standards, such as owing: European Standard EN 689 (Workplace atmospheres - Guidance for sessment of exposure by inhalation to chemical agents for comparison with lues and measurement strategy) European Standard EN 14042 (Workplace obsers - Guide for the application and use of procedures for the assessment obsure to chemical and biological agents) European Standard EN 482 olace atmospheres - General requirements for the performance of procedures measurement of chemical agents) Reference to national guidance ents for methods for the determination of hazardous substances will also be d.
DNELs/DMELs	

#### **DNELs/DMELs**

Date of issue : 5/28/2021

Page: 6/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Highly refined base oils	DNEL	Long term Dermal	220 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	160 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	92 mg/kg bw/day	General population [Human via the environment]	Systemic
	DNEL	Long term Inhalation	35 mg/m³	General population [Human via the environment]	Systemic
	DNEL	Long term Oral	40 mg/kg bw/day	General population [Human via the environment]	Systemic

**DNEL/DMEL Summary** 

: Long-term systemic effects include non-reproductive effects and developmental / reproductive effects. Lowest DNEL is shown.

#### **PNECs**

No PNECs available

8.2 Exposure controls

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Individual protection measures**

inuividual protection meas	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): neoprene, nitrile, Viton®
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### **SECTION 8: Exposure controls/personal protection**

Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour filter
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physica	l and chemical properties
<u>Appearance</u>	
Physical state	: Viscous liquid.
Colour	: Clear and bright
Odour	: Mild petroleum oil like.
Odour threshold	: Not available.
рН	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flash point	: Open cup: 198°C [Cleveland.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Low fire hazard. This material must be heated before ignition will occur.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 0.85 kg/L @ 15°C (59°F)
Solubility in water	: Insoluble in water.
Partition coefficient: n-octanol/ water	: Not available.
Fire point	: Not available.
Decomposition temperature	: Not available.
Explosive properties	: Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Oxidising properties	: Not available.
Viscosity	: 15.00 cSt @ 40°C (104°F), 3.43 cSt @ 100°C (212°F)
Pour point	: -18°C (0°F)
9.2 Other information	
Solubility in water	: Not available.

Date of issue : 5/28/2021

Page: 8/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	-
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: Reactive with oxidising agents.	
10.6 Hazardous decomposition products	: May release COx, smoke and irritating vapours when heated to decomposition.	

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Highly refined base oils	LC50 Inhalation Dusts and	Rat	>5000 mg/m <sup>3</sup>	4 hours
	mists	Dahhit		
	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg >5000 mg/kg	-
		Nat	> 5000 mg/kg	
	: Not available.			
Acute toxicity estimates				
N/A				
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitisation				
Conclusion/Summary	: Not available.			
Mutagenicity				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
<u>Teratogenicity</u>				
Conclusion/Summary	: Not available.			
Specific target organ toxicity	<u>(single exposure)</u>			
Not available.				
Specific target organ toxicity	(repeated exposure)			
Not available.	······································			
Aspiration hazard				

Product/ingredient name	Result	
White mineral oil	ASPIRATION HAZARD - Category 1	

Date of issue : 5/28/2021

Internet: lubricants.petro-canada.com/sds

Page: 9/45

PURITY <sup>™</sup> FG WO WHITE MINERAL	OIL	15
SECTION 11: Toxico	lo	gical information
Information on likely routes of exposure	:	Routes of entry anticipated: Oral, Dermal, Inhalation.
Potential acute health effects	2	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	May be fatal if swallowed and enters airways.
Symptoms related to the phy	vsio	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	1	Repeated skin exposure can produce local skin destruction or dermatitis.
Ingestion	:	Adverse symptoms may include the following: nausea or vomiting
Delayed and immediate effect	:ts	as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Potential chronic health eff	ect	<u>s</u>
Not available.		
Conclusion/Summary	:	Not available.
General	:	No known significant effects or critical hazards.
Carcinogenicity		All components listed in Annex VI to which Note L applies, and contained in the product, have been shown to contain less than 3% DMSO extractables as measured by IP346.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.

#### **Other information**

: Not available.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Highly refined base oils	NOEC ≥100 mg/l NOEC ≥100 mg/l NOEC ≥100 mg/l	Algae Daphnia Fish	72 hours 48 hours 96 hours
Conclusion/Summary	• Not available		•

Conclusion/Summary

: Not available.

#### 12.2 Persistence and degradability

Date of issue : 5/28/2021 Internet: lubricants.petro-canada.com/sds Page: 10/45 Trademarks owned or used under license. Petro-Canada Lubricants is a HollyFrontier brand

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

## SECTION 12: Ecological information

**Conclusion/Summary** 

: Not available.

#### 12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15	No	N/A	N/A	No	N/A	N/A	N/A

**12.6 Other adverse effects** : No known significant effects or critical hazards.

#### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-

Date of issue : 5/28/2021

Internet: lubricants.petro-canada.com/sds

Page: 11/45

Trademarks owned or used under license.

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

# SECTION 14: Transport information 14.4 Packing group <

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II of<br/>Marpol and the IBC Code

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation **Annex XIV** None of the components are listed. Substances of very high concern None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Other EU regulations **Industrial emissions** : Not listed (integrated pollution prevention and control) -Air **Industrial emissions** : Not listed (integrated pollution prevention and control) -Water Ozone depleting substances (1005/2009/EU) Not listed. Prior Informed Consent (PIC) (649/2012/EU) Not listed. **Seveso Directive** This product is not controlled under the Seveso Directive. **National regulations International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals** Not listed. Montreal Protocol (Annexes A, B, C, E)

Date of issue : 5/28/2021

Internet: lubricants.petro-canada.com/sds

Page: 12/45

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

#### SECTION 15: Regulatory information

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

Inventory list	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
United States	: All components are listed or exempted.
15.2 Chemical safety	: Complete.

#### assessment

#### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute To	oxicity Estimate				
acronyms	CLP = Classific 1272/2008]	ation, Labelling and P	ackaging Regulation [Regulation	(EC) No.		
	DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level					
		= CLP-specific Hazar	rd statement			
	N/A = Not availa		ad Tavia			
		nt, Bioaccumulative an ted No Effect Concent				
		Registration Number				
	SGG = Segrega					
	vPvB = Very Pe	ersistent and Very Bioa	accumulative			
Key literature references	: Available upon	request.				
and sources for data	Trademarks ow	ned or used under lice	ense.			
Procedure used to derive the	ne classification acc	cording to Regulation	n (EC) No. 1272/2008 [CLP/GHS	1		
	Classification		Justification			
Asp. Tox. 1, H304			Calculation method			
Full text of abbreviated H s	tatements					
H304		May be fatal if swalle	owed and enters airways.			
Full text of classifications [	CLP/GHS]					
Asp. Tox. 1, H304		ASPIRATION HAZA	RD - Category 1			
Date of printing	: 5/28/2021					
Date of issue : 5/28/2021	Internet:	lubricants.petro-can	ada.com/sds	Page: 13/45		

PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15

SECTION 16: Other information	
Date of issue/ Date of revision	: 5/28/2021
Date of previous issue	: 1/21/2021
Version	: 5
Prepared by	: Product Safety
For Copy of SDS	: Internet: lubricants.petro-canada.com/sds
	Europe, telephone: 00-800-7387-6000
Notice to see dow	For Product Safety Information: (001) 905-491-0565

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 5/28/2021

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.10.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in cleaning agents - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC03, PC04, PC09a, PC24, PC35, **PC38** Article category related to subsequent service life: Not applicable.

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.16.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in agrochemicals - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC12, PC27, PC22 Lawn and Garden Preparations, including fertilizers Article category related to subsequent service life: Not applicable.

Identification of the subs	sta	nce or mixture		
Product definition	: Mono-constituent substance			
Code	:	PFWO15		
Product name	:	PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15		
Section 1 - Title				
Short title of the exposure scenario	:	ES 9.23.1a - highly refined base oils		
List of use descriptors	:	Identified use name: Use in lubricants (Low release) - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: PC01, PC24, PC31, PC06 Automotive Care Products*** Article category related to subsequent service life: Not applicable.		

Identification of the subs	tance or mixture		
Product definition	: Mono-constituent substance		
Code	: PFWO15		
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15		
Section 1 - Title			
Short title of the exposure scenario	: ES 9.24.4a - highly refined base oils		
List of use descriptors	<ul> <li>Identified use name: Use in lubricants (high release) - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC01, PC24, PC31, PC06 Automotive Care Products*** Article category related to subsequent service life: Not applicable.</li> </ul>		

Identification of the substance or mixture				
Product definition	roduct definition : Mono-constituent substance			
Code	: PFWO15			
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15			
Section 1 - Title				
Short title of the exposure scenario	: ES 9.32.1a - highly refined base oils			
List of use descriptors	<ul> <li>Identified use name: Uses in cosmetics/personal care products, perfumes and fragrances - Consumer</li> <li>Substance supplied to that use in form of: As such</li> <li>Sector of end use: SU21</li> <li>Subsequent service life relevant for that use: No.</li> <li>Environmental Release Category: ERC08a, ERC08d</li> <li>Market sector by type of chemical product: PC28, PC39</li> <li>Article category related to subsequent service life: Not applicable.</li> </ul>			

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.7.1a - Highly Refined Base Oils scenario List of use descriptors : Identified use name: Use in coatings - Consumer Substance supplied to that use in form of: As such Sector of end use: SU21 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: PC01, PC02, PC04, PC09a, PC09b, PC09c, PC15, PC18, PC23, PC24, PC31, PC34, PC05 Artists Supply and Hobby preparations, PC10 Building and construction preparations not covered elsewhere

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.1.1a - highly refined base oils scenario List of use descriptors : Identified use name: Manufacture of substance - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03, SU08, SU09 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.11.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in metal working fluids/rolling oils - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the subs Product definition Code Product name	<ul> <li>stance or mixture</li> <li>Mono-constituent substance</li> <li>PFWO15</li> <li>PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15</li> </ul>
Section 1 - Title	
Short title of the exposure scenario	: ES 9.12.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in metal working fluids/rolling oils - Professional Process Category: PROC01, PROC02, PROC03, PROC05, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.13.1a - highly refined base oils scenario : Identified use name: Use in binder and release agents - Industrial List of use descriptors Process Category: PROC01, PROC02, PROC03, PROC04, PROC06, PROC07, PROC08b, PROC10, PROC13, PROC14 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the sub	stance or mixture
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.14.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in binder and release agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC06, PROC08a, PROC08b, PROC10, PROC11, PROC14 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.15.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in agrochemicals - Professional Process Category: PROC01, PROC02, PROC04, PROC08a, PROC08b, PROC11, PROC13</li> <li>Substance supplied to that use in form of: As such Sector of end use: SU22</li> <li>Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d</li> <li>Market sector by type of chemical product: Not applicable.</li> <li>Article category related to subsequent service life: Not applicable.</li> </ul>

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.17.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in rubber production and processing - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC07, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC15, PROC21 Substance supplied to that use in form of: As such Sector of end use: SU03, SU10, SU11 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC04, ERC06d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.18.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in polymer processing - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC21 Substance supplied to that use in form of: As such Sector of end use: SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the subs Product definition Code Product name	<ul> <li>stance or mixture</li> <li>Mono-constituent substance</li> <li>PFWO15</li> <li>PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15</li> </ul>
Section 1 - Title	
Short title of the exposure scenario	: ES 9.2.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use as an intermediate - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15</li> <li>Substance supplied to that use in form of: As such Sector of end use: SU03, SU08, SU10</li> <li>Subsequent service life relevant for that use: No.</li> <li>Environmental Release Category: ERC06a</li> <li>Market sector by type of chemical product: Not applicable.</li> <li>Article category related to subsequent service life: Not applicable.</li> </ul>

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.20.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in lubricants - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17, PROC18 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04, ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the subs Product definition Code Product name	<ul> <li>stance or mixture</li> <li>Mono-constituent substance</li> <li>PFWO15</li> <li>PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15</li> </ul>
Section 1 - Title	
Short title of the exposure scenario	: ES 9.21.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in lubricants (Low release) - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

Identification of the subs Product definition Code Product name	stance or mixture : Mono-constituent substance : PFWO15 : PURITY ™ FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.22.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in lubricants (high release) - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

Identification of the substance or mixture		
Product definition	: Mono-constituent substance	
Code	: PFWO15	
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15	
Section 1 - Title		
Short title of the exposure scenario	: ES 9.25.1a - highly refined base oils	
List of use descriptors	: Identified use name: Use in laboratories - Industrial Process Category: PROC10, PROC15	
	Substance supplied to that use in form of: As such	
	Sector of end use: SU03	
	Subsequent service life relevant for that use: No. Environmental Release Category: ERC02, ERC04	
	Market sector by type of chemical product: Not applicable.	
	Article category related to subsequent service life: Not applicable.	

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.26.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in laboratories - Professional Process Category: PROC10, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

Identification of the subs Product definition Code Product name	stance or mixture : Mono-constituent substance : PFWO15 : PURITY ™ FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.27.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in water treatment agents - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13</li> <li>Substance supplied to that use in form of: As such Sector of end use: SU10</li> <li>Subsequent service life relevant for that use: No.</li> <li>Environmental Release Category: ERC03, ERC04</li> <li>Market sector by type of chemical product: Not applicable.</li> <li>Article category related to subsequent service life: Not applicable.</li> </ul>

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.28.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in water treatment agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13</li> <li>Substance supplied to that use in form of: As such Sector of end use: SU22</li> <li>Subsequent service life relevant for that use: No.</li> </ul>
	Environmental Release Category: ERC08f
	Market sector by type of chemical product: Not applicable.
	Article category related to subsequent service life: Not applicable.

Professional

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.29.1a - highly refined base oils
List of use descriptors	: Identified use name: Use in explosives - Professional Process Category: PROC01, PROC03, PROC05, PROC08a, PROC08b Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08e Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

37/45

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.3.1a - highly refined base oils scenario List of use descriptors : Identified use name: Distribution of substance - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC01, ERC02, ERC03, ERC04, ERC05, ERC06a, ERC06b, ERC06c, ERC06d, ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Industrial

....

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.30.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in functional fluids - Industrial Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC09 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC07 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

39/45

Professional

Identification of the sub	stance or mixture
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.31.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in functional fluids - Professional Process Category: PROC01, PROC02, PROC03, PROC08a, PROC09, PROC20 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC09a, ERC09b Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>
	40/45

40/45

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.4.1a - highly refined base oils scenario List of use descriptors : Identified use name: Formulation and (re)packing of substances and mixtures -Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC09, PROC14, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03, SU10 Subsequent service life relevant for that use: No. Environmental Release Category: ERC02 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.



#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.5.1a - highly refined base oils scenario List of use descriptors : Identified use name: Use in coatings - Industrial Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC10, PROC13, PROC15 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.6.1a - highly refined base oils
List of use descriptors	<ul> <li>Identified use name: Use in coatings - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC10, PROC11, PROC13, PROC15, PROC19 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>

#### Identification of the substance or mixture **Product definition** : Mono-constituent substance : **PFWO15** Code : PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15 **Product name** Section 1 - Title Short title of the exposure : ES 9.8.1a - Highly Refined Base Oils scenario : Identified use name: Use in cleaning agents - Industrial List of use descriptors Process Category: PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC10, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU03 Subsequent service life relevant for that use: No. Environmental Release Category: ERC04 Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.

Identification of the substance or mixture	
Product definition	: Mono-constituent substance
Code	: PFWO15
Product name	: PURITY <sup>™</sup> FG WO WHITE MINERAL OIL 15
Section 1 - Title	
Short title of the exposure scenario	: ES 9.9.1a - Highly Refined Base Oils
List of use descriptors	<ul> <li>Identified use name: Use in cleaning agents - Professional Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC10, PROC11, PROC13 Substance supplied to that use in form of: As such Sector of end use: SU22 Subsequent service life relevant for that use: No. Environmental Release Category: ERC08a, ERC08d Market sector by type of chemical product: Not applicable. Article category related to subsequent service life: Not applicable.</li> </ul>