

Version 4.0

Revision Date 2022/06/06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 Product identifier | |
|------------------------|--|
| Product name | : DEXRON [®] VI ATF |
| Synonyms | : RDL-3434, GM Mat. Spec. 9986153 |
| Product code | : DEX6B6U, DEX6ICT, DEX6P5R, DEX6IBC, DEX6DRM, DEX6DCT, DEX6C16, DEX6C12, DEX6BLK, DEX6 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Use of the Sub- | : | Automatic Transmission Fluid for use in General Motors vehi- |
|-----------------|---|--|
| stance/Mixture | | cles, requiring the DEXRON VI specification. |

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

| | | HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands |
|--|---|---|
| Telephone | : | +31 (0)85 4000080 |
| E-mail address of person responsible for the SDS | : | EUSDS@hfsinclair.com |

1.4 Emergency telephone number

| Emergency telephone num- | : | CHEMTREC: +1-703-741-5970; |
|--------------------------|---|--|
| ber | | Poison Control Centre: Consult local telephone directory for |
| | | emergency number(s). |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | |
|---|---|--|--|
| Long-term (chronic) aquatic hazard, Cat- | H412: Harmful to aquatic life with long lasting ef- | | |
| egory 3 | fects. | | |

2.2 Label elements

| Labelling (REGULATION (EC) No 1272/2008) | | | |
|--|---|----------------------|--|
| Hazard statements | : | H412 | Harmful to aquatic life with long lasting effects. |
| Precautionary statements | : | Preve P273 | ntion: Avoid release to the environment. |
| | | Dispo | sal: |



Version 4.0

Revision Date 2022/06/06

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. | Classification | Concentration (% w/w) |
|--|---|--|--------------------------|
| Lubricating oils (petroleum), C15- 30, hydrotreated neutral oil-based; Baseoil — unspecified | Registration number 72623-86-0 276-737-9 649-482-00-X 01-2119474878-16- 0001 | Asp. Tox. 1; H304 | 50 - 70 |
| Methacrylate copolymers | | Eye Irrit. 2; H319 | 1 - 10 |
| Thiophene, tetrahydro-,1,1- dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich | 800-172-4 | Aquatic Chronic 2; H411 | 1 - 2.5 |
| Distillates (petroleum), hy- drotreated light paraffinic; Baseoil — unspecified | 64742-55-8 265-158-7 649-468-00-3 | Asp. Tox. 1; H304 | 1 - 10 |
| dimantine | 124-28-7 204-694-8 | Acute Tox. 4; H302 Skin Irrit. 1B; H314 Aquatic Acute 1; H400 Eye Irrit. 1; H318 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 | 0.1 - 0.25 |
| 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol | 620-540-6 | Acute Tox. 4; H302 Skin Irrit. 1C; H314 Eye Irrit. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | 0.1 - 0.25 |
| 3 - ((C9-11-iso,C10- rich)alkyloxy)propan-1-amine | 939-485-7 | M-Factor (Acute aquatic toxicity): 10 Acute Tox. 4; H302 Skin Irrit. 1B; H314 Eye Irrit. 1; H318 Aquatic Acute 1; | 0.025 - 0.1 |



000003001354

Version 4.0

Revision Date 2022/06/06

Print Date 2022/06/06

| | | H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 | |
|--|----------------------|--|-------------|
| 2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol | 95-38-5 202-414-9 | Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H401 | 0.025 - 0.1 |
| | | M-Factor (Acute aquatic toxicity): 10 | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| If inhaled | Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice. |
|-------------------------|--|
| In case of skin contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. |
| In case of eye contact | Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. |
| If swallowed | Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

Risks

: First aider needs to protect himself.



Version 4.0

Revision Date 2022/06/06

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. |
|---|-----|--|
| Unsuitable extinguishing media | : | No information available. |
| 5.2 Special hazards arising from | the | e substance or mixture |
| Specific hazards during fire- fighting | : | Cool closed containers exposed to fire with water spray. |
| Hazardous combustion prod- ucts | : | Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion. |
| 5.3 Advice for firefighters | | |
| Further information | : | Prevent fire extinguishing water from contaminating surface water or the ground water system. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. |
|----------------------|--|
|----------------------|--|

6.2 Environmental precautions

| Environmental precautions | : | Do not allow uncontrolled discharge of product into the envi- |
|---------------------------|---|---|
| | | ronment. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Prevent further leakage or spillage if safe to do so. | |
|-------------------------|---|---|--|
| | | Remove all sources of ignition. | |
| | | Soak up with inert absorbent material. | |
| | | Non-sparking tools should be used. | |
| | | Ensure adequate ventilation. | |
| | | Contact the proper local authorities. | |
| | | | |

6.4 Reference to other sections

For personal protection see section 8.

Version 4.0

Revision Date 2022/06/06

Print Date 2022/06/06

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use. | | | | |
|--|---|---|--|--|--|--|
| Advice on protection against fire and explosion | : | None known. | | | | |
| Hygiene measures | : | Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling. | | | | |
| Conditions for safe storage, including any incompatibilities | | | | | | |

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage areas and containers | : | Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight. |
|---|---|---|
| | | in neat or direct sunlight. |

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment Eye protection Wear face-shield and protective suit for abnormal processing 5 problems. Hand protection Material 5 neoprene, nitrile, polyvinyl alcohol (PVA), Viton®. Remarks 2 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Choose body protection in relation to its type, to the concen-Skin and body protection : Internet: lubricants.petro-canada.com/sds Page: 5 / 12 Petro-Canada Lubricants is a HF Sinclair brand Trademarks are owned or used under license.



000003001354

| Version 4.0 | | Revision Date 2022/06/06 | Print Date 2022/06/06 | |
|------------------------|--------------------------|---|-----------------------|--|
| | | tration and amount of dangerous substar cific work-place. | nces, and to the spe- | |
| Respiratory protection | Respiratory protection : | Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. | | |
| Filter type | : | organic vapour filter | | |
| Protective measures | : | Wash contaminated clothing before re-us | se. | |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | viscous liquid |
|---|----|----------------------------|
| Colour | : | red |
| Odour | : | Mild petroleum oil like. |
| Odour Threshold | : | No data available |
| Pour point | : | -54 °C |
| Boiling point/boiling range | : | No data available |
| Flash point | : | 206 °C |
| | | Method: Cleveland open cup |
| Fire Point | : | 230 °C |
| Auto-Ignition Temperature | : | No data available |
| Evaporation rate | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Density | : | 0.846 kg/l (15 °C) |
| rnet: lubricants petro-canada com/s | гb | |

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

000003001354



| Version 4.0 | Revision Date 2022/06/06 | Print Date 2022/06/06 |
|-----------------|--------------------------|-----------------------|
| | | |
| Solubility(ies) | · insoluble | |

| Partition coefficient: n- octanol/water: No data availableViscosity Viscosity, kinematic: 29.8 cSt (40 °C) 6.0 cSt (100 °C)Flammability Explosive properties: Low fire hazard. This material must be heated before ignition will occur.Explosive properties: Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. | Water solubility | : | insoluble |
|--|----------------------|---|--|
| Viscosity, kinematic : 29.8 cSt (40 °C) 6.0 cSt (100 °C) Flammability : Low fire hazard. This material must be heated before ignition will occur. Explosive properties : Do not pressurize, cut, weld, braze, solder, drill, grind or ex- | | : | No data available |
| will occur. Explosive properties : Do not pressurize, cut, weld, braze, solder, drill, grind or ex- | 5 | : | |
| Explosive properties : Do not pressurize, cut, weld, braze, solder, drill, grind or ex- | Flammability | : | 5 |
| | Explosive properties | : | Do not pressurize, cut, weld, braze, solder, drill, grind or ex- |

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

| Hazardous reactions | : | Hazardous polymerisation does not occur. Stable under nor- mal conditions. |
|-----------------------------|---|---|
| 10.4 Conditions to avoid | | |
| Conditions to avoid | : | No data available |
| 10.5 Incompatible materials | | |
| Materials to avoid | : | Reactive with oxidising agents and reducing agents. |

10.6 Hazardous decomposition products

| Hazardous decomposition | : | May release COx, NOx, SOx, smoke and irritating vapours |
|-------------------------|---|---|
| products | | when heated to decomposition. |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Information on likely routes of | : | Eye contact |
|---------------------------------|---|--------------|
| exposure | | Ingestion |
| | | Inhalation |
| | | Skin contact |

Acute toxicity

Product:

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



000003001354

| ion 4.0 | Revision | Date 2022/06/06 | Print Date 2022/06/0 |
|---|-----------------|---|---------------------------|
| Acute oral toxicity | : Remarks: | No data available | |
| Acute inhalation toxicity | tion toxicit | ent: The substance or mix y No data available | ture has no acute inhala- |
| Acute dermal toxicity | : Remarks: | No data available | |
| Components: | | | |
| Lubricating oils (petroleur fied: |), C15-30, hydr | otreated neutral oil-bas | ed; Baseoil — unspeci- |
| Acute oral toxicity | : LD50 (Rat | :): > 5,000 mg/kg, | |
| Acute inhalation toxicity | Exposure | :): > 5.2 mg/l time: 4 h sphere: dust/mist | |
| Acute dermal toxicity | : LD50 (Ra | obit): > 2,000 mg/kg, | |
| Skin corrosion/irritation | | | |
| Product: | | | |
| Remarks | : No data a | vailable | |
| Serious eye damage/eye in | itation | | |
| Product: | | | |
| Remarks | : No data a | vailable | |
| Respiratory or skin sensit | sation | | |
| No data available | | | |
| Germ cell mutagenicity No data available | | | |
| Carcinogenicity | | | |
| Product: | | | |
| Remarks | and conta | nents listed in Annex VI to ined in the product, have 3% DMSO extractables as | been shown to contain |
| Reproductive toxicity | | | |
| No data available | | | |
| STOT - single exposure | | | |
| No data available | | | |
| | | | |



Version 4.0

Revision Date 2022/06/06

SECTION 12: Ecological information

12.1 Toxicity

| | <u>Product:</u> Toxicity to fish | | Remarks: No data available | | | |
|------|--|------|--|--|--|--|
| | , | | | | | |
| | Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available | | | |
| | Toxicity to algae/aquatic plants | : | Remarks: No data available | | | |
| | Toxicity to microorganisms | : | Remarks: No data available | | | |
| | Ecotoxicology Assessment | | | | | |
| | | : | Harmful to aquatic life with long lasting effects. | | | |
| | Components: | | | | | |
| | dimantine: | | 40 | | | |
| | M-Factor (Acute aquatic tox- icity) | : | 10 | | | |
| | 2,2'-(C16-18 (evennumbered M-Factor (Acute aquatic tox- icity) | | 18 unsaturated) alkyl imino) diethanol: 10 | | | |
| | 3 - ((C9-11-iso,C10-rich)alky M-Factor (Acute aquatic tox- icity) | | | | | |
| | 2-(2-heptadec-8-enyl-2-imida | azo | lin-1-yl)ethanol: | | | |
| | M-Factor (Acute aquatic tox- icity) | | | | | |
| 12.2 | 2 Persistence and degradabili | ity | | | | |
| | Product: | | | | | |
| | Biodegradability | : | Remarks: No data available | | | |
| 12.3 | 3 Bioaccumulative potential | | | | | |
| | No data available | | | | | |
| 12.4 | 4 Mobility in soil No data available | | | | | |
| 12. | 12.5 Results of PBT and vPvB assessment | | | | | |
| | Not relevant | | | | | |
| 12.0 | 6 Endocrine disrupting prope No data available | rtie | S | | | |
| | | | | | | |



Version 4.0

Revision Date 2022/06/06

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

:

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks

: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| Water hazard class (Germa- ny) | : | WGK 2 obviously hazardous to water | | |
|---|---|---|--|--|
| The components of this product are reported in the following inventories: | | | | |
| DSL | : | On the inventory, or in compliance with the inventory | | |
| TSCA | : | All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption. | | |
| IECSC | : | On the inventory, or in compliance with the inventory | | |



Version 4.0

Revision Date 2022/06/06

Print Date 2022/06/06

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

| H302 : | Harmful if swallowed. |
|--------|--|
| H304 : | May be fatal if swallowed and enters airways. |
| H314 : | Causes severe skin burns and eye damage. |
| H318 : | Causes serious eye damage. |
| H319 : | Causes serious eye irritation. |
| H373 : | May cause damage to organs through prolonged or repeated |
| | exposure. |
| H400 : | Very toxic to aquatic life. |
| H401 : | Toxic to aquatic life. |
| H410 : | Very toxic to aquatic life with long lasting effects. |
| H411 : | Toxic to aquatic life with long lasting effects. |

Full text of other abbreviations

| Acute Tox. : | Acute toxicity |
|-------------------|--|
| Aquatic Acute : | Short-term (acute) aquatic hazard |
| Aquatic Chronic : | Long-term (chronic) aquatic hazard |
| Asp. Tox. : | Aspiration hazard |
| Eye Dam. : | Serious eye damage |
| Eye Irrit. : | Eye irritation |
| Skin Corr. : | Skin corrosion |
| Skin Irrit. : | Skin irritation |
| STOT RE : | Specific target organ toxicity - repeated exposure |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; by - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Internet: lubricants.petro-canada.com/sds Page: 11 / 12



| Г 7 | |
|--------------|---|
| PETRO CANADA | ١ |

| Version 4.0 | Revision Date 2022/06/06 | Print Date 2022/06/06 |
|--|---|--|
| SVHC - Substance of Thailand Existing Che | - Self-Accelerating Decomposition Temperature; Very High Concern; TCSI - Taiwan Chemical Su micals Inventory; TRGS - Technical Rule for Haza ontrol Act (United States); UN - United Nations; vi | bstance Inventory; TECI - ardous Substances; TSCA |
| Further information | | |

| For Copy of SDS | : | Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000 For Product Safety Information: 1 905-491-0565 |
|--------------------------------|----|--|
| Prepared by | : | Product Safety: +1 905-491-0565 |
| Classification of the mixture: | | Classification procedure: |
| Aquatic Chronic 3 | H4 | 12 Based on product data or assessment |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN