

Version 3.5

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier	
Product name	: ENDURATEX ™ SYNTHETIC EP 460
Product code	: ENTS460P20, ENTS460DRM, ENTS460, ENTS460DCT

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Enduratex Synthetic EP 460 is a premium synthetic, extreme
stance/Mixture	pressure lubricant designed for enclosed industrial gears and
	bearings operating under severe load conditions and in wide
	temperature extremes.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

	HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands	
l elephone	: +31 (0)85 4000080	
E-mail address of person responsible for the SDS	: EUSDS@hfsinclair.com	

## **1.4 Emergency telephone number**

Emergency telephone num- ber	CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for
	emergency number(s).

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.			

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)			
Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<b>Preve</b> P273	ntion: Avoid release to the environment.
		Dispo	sal:
		P501	Dispose of contents/ container to an approved waste



Version 3.5

Revision Date 2022/07/08

Print Date 2022/07/08

disposal plant.

## **Additional Labelling**

EUH208

Contains Amines, C10-14-tert-alkyl. May produce an allergic reaction.

# 2.3 Other hazards

None known.

### **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
Amines, C10-14-tert-alkyl	Registration number	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 2; H330 Skin irr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 STOT SE 3; H335 (Respiratory Tract) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0.1 - 0.25
C16-18-(even numbered, saturat- ed and unsaturated)-alkylamines	627-034-4	Acute Tox. 4; H302 Skin irr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Gastrointestinal tract, Immune sys- tem, Liver) STOT SE 3; H335 (Respiratory Tract) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	0.025 - 0.1

For explanation of abbreviations see section 16.



Version 3.5

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled	<ul> <li>Move to fresh air.</li> <li>Artificial respiration and/or oxygen may be necessary.</li> <li>Seek medical advice.</li> </ul>
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> <li>Wash clothing before reuse.</li> <li>Seek medical advice.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Obtain medical attention.</li> </ul>
If swallowed	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Seek medical advice.</li> </ul>

### 4.2 Most important symptoms and effects, both acute and delayed

Risks	:	First aider needs to protect himself.
-------	---	---------------------------------------

### 4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
5.3 Advice for firefighters		
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.



Version 3.5

Revision Date 2022/07/08

Print Date 2022/07/08

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Ensure adequate ventilation.
	Evacuate personnel to safe areas.
	Material can create slippery conditions.
	Mark the contaminated area with signs and prevent access to unauthorized personnel.
	Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi-
		ronment.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Remove all sources of ignition.</li> <li>Soak up with inert absorbent material.</li> <li>Non-sparking tools should be used.</li> <li>Ensure adequate ventilation.</li> <li>Contact the proper local authorities</li> </ul>
	Contact the proper local authorities.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : areas and containers	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Internet: lubricants.petro-canada.com/sds	Page: 4 / 11
Trademarks are owned or used under license.	Petro-Canada Lubricants is a HF Sinclair brand



# 000003000910

Version 3.5

Revision Date 2022/07/08

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

### 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### 8.2 Exposure controls

### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment				
Eye protection :	Wear face-shield and protective suit for abnormal processing problems.			
Hand protection Material :	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .			
Remarks :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.			
Filter type :	organic vapour filter			
Protective measures :	Wash contaminated clothing before re-use.			

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	viscous liquid
Colour	:	Pale yellow
Odour	:	Mild petroleum
Odour Threshold	:	No data available

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



# 000003000910

sion 3.5		Revision Date 2022/07/08 Pri	int Date 2022/0
Pour point	:	-39 °C	
Boiling point/boiling range	:	No data available	
Flash point	:	237 °C	
		Method: Cleveland open cup	
Fire Point	:	327 °C	
Auto-Ignition Temperature	:	No data available	
Evaporation rate	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8634 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	466 cSt (40 °C)	
		46.3 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must be heated will occur.	before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze, solder, drill pose containers to heat or sources of ignition.	, grind or ex-

No data available



Version 3.5

Revision Date 2022/07/08

# **SECTION 10: Stability and reactivity**

10.1	Reactivity			
10.2	Chemical stability			
10.3	Possibility of hazardous reac	tio	ns	
	Hazardous reactions	:	Hazardous polymerisation does not occur. Stable under nor- mal conditions.	
10.4	Conditions to avoid			
	Conditions to avoid	:	No data available	
10.5	Incompatible materials			
	Materials to avoid	:	Reactive with oxidising agents, acids and alkalis.	
10.6 Hazardous decomposition products				
	Hazardous decomposition products	:	May release COx, NOx, SOx, POx, smoke and irritating vapours when heated to decomposition.	

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact	
Acute toxicity			
Product:			
Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available	
Acute dermal toxicity	:	Remarks: No data available	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye irritation			
<u>Product:</u> Remarks	:	No data available	

## Respiratory or skin sensitisation



Version 3.5

Revision Date 2022/07/08

Print Date 2022/07/08

## Product:

Result: Not a skin sensitizer.

# Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

## **Reproductive toxicity**

No data available

## STOT - single exposure

No data available

## STOT - repeated exposure

No data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity

P	ro	du	ct:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

## **Components:**

# C16-18-(even numbered, saturated and unsaturated)-alkylamines:

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 10 toxicity)

## 12.2 Persistence and degradability

## Product:

Biodegradability : Remarks: No data available

## 12.3 Bioaccumulative potential

No data available



# 000003000910

Version 3.5

Revision Date 2022/07/08

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

Not relevant

## **12.6 Endocrine disrupting properties** No data available

### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

# **SECTION 14: Transport information**

## International Regulations

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks

ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germa- : WGK 1 slightly hazardous to water ny)

The components of this pro	oduc	t are reported in the following inventories:
DSL	:	On the inventory, or in compliance with the inventory



# 000003000910

Version 3.5	Revision Date 2022/07/08	Print Date 2022/07/08
TSCA	: All chemical substances in this product TSCA Inventory or are in compliance w exemption.	
IECSC	: On the inventory, or in compliance with	the inventory

### 15.2 Chemical safety assessment

## **SECTION 16: Other information**

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H304		May be fatal if swallowed and enters airways.		
H311	÷	Toxic in contact with skin.		
H314		Causes severe skin burns and eye damage.		
H317	÷	May cause an allergic skin reaction.		
H318	÷	Causes serious eye damage.		
H330	÷	Fatal if inhaled.		
H335	:	May cause respiratory irritation.		
H373	:	May cause damage to organs through prolonged or repeated		
		exposure.		
H400	:	Very toxic to aquatic life.		
H410		Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Eye Dam.	:	Serious eye damage/eye irritation		
Skin irr.	:	Skin corrosion/irritation		
Skin Sens.	:	Skin sensitisation		
STOT RE	:	Specific target organ toxicity - repeated exposure		
STOT SE	:	Specific target organ toxicity - single exposure		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;



#### Version 3.5

Revision Date 2022/07/08

Print Date 2022/07/08

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

For Copy of SDS	: Internet: lubricants.petre Europe, telephone: 00-4 For Product Safety Info	
Prepared by	: Product Safety: +1 905	-491-0565
Classification of the mixture	Classification procedure:	
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

