

Version 2.10

Revision Date 2022/07/27

## **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: SENTRON TMMC CG 40
Product code	: STLCGICT, STLCGJ20, STLCGIBC, STLCGDRX, STLCGDRM, STLCGDCT, STLCG, STLCGBLK
1.2 Relevant identified uses of th	e substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Sentron oils are designed for use in stationary, spark-ignition, natural gas fuelled engines.
1.3 Details of the supplier of the	safety data sheet
Manufacturer or supplier's deta	ails
	HollyFrontier LSP Europe BV
	Mainhavenweg 6 1043 AL Amsterdam
	The Netherlands
Telephone	: +31 (0)85 4000080
E-mail address of person responsible for the SDS	: EUSDS@hfsinclair.com

### 1.4 Emergency telephone number

Emergency telephone num-	:	CHEMTREC: +1-703-741-5970;
ber		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

## **Additional Labelling**

- EUH208 Contains Calcium long chain alkaryl sulfonate. May produce an allergic reaction.
- EUH210 Safety data sheet available on request.



## 000003001067

Version 2.10

Revision Date 2022/07/27

2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Phenol, (tetrapropenyl) derivs., reaction products with distn. resi- dues from manuf. of phenol (tetrapropenyl) derivs. and sulfur, calcium salts	220794-90-1	Aquatic Chronic 4; H413	1 - 2.5
Calcium long chain alkaryl sul- fonate	722503-68-6	Skin Sens. 1B; H317 	0.1 - 1
phenol, dodecyl-, branched	121158-58-5 310-154-3 604-092-00-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Dam. 1; H318 Repr. 1B; H360 Skin irr. 1C; H314 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 specific concentration limit Repr. 1B 0.3 %	0.1 - 0.25

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled :	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact :	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing
Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.	Page: 2 / 11 Petro-Canada Lubricants is a HF Sinclair brand

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SENTRON TM/MC CG 40



## 000003001067

Risks

Version 2.10	Revision Date 2022/07/27	Print Date 2022/07/27	
	and shoes. Wash skin thoroughly with soap and water skin cleanser. Wash clothing before reuse. Seek medical advice.	or use recognized	
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Rinse immediately with plenty of water, als for at least 15 minutes.</li> <li>Obtain medical attention.</li> </ul>	o under the eyelids,	
If swallowed	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed t cian or poison control center.</li> <li>Never give anything by mouth to an uncon Seek medical advice.</li> </ul>		
4.2 Most important symptoms and	l effects, both acute and delayed		

: First aider needs to protect himself.

# 4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir-
			cumstances and the surrounding environment.
	Unsuitable extinguishing media	:	No information available.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
	Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), calcium oxides (CaOx), zinc oxides (ZnOx), aldehydes, smoke and irritating vapours as products of incomplete combustion.
5.3	Advice for firefighters Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Ensure adequate ventilation.
		Evacuate personnel to safe areas.



Version 2.10		Revision Date 2022/07/27	Print Date 2022/07/27
		Material can create slippery conditions. Mark the contaminated area with signs a unauthorized personnel. Only qualified personnel equipped with s equipment may intervene.	•
<b>6.2 Environmental precautions</b> Environmental precautions	:	Do not allow uncontrolled discharge of p ronment.	roduct into the envi-
6.3 Methods and material for cor	nta	inment and cleaning up	
Methods for cleaning up	:	Prevent further leakage or spillage if safe Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	e to do so.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

equirements for storage	:	Store in original container. Containers which are opened must
eas and containers		be carefully resealed and kept upright to prevent leakage.
		Keep in a dry, cool and well-ventilated place. Keep in properly
		labelled containers. To maintain product quality, do not store
		in heat or direct sunlight.



Version 2.10

Revision Date 2022/07/27

### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

8-hour TLV-TWA of 5 mg/m<sup>3</sup> recommended by manufacturer based on ACGIH TLV for mineral oil mists. Consult local authorities for acceptable exposure limits.

#### 8.2 Exposure controls

### Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .	
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.	
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.	
Filter type	:	organic vapour filter	
Protective measures	:	Wash contaminated clothing before re-use.	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	viscous liquid
Colour	:	Yellow or light amber.
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
Pour point	:	-27 °C





Version 2.10		Revision Date 2022/07/27	Print Date 2022/07/27
		10101011 Dato 2022, 01/21	
Boiling point/boiling range	:	No data available	
Flash point	:	273 °C	
		Method: Cleveland open cup	
Fire Point	:	291 °C	
Auto-Ignition Temperature	:	No data available	
Evaporation rate	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8772 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	125.8 cSt (40 °C)	
		13.5 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must be hea will occur.	ated before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze, solder pose containers to heat or sources of igniti	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

Hazardous reactions

: Hazardous polymerisation does not occur.Stable under nor-

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SENTRON TM/MC CG 40



## 000003001067

Version 2.10		Revision Date 2022/07/27	Print Date 2022/07/27
		mal conditions.	
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	Reactive with oxidising agents.	
10.6 Hazardous decomposition products			
Hazardous decomposition products	:	May release COx, H2S, methacrylate captans, smoke and irritating vapours position.	

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

	Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
	Acute toxicity		
	Product:		
	Acute oral toxicity	:	Remarks: No data available
	Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
	Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available
	Skin corrosion/irritation		
	Product:		
	Remarks	:	No data available
	Serious eye damage/eye irrit	tati	on
	Product:		
	Remarks	:	No data available
	Respiratory or skin sensitisa	atio	n
	No data available		
	Germ cell mutagenicity No data available		
	Carcinogenicity		
Inter	net: lubricants.petro-canada.com/s	ds	Page: 7

Trademarks are owned or used under license.



Version 2.10	Revision Date 2022/07/27	Print Date 2022/07/27
Product:		
Remarks :	All components listed in Annex VI to whic and contained in the product, have been less than 3% DMSO extractables as mea	shown to contain
Reproductive toxicity		
No data available		
<b>STOT - single exposure</b> No data available		
STOT - repeated exposure		
No data available		

## **SECTION 12: Ecological information**

## 12.1 Toxicity

	Product:		
	Toxicity to fish	:	Remarks: No data available
	Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
	Toxicity to algae/aquatic plants	:	Remarks: No data available
	Toxicity to microorganisms	:	Remarks: No data available
	Ecotoxicology Assessment		
	Chronic aquatic toxicity	:	This product has no known ecotoxicological effects. Remarks: Test data and bridging principles were applied when the ecotoxicity of the phenol, dodecyl-, branched was consid- ered during determination of the environmental classification of this mixture.
	Components:		
	<b>phenol, dodecyl-, branched:</b> M-Factor (Acute aquatic tox- icity)		10
	M-Factor (Chronic aquatic toxicity)	:	10
12.2	2 Persistence and degradabili	ty	
	Product:		
	Diadagradability		Demarka: Ne data available

Biodegradability	: Remarks: No data availabl	е
------------------	-----------------------------	---



Version 2.10



Print Date 2022/07/27

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment Not relevant

## **12.6 Endocrine disrupting properties** No data available

### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed disposal company.

Waste must be classified and labelled prior to recycling or disposal.

Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

## **SECTION 14: Transport information**

## International Regulations

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks

ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (Germa- : WGK 2 obviously hazardous to water ny)

## The components of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory
Internet: lubricants.petro-canada.com/sds Page: 9 / 11
Trademarks are owned or used under license. Petro-Canada Lubricants is a HF Sinclair brand



Version 2.10	Revision Date 2022/07/27	Print Date 2022/07/27
TSCA	: All chemical substances in this product TSCA Inventory or are in compliance exemption.	
NZIoC	: On the inventory, or in compliance wit	h the inventory
	: HSNO: HSR002605, Lubricants (Low ard 2020	Hazard) Group Stand-

### **15.2 Chemical safety assessment**

## **SECTION 16: Other information**

#### Full text of H-Statements

H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H360 :	May damage fertility or the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage/eye irritation
Repr. :	Reproductive toxicity
Skin irr. :	Skin corrosion/irritation
Skin Sens.	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SENTRON TM/MC CG 40



## 000003001067

Version 2.10

Revision Date 2022/07/27

Print Date 2022/07/27

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

For Copy of SDS	Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000 For Product Safety Information: 1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

: Product Safety: +1 905-491-0565

REG\_EU / EN

Prepared by