

**SDS # : 35940**

# XENITH ALPHA-ST 10W-40

**Version 4**

### 1.1. Product identifier

<b>Product name</b>	XENITH ALPHA-ST 10W-40
<b>Number</b>	LKY
<b>Substance/mixture</b>	MIXTURE

## 1.2. Relevant identified uses of the substance or mixture and uses advised

**against** Identified uses Motor oil.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**                      **Finol Oils**  
**3 Stannaway Drive**  
**Crumlin, Dublin 12**  
**D12X2PN**  
**353 1 4555484**

**For further information, please contact:**

<b>Contact Point</b>	<b>Finol Oils</b>
<b>E-mail Address</b>	<b>finol@finol.ie</b>

**1.4. Emergency telephone number National Poisons Information Centre +353 1 8092566**

**Professional 24/7 +353 1 4555486**

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

**REGULATION (EC) No 1272/2008** \*\*\*

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.\*\*\**

### Classification\*\*\*

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

**DIRECTIVE 67/548/EEC or 1999/45/EC**



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

For the full text of the R-phrases mentioned in this Section, see Section 16.

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments\*\*\*

**Symbol(s)**

Not classified\*\*\*

**2.2. Label elements**

Labelled according to REGULATION (EC) No 1272/2008\*\*\*

**Hazard Statements** \*\*\*

None\*\*\*

**Precautionary statements**

None\*\*\*

**Supplemental Hazard Statements**

EUH210 - Safety data sheet available on request\*\*\*

**2.3. Other hazards**

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixture\*\*\***

**Hazardous components** \*\*\*

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Dir. 67/548)	GHS Classification
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1	01-2119484627-25	64742-54-7	<80	-	Asp. Tox. 1 (H304)

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures**



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice. Never give anything by mouth to an unconscious person.***

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Not classified.
<b>Inhalation</b>	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**4.3. Indication of immediate medical attention and special treatment needed, if necessary**

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

**Section 5: FIRE-FIGHTING MEASURES****5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Foam. Carbon dioxide (CO <sub>2</sub> ). ABC powder. Water spray.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

**5.2. Special hazards arising from the substance or mixture**

<b>Special hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

**5.3. Precautions for fire-fighters**

<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus and protective suit.
<b>Other information</b>	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



SDS # : 35940

## XENITH ALPHA-ST 10W-40

Revision Date: 2021-12-03

Version 4

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General Information

Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.\*\*\*

#### 6.2. Environmental precautions

##### General Information

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and materials for containment and cleaning up

##### Methods for cleaning up

Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.\*\*\*

#### 6.4. Reference to other sections

##### Personal protective equipment

See Section 8 for more detail.

##### Waste treatment

See section 13.

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

##### Advice on safe handling

When using, do not eat, drink or smoke. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. For personal protection see section 8.

##### Prevention of fire and explosion

Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.\*\*\*

##### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.\*\*\*

#### 7.2. Conditions for safe storage, including any incompatibilities



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

**Technical measures/Storage conditions**

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

**Materials to avoid**

Oxidizing agents, Acids.

**7.3. Specific use(s)****Specific use(s)**

No information available.\*\*\*

**Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1. Control parameters****Exposure limits**

Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)\*\*\*

**Legend**

See section 16

**DNEL Worker (Industrial/Professional)**

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				5.4 mg/m <sup>3</sup> /8h (aerosol - inhalation)

**DNEL Consumer**

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				1.2 mg/m <sup>3</sup> /24h (aerosol - inhalation)

**Predicted No Effect Concentration (PNEC)****8.2. Exposure controls****Occupational Exposure Controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal protective equipment**



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

<b>General Information</b>	These recommendations apply to the product as supplied. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***
<b>Eye protection</b>	If splashes are likely to occur, wear: Safety glasses with side-shields.
<b>Skin and body protection</b>	Protective gloves. Protective shoes or boots. Long sleeved clothing.
<b>Hand protection</b>	Hydrocarbon-proof gloves, Nitrile rubber, Fluorinated rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Environmental exposure controls**

<b>General Information</b>	The product should not be allowed to enter drains, water courses or the soil.
----------------------------	---

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Colour	yellow to amber		
Physical state @20°C	Liquid		
Odour	characteristic		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
pH		Not applicable	
Boiling point/boiling range		No information available	
Flash point	> 200 °C > 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapour pressure		No information available	
Vapour density		No information available	
Density	850 kg/m³	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature	> 250 °C > 482 °F		



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

Viscosity, kinematic	69 mm2/s	@ 40 °C	ISO 3104
	11.8 mm2/s	@ 100 °C	ISO 3104
Explosive properties	Not explosive		
Oxidising properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

**9.2. Other information**

No information available\*\*\*

**Section 10: STABILITY AND REACTIVITY****10.1. Reactivity**

General Information No information available.\*\*\*

**10.2. Chemical stability**

Stability Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions None under normal processing.

**10.4. Conditions to Avoid**

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

**10.5. Incompatible materials**

Materials to avoid Oxidizing agents, Acids.

**10.6. Hazardous Decomposition Products**

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

**Section 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Acute toxicity Local effects Product Information**

Skin contact . Not classified.

Eye contact . Not classified.

Inhalation . Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2012-12-03

Version 4

**Ingestion**

. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy paraffinic***	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5 mg/l (aerosol) (rat - OECD 403)

**Sensitisation****Sensitisation**

Not classified as a sensitizer.

**Specific effects****Carcinogenicity**

This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Chemical Name	European Union
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	-

**Mutagenicity**

This product is not classified as mutagenic.

**Reproductive toxicity**

This product does not present any known or suspected reproductive hazards.

**Repeated Dose Toxicity****Subchronic Toxicity**

No information available.

**Target Organ Effects (STOT)****Target Organ Effects (STOT)**

No information available.

**Other information****Other adverse effects**

Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

**Section 12: ECOLOGICAL INFORMATION****12.1. Toxicity**

Not classified.\*\*\*

**Acute aquatic toxicity - Product Information**

No experimental data available .\*\*\*

**Acute aquatic toxicity - Component Information**





SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)***	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	

**Chronic aquatic toxicity - Product Information**

No information available.

**Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)***	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

**Effects on terrestrial organisms**

No information available.

**12.2. Persistence and Degradability****General Information**

No information available.

**12.3. Bioaccumulative potential****Product Information**

No information available.

**logPow**

No information available

**Component Information**

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic*** - 64742-54-7	-

**12.4. Mobility in soil****Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.

**Air**

Loss by evaporation is limited.

**Water**

The product is insoluble and floats on water.

**12.5. Results of PBT and vPvB assessment****PBT and vPvB assessment**

No information available.



SDS # : 35940

**XENITH ALPHA-ST 10W-40**

Revision Date: 2021-12-03

Version 4

**12.6. Other adverse effects**

General Information

No information available.\*\*\*

**Section 13: DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Waste from residues / unused products

Do not empty into drains. Should not be released into the environment. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.\*\*\*

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No

The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.\*\*\*

**Section 14: TRANSPORT INFORMATION****ADR/RID**

not regulated

**IMDG/IMO**

not regulated

**ICAO/IATA**

not regulated

**ADN**

not regulated

**Section 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union****International Inventories**

No information available\*\*\*

**Further information**

No information available\*\*\*

Version EUUK



SDS # : 35940

## XENITH ALPHA-ST 10W-40

Revision Date: 2021-12-03

Version 4

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment      No information available

### 15.3. National regulatory information

#### The United Kingdom

- Avoid exceeding occupational exposure limits (see section 8).

#### Ireland

- Avoid exceeding occupational exposure limits (see section 8).

### Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

Not applicable\*\*\*

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways\*\*\*

#### Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+                      Sensitiser

\*\*                     Hazard Designation

M:                    Mutagen

\*

C:

R:

Skin designation

Carcinogen

Toxic to reproduction

Revision Date:                      2021-12-03

Revision Note                      \*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet