Page: 1/17

Revision nr: 5.0

Issue date: 09/12/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

Supersedes: 10/02/2022



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form : Mixture

Trade name : C2230 COOLTEMP PREMIUM BLUE CONCENTRATE

UFI : PJVJ-0TJC-EH6U-A0PU

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Antifreeze

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet

Supplier

Supplier SOLVENTIS EUROPE NV **Finol Oils** Sint Maartenstraat 1

3 Stannaway Drive 2000 Antwerpen - BELGIUM T +32 3 205 16 66 Crumlin D12 X2PN

sds@solventis.net T 00353 01 4555484

Emergency telephone number

technical@finol.ie- www.finol.ie

Emergency number : 00 353 1 8092566

This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302 STOT RE 2 H373

Full text of H- and EUH-statements: see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS07

Signal word : Warning

Hazardous ingredients : ethanediol; ethylene glycol Hazard statements (CLP) : H302 - Harmful if swallowed.

H373 - May cause damage to organs (kidneys) through prolonged or repeated

exposure (oral).

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children. P260 - Do not breathe vapours, spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P301+P312 - IF SWALLOWED: Call a POISON CENTER, a doctor if you feel

unwell.

P314 - Get medical advice/attention if you feel unwell.

P330 - Rinse mouth.

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol substance with a Community workplace exposure limit	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index) 603-027-00-1 (REACH-no) 01-2119456816-28-XXXX / UK-01-1060922537-9-0026	> 90 - < 95	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
dipotassium tetraborate	(CAS-No.) 1332-77-0 (EC-No.) 215-575-5	> 0,25 - < 0,5	Repr. 2, H361d

| Page : 3 / 17 | | Revision nr : 5.0 | | Issue date : 09/12/2022 | | COOLTEMP PREMIUM BLUE CONCENTRATE | | Supersedes : 10/02/2022 |

Specific concentration limits:

Substance name	Product identifier	Specific concentration limits
dipotassium tetraborate	(CAS-No.) 1332-77-0 (EC-No.) 215-575-5	(5,2 ≤C < 100) Repr. 2, H361d

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective

equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show

this safety data sheet to the doctor in attendance.

Inhalation : Remove casualty to fresh air and keep warm and at rest. In case of doubt or

persistent symptoms, consult always a physician.

Skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of soap and

water. In case of doubt or persistent symptoms, consult always a physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact

lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent

symptoms, consult always a physician.

Ingestion : Rinse mouth thoroughly with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : May cause respiratory irritation. The following symptoms may occur: Cough,

Dizziness, Headache.

Skin contact : May be irritating. May be absorbed through the skin. Chronic exposure may cause

dermatitis. The following symptoms may occur: Dry skin.

Eyes contact : May cause slight irritation. The following symptoms may occur: erythema (redness),

Pain.

Ingestion : Harmful if swallowed. The following symptoms may occur: Abdominal pain,

Drowsiness, Dizziness, Nausea, Headache, Vomiting, Unconsciousness, Impairment

of the nervous system, Liver and kidney injuries may occur.

Chronic symptoms : May cause damage to organs (kidneys) through prolonged or repeated exposure

(oral)

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable. Heating will cause a rise in pressure with a risk of bursting.

Hazardous decomposition products in : Burning produces noxious and toxic fumes. Carbon oxides (CO, CO2).

case of fire

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the

extinguishing fluids by bunding. Prevent fire fighting water from entering the

environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of

waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

For emergency responders

: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature,

concentration, pH, time). Avoid release to the environment.

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep out of reach of children.

Storage conditions : Keep container tightly closed. Store in a dry, cool and well-ventilated place. Refer to

the detailed list of incompatible materials in section 10 Stability/Reactivity. Bund storage facilities to prevent soil and water pollution in the event of spillage. Protect

from moisture.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Special rules on packaging : Tactile warning (EN/ISO 11683).

Packaging materials : Keep only in the original container. Suitable material: Stainless steel. Carbon steel.

steel with plastic inner lining. Glass.

7.3. Specific end use(s)

Antifreeze.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanediol; ethylene glycol (107-21-1)		
EU	IOEL TWA	52 mg/m³
EU	IOEL TWA [ppm]	20 ppm
EU	IOEL STEL	104 mg/m³
EU	IOEL STEL [ppm]	40 ppm
EU	Remark	Possibility of significant uptake through the skin
Austria	MAK (OEL TWA)	26 mg/m³
Austria	MAK (OEL TWA) [ppm]	10 ppm
Austria	MAK (OEL STEL)	52 mg/m³
Austria	MAK (OEL STEL) [ppm]	20 ppm
Bulgaria	OEL TWA	52 mg/m³
Bulgaria	OEL TWA [ppm]	20 ppm
Bulgaria	OEL STEL	104 mg/m³
Bulgaria	OEL STEL [ppm]	40 ppm
Croatia	GVI (OEL TWA) [1]	52 mg/m³
Croatia	GVI (OEL TWA) [2]	20 ppm
Croatia	KGVI (OEL STEL)	104 mg/m³
Croatia	KGVI (OEL STEL) [ppm]	40 ppm
Cyprus	OEL TWA	52 mg/m³
Cyprus	OEL TWA [ppm]	20 ppm
Cyprus	OEL STEL	104 mg/m³
Cyprus	OEL STEL [ppm]	40 ppm
Czech Republic	PEL (OEL TWA)	50 mg/m ³
Denmark	OEL TWA [1]	26 mg/m³ 10 mg/m³ (atomized)
Denmark	OEL TWA [2]	10 ppm
Estonia	OEL TWA	52 mg/m³ (total concentration of aerosol and vapor)
Estonia	OEL TWA [ppm]	20 ppm (total concentration of aerosol and vapor)

Revision nr : 5.0

Page: 6 / 17

Issue date : 09/12/2022

COOLTEMP PREMIUM BLUE CONCENTRATE Supersedes: 10/02/2022

	ene glycol (107-21-1)	
Estonia	OEL STEL	104 mg/m³ (total concentration of aerosol and vapor)
Estonia	OEL STEL [ppm]	40 ppm (total concentration of aerosol and vapor)
Finland	HTP (OEL TWA) [1]	50 mg/m³
Finland	HTP (OEL TWA) [2]	20 ppm
Finland	HTP (OEL STEL)	100 mg/m³
Finland	HTP (OEL STEL) [ppm]	40 ppm
France	VME (OEL TWA)	52 mg/m³ (indicative limit-vapor)
France	VME (OEL TWA) [ppm]	20 ppm (indicative limit-vapor)
France	VLE (OEL C/STEL)	104 mg/m³ (indicative limit-vapor)
France	VLE (OEL C/STEL) [ppm]	40 ppm (indicative limit-vapor)
Germany	Occupational exposure limit value (mg/m³) (TRGS900)	26 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	Occupational exposure limit value (ppm) (TRGS900)	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	OEL TWA	52 mg/m³
Gibraltar	OEL TWA [ppm]	20 ppm
Gibraltar	OEL STEL	104 mg/m³
Gibraltar	OEL STEL [ppm]	40 ppm
Greece	OEL TWA	125 mg/m³ (vapor)
Greece	OEL TWA [ppm]	50 ppm (vapor)
Greece	OEL STEL	125 mg/m³ (vapor)
Greece	OEL STEL [ppm]	50 ppm (vapor)
Hungary	AK (OEL TWA)	52 mg/m³
Hungary	CK (OEL STEL)	104 mg/m³
Ireland	OEL TWA [1]	52 mg/m³
Ireland	OEL TWA [2]	20 ppm
Ireland	OEL STEL	104 mg/m³
Ireland	OEL STEL [ppm]	40 ppm
Italy	OEL TWA	52 mg/m³
Italy	OEL TWA [ppm]	20 ppm
Italy	OEL STEL	104 mg/m³
Italy	OEL STEL [ppm]	40 ppm
Latvia	OEL TWA	52 mg/m³
Latvia	OEL TWA [ppm]	20 ppm
Lithuania	IPRV (OEL TWA)	25 mg/m³ (aerosol and vapor)
Lithuania	IPRV (OEL TWA) [ppm]	10 ppm (aerosol and vapor)

Page: 7 / 17

Revision nr : 5.0

Issue date : 09/12/2022

Supersedes : 10/02/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

ethanediol; ethylen	e glycol (107-21-1)	
Lithuania	TPRV (OEL STEL)	50 mg/m³ (aerosol and vapor)
Lithuania	TPRV (OEL STEL) [ppm]	20 ppm (aerosol and vapor)
Luxembourg	OEL TWA	52 mg/m³
Luxembourg	OEL TWA [ppm]	20 ppm
Luxembourg	OEL STEL	104 mg/m³
Luxembourg	OEL STEL [ppm]	40 ppm
Malta	OEL TWA	52 mg/m³
Malta	OEL TWA OEL TWA [ppm]	20 ppm
Malta	OEL STEL	104 mg/m³
Malta	OEL STEL [ppm]	40 ppm
Netherlands	TGG-8u (OEL TWA)	52 mg/m³ (fume)
ivetnerianus	1GG-80 (OEL TWA)	10 mg/m³ (droplets)
Netherlands	TGG-15min (OEL STEL)	104 mg/m³
Poland	NDS (OEL TWA)	15 mg/m³
Poland	NDSCh (OEL STEL)	50 mg/m³
Portugal	OEL TWA	52 mg/m³ (indicative limit value)
Portugal	OEL TWA [ppm]	20 ppm (indicative limit value)
Portugal	OEL STEL	104 mg/m³ (indicative limit value)
Portugal	OEL STEL [ppm]	40 ppm (indicative limit value)
Portugal	OEL C	100 mg/m³ (aerosol only)
Romania	OEL TWA	52 mg/m³
Romania	OEL TWA [ppm]	20 ppm
Romania	OEL STEL	104 mg/m³
Romania	OEL STEL [ppm]	40 ppm
Slovakia	NPHV (OEL TWA) [1]	52 mg/m³
Slovakia	NPHV (OEL TWA) [2]	20 ppm
Slovakia	NPHV (OEL C)	104 mg/m³
Slovenia	OEL TWA	52 mg/m³
Slovenia	OEL TWA [ppm]	20 ppm
Slovenia	OEL STEL	104 mg/m³
Slovenia	OEL STEL [ppm]	40 ppm
Spain	VLA-ED (OEL TWA) [1]	52 mg/m³ (indicative limit value)
Spain	VLA-ED (OEL TWA) [2]	20 ppm (indicative limit value)
Spain	VLA-EC (OEL STEL)	104 mg/m³
Spain	VLA-EC (OEL STEL) [ppm]	40 ppm
Sweden	NGV (OEL TWA)	25 mg/m³ (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	NGV (OEL TWA) [ppm]	10 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)

Page: 8 / 17

Revision nr : 5.0

Issue date : 09/12/2022 Supersedes : 10/02/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

ethanediol; ethylene glycol (107-21-1)		
Sweden	KTV (OEL STEL)	104 mg/m³ (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	KTV (OEL STEL) [ppm]	40 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m³ (particulates) 52 mg/m³ (vapour)
United Kingdom	WEL TWA (OEL TWA) [2]	20 ppm (vapour)
United Kingdom	WEL STEL (OEL STEL)	104 mg/m³ (vapour) 30 mg/m³ (calculated-particulate)
United Kingdom	WEL STEL (OEL STEL) [ppm]	40 ppm (vapour)
Norway	Grenseverdi (OEL TWA) [1]	52 mg/m³ (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Grenseverdi (OEL TWA) [2]	20 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL)	104 mg/m³ (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL) [ppm]	40 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Switzerland	MAK (OEL TWA) [1]	26 mg/m³ (aerosol, vapour)
Switzerland	MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
Switzerland	KZGW (OEL STEL)	52 mg/m³ (aerosol, vapour)
Switzerland	KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)
Australia	OES TWA [1]	10 mg/m³ (particulate) 52 mg/m³ (vapour)
Australia	OES TWA [2]	20 ppm (vapour)
Australia	OES STEL	104 mg/m³ (vapour)
Australia	OES STEL [ppm]	40 ppm (vapour)
Canada (Quebec)	Plafond (OEL C)	127 mg/m³ (mist and vapour)
Canada (Quebec)	Plafond (OEL C) [ppm]	50 ppm (mist and vapour)
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)
USA - ACGIH	ACGIH OEL STEL	10 mg/m³ (inhalable particulate matter, aerosol only)
USA - ACGIH	ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)

Additional information

: Personal air monitoring :. Room air monitoring. Recommended monitoring procedures

8.2. Exposure controls

Engineering measure(s)

: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling .

Personal protective equipment

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SAFETY DATA SHEET Page : 9 / 17 Revision nr : 5.0 Issue date : 09/12/2022 COOLTEMP PREMIUM BLUE CONCENTRATE Supersedes : 10/02/2022

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Neoprene.

Nitrile rubber. Breakthrough time : > 480'. Thickness > 0.3 mm. Butyl rubber. natural

rubber gloves. Polyethylene. Polyvinylchloride (PVC). VITON gloves.

Polyvinylalcohol (PVA). Chlorinated polyethylene. Polyurethane. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific

working place concentration and quantity of hazardous substances.

Eye protection : tightly fitting safety goggles (EN 166). During splash contact: face shield (EN 166)

Body protection : Wear suitable coveralls to prevent exposure to the skin

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. full face mask

(DIN EN 136). Half-face mask (DIN EN 140). Filter type: A (EN 14387)

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental

protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Colourless.
Odour : odourless.
Odour threshold : No data available

Odour threshold . No data available

pH : 8,4 (50%)

Relative evaporation rate (butylacetate=1) : No data available Melting / freezing point : No data available Freezing point : No data available Initial boiling point and boiling range : No data available

Flash point : 111 °C
Auto-ignition temperature : > 400 °C

Decomposition temperature : No data available
Flammability : Not applicable, liquid
Vapour pressure : No data available
Vapour density : No data available
Relative density : 1,13 (20°C)

Density : 1,13 (20°C)

Solubility : 1125 kg/m³ (20°C)

Solubility : Water: Soluble

Partition coefficient n-octanol/water : No data available

Kinematic viscosity : 21 mm²/s (20°C)

Dynamic viscosity : 23,52 mPa.s (20°C)

Explosive properties : Not applicable. The study does not need to be conducted because there are no

chemical groups associated with explosive properties present in the molecule.

Oxidising properties : Not applicable. The classification procedure needs not to be applied because

there are no chemical groups present in the molecule which are associated with

oxidising properties.

Explosive limits : No data available

Particle size : Not applicable Particle size distribution : Not applicable : Not applicable Particle shape : Not applicable Particle aspect ratio Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hygroscopic product. Reference to other sections 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from moisture. See Section 7 for information on safe handling.

10.5. Incompatible materials

oxidising substances. Strong bases. Strong acids. Aluminium. Sulphuric acid. Perchloric acid. Chlorosulfonic acid. Sodium hydroxide. See also section 7.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

ATE CLP (oral)	531 mg/kg bodyweight
ethanediol; ethylene glycol (107-21-1)	
LD50/oral/rat	7712 mg/kg bodyweight
LD50 oral	7712 mg/kg
LD50/dermal/rat	10600 mg/kg
LD50/dermal/rabbit	> 3500 mg/kg

Page: 11 / 17

Revision nr : 5.0

Issue date : 09/12/2022 Supersedes : 10/02/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

ethanediol; ethylene glycol (107-21-1) LD50 dermal 10600 mg/kg LC50/inhalation/4h/rat > 2,5 mg/l (Exposure time: 6 h) dipotassium tetraborate (1332-77-0) 3690 mg/kg LD50/oral/rat LD50/dermal/rabbit > 2000 mg/kg LC50/inhalation/4h/rat > 2,04 mg/l/4h Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) pH: 8,4 (50%) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) pH: 8,4 (50%) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity ethanediol; ethylene glycol (107-21-1)

NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1500 mg/kg bodyweight
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure

ethanediol; ethylene glycol (107-21-1)	
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day OECD Guideline 407
NOAEL (dermal, rat/rabbit, 90 days)	2220 mg/kg bodyweight/day OECD 410
A ' ('	N (1 25 1/5 1 2 2 1/1 1 4 4 1 2 2 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

(oral).

•	•	•
C2230		
Kinematic viscosity	21 mm ² /s (20°C)	

Other adverse effects

- : May cause damage to organs through prolonged or repeated exposure.
- Other information : Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Page: 12 / 17

Revision nr: 5.0

Issue date: 09/12/2022 Supersedes: 10/02/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

11.2.2 Other information

Other adverse effects : May cause damage to organs through prolonged or repeated exposure.

: Symptoms related to the physical, chemical and toxicological characteristics,For Other information

further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

: According to the criteria of the European classification and labelling system, the **Environmental properties**

substance/the product has not to be labelled as "dangerous for the environment".

Hazardous to the aquatic environment, short- : Not classified

term (acute)

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

ethanediol; ethylene glycol (107-21-1)	
LC50 - Fish [1]	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 - Fish [2]	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)
NOEC (chronic)	15380 mg/l (7d, Pimephales promelas)
dipotassium tetraborate (1332-77-0)	
LC50 - Fish [1]	79.7 mg/l

dipotassium tetraborate (1332-77-0)	
LC50 - Fish [1] 79,7 mg/l	
C50 - Crustacea [1] 130 mg/l	

12.2. Persistence and degradability

C2230	
Persistence and degradability	No additional information available.
ethanediol; ethylene glycol (107-21-1)	
Persistence and degradability Readily biodegradable.	
Biodegradation	90-100 Experimental data

12.3. Bioaccumulative potential

C2230	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

Page: 13 / 17 SAFETY DATA SHEET Revision nr: 5.0 Issue date: 09/12/2022 Supersedes: 10/02/2022 COOLTEMP PREMIUM BLUE CONCENTRATE

ethanediol; ethylene glycol (107-21-1)	ediol; ethylene glycol (107-21-1)	
Partition coefficient n-octanol/water -1,36		
Bioaccumulative potential	ioaccumulative potential Does not bioaccumulate.	

12.4. Mobility in soil

C2230	
Mobility in soil	No data available

ethanediol; ethylene glycol (107-21-1)	
Mobility in soil	Not expected to adsorb on soil.

12.5. Results of PBT and vPvB assessment

C2230	
Results of PBT assessment	Not applicable

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Other adverse effects : No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC,

75/442/EEC, 91/689/EEC)

This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities The following Waste Codes are only suggestions:

15 01 10* - packaging containing residues of or contaminated by dangerous

substances

SAFETY DATA SHEET Page : 14 / 17 Revision nr : 5.0 Issue date : 09/12/2022 COOLTEMP PREMIUM BLUE CONCENTRATE Supersedes : 10/02/2022

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number	or ID number	•	•	·
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper	shipping name	•	•	•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport I	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gr	<u>oup</u>		•	·
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards	•	•	•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	No supplementary information available			

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or
categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6,
3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than
narcotic effects, 3.9 and 3.10

C2230; ethanediol; ethylene glycol

Contains no substance(s) listed on the REACH Candidate List

SAFETY DATA SHEET Page : 15 / 17 Revision nr : 5.0 Issue date : 09/12/2022 COOLTEMP PREMIUM BLUE CONCENTRATE Supersedes : 10/02/2022

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

German storage class (LGK) : LGK 12 - Non-combustible liquids

Hazardous Incident Ordinance (12.

BlmSchV)

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : B (5) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - : None of the components are listed

Porety coding

Borstvoeding

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

Ontwikkeling

: None of the components are listed

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product.

Pregnant/breastfeeding women working with the product must not be in direct contact with the product.

15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information

Indication of changes:

indication of changes.			
3	Composition/informatio n on ingredients	Modified	
11.1	Information on toxicological effects	Modified	
12.1	Toxicity	Modified	
15.1	Water hazard class (WGK)	Modified	

Page: 16 / 17

Revision nr: 5.0

Issue date: 09/12/2022

Supersedes: 10/02/2022

COOLTEMP PREMIUM BLUE CONCENTRATE

bbreviat	ions and acronyms:
	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the

datasheet Training advice : European Chemicals Agency, LoLi, SDS supplier, Inchem.

: Training staff on good practice. Manipulations are to be done only by qualified and

authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

ı	according to F	Regulation	(EC) No. 19	907/2006 (REACH	l) with its amendme	nt Regulation (EU) 2020/878

SAFETY DATA SHEET	Page : 17 / 17
	Revision nr : 5.0
	Issue date : 09/12/2022
COOLTEMP PREMIUM BLUE CONCENTRATE	Supersedes : 10/02/2022

Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.