

Version 4.0

Revision Date 2022/12/01

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	SENTRON TMMC VTP 0W-30
	Product code	:	STNF03BLK, STNF03J20, STNF03IBC, STNF03P20, STNF03DRM, STNF03, STNF03C16
1.2	Relevant identified	d uses of the s	substance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Sentron VTP is recommended for use in stationary natural gas fuelled engines in oil extraction. It is especially beneficial for those engines that require high zinc for improved valve train wear control. Sentron VTP is also recommended for natural gas fuelled engines used in agricultural irrigation.
1.3	Details of the supp	olier of the saf	ety data sheet
	Manufacturer or su	upplier's details	HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands
		Telephone :	+31 (0)85 4000080
1.4	E-mail address of responsible for the Emergency teleph	SDS	EUSDS@hfsinclair.com, REACH Only Representative (OR): INTERTEK FRANCE Allée de la Fosse Moret Eco parc 2 27400 Heudebouville France Phone number : +33 2 79 23 03 49 Email address: if.reach@intertek.com
	Emergency telephotoe	one num- :	CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for

emergency number(s).

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



Version 4.0

Revision Date 2022/12/01

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### Additional Labelling

EUH208 Contains Calcium long chain alkaryl sulfonate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

	Classification	Concentration
		(% w/w)
Registration number		
72623-86-0	Asp. Tox. 1; H304	90 - 100
276-737-9		
649-482-00-X		
01-2119474878-16-		
0001		
64742-54-7	Asp. Tox. 1; H304	50 - 70
265-157-1		
649-467-00-8		
01-2119484627-25-		
0055		
68037-01-4	Asp. Tox. 1; H304	10 - 20
500-183-1		
220794-90-1	Aquatic Chronic 4;	1 - 2.5
	H413	
722503-68-6	Skin Sens. 1B; H317	0.1 - 1
		-
	276-737-9 649-482-00-X 01-2119474878-16- 0001 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- 0055 68037-01-4 500-183-1	EC-No.       Index-No.         Registration number       Asp. Tox. 1; H304         72623-86-0       Asp. Tox. 1; H304         276-737-9       649-482-00-X         649-482-00-X       01-2119474878-16-         0001       64742-54-7         649-467-00-8       Asp. Tox. 1; H304         01-2119484627-25-       0055         68037-01-4       Asp. Tox. 1; H304         220794-90-1       Aquatic Chronic 4; H413



Version 4.0

Revision Date 2022/12/01

Print Date 2022/12/01

	specific concentration limit Skin Sens. 1B 1.25 %	
For exploration of abbreviations as	a continue 16	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures If inhaled : Move to fresh air.

	Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> <li>Wash clothing before reuse.</li> <li>Seek medical advice.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Obtain medical attention.</li> </ul>
If swallowed	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Seek medical advice.</li> </ul>

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

# **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media					
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.			
Unsuitable extinguishing media	:	No information available.			

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Cool	closed containers exposed to fire with water spray.
--------------------------------------	---



Version 4.0	Revision Date 2022/12/01	Print Date 2022/12/01		
fighting				
Hazardous combustion prod- ucts	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), calcium oxides (CaOx), zinc oxides (ZnOx), hydrocarbons, smoke and irritat- ing vapours as products of incomplete combustion.			
5.3 Advice for firefighters				
Further information	Prevent fire extinguishing water from cont water or the ground water system.	aminating surface		

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
------------------------	---

### 6.2 Environmental precautions

Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi-
		ronment.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Prevent further leakage or spillage if safe to do so. Remove all sources of ignition.
	Soak up with inert absorbent material.
	Non-sparking tools should be used. Ensure adequate ventilation.
	Contact the proper local authorities.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.
	Use only with adequate ventilation.
	In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin, eyes and clothing.
	Do not ingest.
	Keep away from heat and sources of ignition.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SENTRON <sup>TM/MC</sup> VTP 0W-30



### 000003000544

Version 4.0	Revision Date 2022/12/01	Print Date 2022/12/01
	Keep container closed when not in use	
Advice on protection against fire and explosion	: None known.	
Hygiene measures	: Remove and wash contaminated clothin ing the inside, before re-use. Wash face posed skin thoroughly after handling.	
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Store in original container. Containers of be carefully resealed and kept upright to Keep in a dry, cool and well-ventilated p labelled containers. To maintain product in heat or direct sunlight.	o prevent leakage. blace. Keep in properly
7.3 Specific end use(s) Specific use(s)	: No data available	

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

8-hour TLV-TWA of 5 mg/m<sup>3</sup> recommended by manufacturer based on ACGIH TLV for mineral oil mists. Consult local authorities for acceptable exposure limits.

### 8.2 Exposure controls

#### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipme	ent	
Eye/face protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SENTRON TM/MC VTP 0W-30



# 000003000544

Version 4.0	Revision Date 2022/12/0	01 Print Date 2022/12/01
Filter type	: organic vapour filter	
Protective measures	: Wash contaminated cloth	hing before re-use.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical	l an	
Physical state	•	viscous liquid
Colour	:	dark brown
Odour		Mild petroleum oil like.
Odour Threshold	:	No data available
Pour point	:	-45 °C
Boiling point/boiling range		No data available
Flash point	:	227 °C
		Method: Cleveland open cup
Fire Point	:	247 °C
Auto-Ignition Temperature	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8438 kg/l (15 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	63.2 cSt (40 °C)
Internet: lubricants.petro-canada.com/se	ds	-

Trademarks are owned or used under license.

Page: 6 / 13 Petro-Canada Lubricants is a HF Sinclair brand



Version 4.0	Revision Date 2022/12/01	Print Date 2022/12/
	11.4 cSt (100 °C)	
Flammability	: Low fire hazard. This material mus will occur.	st be heated before ignition
Explosive properties	: Do not pressurize, cut, weld, braze pose containers to heat or sources	
9.2 Other information		
No data available		
SECTION 10: Stability and rea	ctivity	
10.1 Reactivity		
No dangerous reaction known	under conditions of normal use.	
10.2 Chemical stability		
Stable under normal condition	S.	
10.3 Possibility of hazardous rea	ctions	
Hazardous reactions	: Hazardous polymerisation does no mal conditions.	ot occur.Stable under nor-
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: Reactive with oxidising agents, rea	ducing agents and acids.
10.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	<ul> <li>May release COx, H2S, methacryl captans, smoke and irritating vapo position.</li> </ul>	

Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal
rnet: lubricants.petro-canada.com/se emarks are owned or used under license.	ds	Page: 7 Petro-Canada Lubricants is a HF Sinclair I



# Version 4.0 Revision Date 2022/12/01 Print Date 2022/12/01 toxicity Remarks: No data available **Components:** Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg, Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg, Skin corrosion/irritation Product: Remarks No data available Serious eye damage/eye irritation **Product:** Remarks No data available 5 Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity **Product:** Remarks All components listed in Annex VI to which Note L applies, and contained in the product, have been shown to contain less than 3% DMSO extractables as measured by IP346. **Reproductive toxicity** No data available STOT - single exposure No data available STOT - repeated exposure No data available 11.2 Information on other hazards Endocrine disrupting properties Product: Assessment The substance/mixture does not contain components consid-1

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 8 / 13 Petro-Canada Lubricants is a HF Sinclair brand



Version 4.0

Revision Date 2022/12/01

Print Date 2022/12/01

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

ts. applied when was consid- assification
- unspeci-

No data available

### 12.4 Mobility in soil

No data available



Version 4.0

Revision Date 2022/12/01

Print Date 2022/12/01

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
IMDG	:	Not regulated as a dangerous good



Version 4.0	Revision Date 2022/12/01	Print Date 2022/12/01
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerous	good	
14.6 Special precautions for user		
Not applicable		
14.7 Maritime transport in bulk a	cording to IMO instruments	
Remarks	: ADR: Not Regulated	
	ADN: Not Regulated	
	RID: Not Regulated	

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Water hazard class (Germa- : WGK 2 obviously haza ny)	ardous to water
The components of this product are reported in the featureDSL: On the inventory, or in	ollowing inventories: compliance with the inventory

TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

### **SECTION 16: Other information**

### Full text of H-Statements

H304 :	May be fatal if swallowed and enters airways.
H317 :	May cause an allergic skin reaction.
H413 :	May cause long lasting harmful effects to aquatic life.



Version 4.0

#### Revision Date 2022/12/01

Print Date 2022/12/01

#### Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information


For Copy of SDS	: Internet: lubricants.petro-canada.com/sds Europe, telephone: 00-800-7387-6000
	For Product Safety Information: 1 905-491-0565

Prepared by

: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### REG\_EU / EN



Version 4.0

Revision Date 2022/12/01



Print Date 2022/12/01