

SAFETY DATA SHEET

MULTI COMPLEX EPL 2 RED

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Multi Complex EPL 2

Chemical name Red Mixture

Product number 0256/0594

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricating grease.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier

Finol Oils

Dublin 9

3 Stannaway Drive

Crumlin D12 X2PN

T 00353 01 4555484

technical@finol.ie- www.finol.ie

1.4. Emergency telephone number

National Poisons Information Centre Beaumont Hospital Beaumont Road

01-8092166

00 353 1 8092566 Professionals 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

Multi complex EPL 2 Red

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy naphthenic

70-100%

CAS number: 64742-52-5 EC number: 265-155-0 REACH registration number: 01-

2119467170-45-0000

Substance with National workplace exposure limits.

IP 346 < 3%

Classification

Not Classified

Calcium Carbonate 2.5-5.0%

CAS number: 1317-65-3 EC number: 215-279-6

Substance with National workplace exposure limits.

Classification

Not Classified

Dilithium sebacate 1-2.5%

CAS number: 19370-86-6 EC number: 242-999-8 REACH registration number: 01-

2120119384-60-0013

Classification

Acute Tox. 4 - H302

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and

1-2.5%

iso-Pr)esters, zinc salts

 REACH registration number: 01-

2119521201-61-0000

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any

discomfort continues.

Ingestion No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Rinse mouth. Get medical attention if any discomfort continues.

Skin contact No specific recommendations. Rinse with water. Get medical attention if any discomfort

continues.

Multi complex EPL 2 Red

Eye contact Rinse with water. Get medical attention if any discomfort continues.

Protection of first aidersUse protective equipment appropriate for surrounding materials.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

Ingestion No specific symptoms known. May cause discomfort if swallowed.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments No special treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen.

Oxides of phosphorus. Oxides of sulphur.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers

exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No specific recommendations. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or

similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a

spillage. Dispose of contents/container in accordance with national regulations.

Multi complex EPL 2 Red

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs.

Keep container tightly sealed when not in use.

Advice on general

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

occupational hygiene contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions No specific recommendations.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy naphthenic

Short-term exposure limit (15-minute): WEL, EH40(2002) 10 mg/m³ mist

Calcium Carbonate

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

WEL = Workplace Exposure Limit

Distillates (petroleum), hydrotreated heavy naphthenic (CAS: 64742-52-5)

DNEL Workers - Inhalation; Long term local effects: 5,58 mg/m³

8.2. Exposure controls

Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protectionNo specific eye protection required during normal use. Large Spillages: Eyewear complying

with an approved standard should be worn if a risk assessment indicates eye contact is

possible.

Hand protection No specific hand protection recommended. Large Spillages: Wear protective gloves.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is

inadequate, suitable respiratory protection must be worn.

Environmental exposure

controls

Not regarded as dangerous for the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Multi complex EPL 2 Red

Appearance Grease.

Colour Red.

Odour Almost odourless.

Odour threshold No information available.

pH Not applicable.

Melting point >260°C ASTM D2265

Initial boiling point and range No information available.

Flash point > 200°C Pensky-Martens closed cup.

Information given is applicable to the major ingredient.

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No information available.

Other flammability No information available.

Vapour pressure No information available.

Vapour density No information available.

Relative density 0.91 @ 25°C

Bulk density No information available.

Solubility(ies) Insoluble in water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity 150 cSt @ 40°C

Information given is applicable to the major ingredient.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

ReactivityNo test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Multi complex EPL 2 Red

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

Carbon dioxide (CO2). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 26,041.67

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 2B Possibly

carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Multi complex EPL 2 Red

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information No specific health hazards known. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

Inhalation No specific symptoms known.

Ingestion No specific symptoms known. May cause discomfort if swallowed.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute toxicity - oral

Notes (oral LD₅₀) OECD 401 >5000 mg/kg, Oral, Rat

API 1982 Read-across data.

Acute toxicity - dermal

Notes (dermal LD₅₀) OECD 402 >5000 mg/kg, Dermal, Rabbit

API 1982 Read-across data.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) OECD 403 >5.53 mg/l, 4 hours, Dust/Mist Rat

EMBSI 1988a Read-across data.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye Based on available data the classification criteria are not met.

damage/irritation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Respiratory sensitisation

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Multi complex EPL 2 Red

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not available.

Calcium Carbonate

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,000.0

Species Rat

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation

Not irritating.

Respiratory sensitisation

Respiratory sensitisation No data available.

Dilithium sebacate

Acute toxicity - oral

Notes (oral LD₅₀) Acute Tox. 4 - H302 Harmful if swallowed.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye

damage/irritation

Based on available data the classification criteria are not met.

Respiratory sensitisation

Multi complex EPL 2 Red

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicityNone of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity -

Based on available data the classification criteria are not met.

fertility

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information

The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Acute toxicity - oral

Notes (oral LD₅₀) OECD 401 3,080 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) OECD 402 > 20,000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation OECD 404 Irritating to skin.

Serious eye damage/irritation

Multi complex EPL 2 Red

Serious eye

OECD 405 Irritating to eyes.

damage/irritation

Skin sensitisation

Skin sensitisation OECD 406 - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: TA98

Negative with metabolic activation. Negative without metabolic activation.

Genotoxicity - in vivo Micronucleus assay, Mouse, OECD 474: Negative.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hours: >100 mg/l,

Acute toxicity - aquatic

invertebrates

EC₅₀, 96 hours: >10000 mg/l,

Acute toxicity - aquatic

plants

NOEC, 72 hours: >100 mg/l,

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 10 mg/l,

Calcium Carbonate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >10000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hours: >200 mg/l, Desmodesmus subspicatus

Dilithium sebacate

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >100 mg/l, Daphnia magna

Multi complex EPL 2 Red

Acute toxicity - aquatic plants

EC₅o, 75 hours: >100 mg/l, Pseudokirchneriella subcapitata NOEC, 72 hours: 10 mg/l, Pseudokirchneriella subcapitata

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 4.5 mg/l, Oncorhynchus mykiss (Rainbow trout)

NOEC, 96 hours: 1.8 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 5.4 mg/l, Daphnia magna NOEC, 48 hours: <1 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC₅₀, 96 hours: 2.1 mg/l, Scenedesmus subspicatus

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Biodegradation Inherently biodegradable.

Calcium Carbonate

Persistence and

degradability

The product contains only inorganic substances which are not biodegradable.

Dilithium sebacate

Persistence and

degradability

The product is readily biodegradable.

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Persistence and

degradability

Not readily biodegradable.

Biodegradation OECD 301F

- Degradation 1.5%: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of

this product.

Partition coefficient log Pow: 2 to 6

Calcium Carbonate

Partition coefficient Not applicable.

Multi complex EPL 2 Red

Dilithium sebacate

Bioaccumulative potential No data available on bioaccumulation.

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Bioaccumulative potential No data available.

12.4. Mobility in soil

Mobility No data available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Mobility Mobile.

Adsorption/desorption Estimated value. Highly mobile.

coefficient - log Kow: > 3.0 @ °C

Dilithium sebacate

Mobility No data available.

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

Calcium Carbonate

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

Phosphorodithioic acid, O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)esters, zinc salts

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

Dilithium sebacate

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Multi complex EPL 2 Red

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe

way.

Disposal methodsDispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water

authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

Multi complex EPL 2 Red

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

SECTION 16: Other information

Training advice Only trained personnel should use this material.

Revision date 29/04/2021

Revision 6

Supersedes date 14/01/2020

SDS number 4623

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

