

# DURON <sup>™/MC</sup> SHP 15W-40

#### 000003005463

Version 4.0

Revision Date 2023/09/07

Print Date 2023/09/07

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier** : DURON TM/MC SHP 15W-40 Product name Product code : DSHP15CBE, DSHP15BLK, DSHP15P5R, DSHP15DRR, DSHP15ICT, DSHP15C16, DSHP15C12, DSHP15P20, DSHP15DRM, DSHP15IBC, DSHP15DCT, DSHP15

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: DURON SHP 15W-40 is a superior quality heavy duty engine oil meeting global standards for high speed 4-stroke diesel engines. It can also be used in other applications including a wide range of compression and spark ignition engines, wet
	clutch transmissions and hydraulic systems.

#### 1.3 Details of the supplier of the safety data sheet

Telephone :	HollyFrontier LSP Europe BV Mainhavenweg 6 1043 AL Amsterdam The Netherlands +31 (0)85 4000080
E-mail address of person : responsible for the SDS	EUSDS@hfsinclair.com, REACH Only Representative (OR): INTERTEK FRANCE Allée de la Fosse Moret Eco parc 2 27400 Heudebouville France Phone number : +33 2 79 23 03 49 Email address: if.reach@intertek.com
Emergency telephone number	

## 1.4 Emergency telephone number

Emergency telephone num-	:	CHEMTREC: +1-703-741-5970;
ber		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

## 000003005463

Version 4.0

Revision Date 2023/09/07

Print Date 2023/09/07

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## **Additional Labelling**

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Lubricating oils (petroleum), C15-	72623-86-0	Asp. Tox. 1; H304	30 - 50
30, hydrotreated neutral oil-based;	276-737-9		
Baseoil — unspecified	649-482-00-X		
	01-2119474878-16-		
	0001		
Distillates (petroleum), hy-	64742-54-7	Asp. Tox. 1; H304	1 - 10
drotreated heavy paraffinic;	265-157-1		
Baseoil — unspecified	649-467-00-8		
	01-2119484627-25-		
	0055		
Lubricating oils (petroleum), C20-	72623-87-1	Asp. Tox. 1; H304	1 - 10
50, hydrotreated neutral oil-based;	276-738-4		
Baseoil — unspecified	649-483-00-5		
reaction many of icomorp of C7	405040.04.0	Aquetia Chronia 4	2.5.40
reaction mass of isomers of: C7-	125643-61-0	Aquatic Chronic 4; H413	2.5 - 10
9-alkyl 3-(3,5-di-tert-butyl-4-	406-040-9	II413	
hydroxyphenyl)propionate	607-530-00-7		
Distillates (petroleum), solvent-	64742-65-0	Asp. Tox. 1; H304	1 - 10
dewaxed heavy paraffinic; Baseoil	265-169-7		

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON TM/MC SHP 15W-40

## 000003005463

ersion 4.0	Revision Date 2023/09/	/07	Print Date 2023/09/07
— unspecified	649-474-00-6		
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — un- specified	64742-70-7 265-174-4 649-477-00-2	Asp. Tox. 1; H304	1 - 10
Distillates (petroleum), solvent- dewaxed light paraffinic; Baseoil — unspecified	64742-56-9 265-159-2 649-469-00-9 01-2119480132-48- 0013	Asp. Tox. 1; H304	1 - 10
Zinc alkyldithiophosphate	298-577-9	Eye Dam. 1; H318 Skin irr. 2; H315 Aquatic Chronic 2; H411 	1 - 2.5

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled :	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact :	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact :	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed :	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi-
Internet: lubricants.petro-canada.com/sds	Page: 3 / 14
Trademarks are owned or used under license.	Petro-Canada Lubricants is a HF Sinclair brand



# DURON TM/MC SHP 15W-40

## 000003005463

Version 4.0		Revision Date 2023/09/07	Print Date 2023/09/0
		cian or poison control center. Never give anything by mouth to an Seek medical advice.	unconscious person.
4.2 Most important symptoms	and e	ffects, both acute and delayed	
Risks	:	First aider needs to protect himself.	
4.3 Indication of any immedia	te med	dical attention and special treatmen	it needed
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mo	easur	es	
5.1 Extinguishing media			
Suitable extinguishing med	lia :	Use extinguishing measures that are cumstances and the surrounding environment	
Unsuitable extinguishing media	:	No information available.	
5.2 Special hazards arising fro	om the	substance or mixture	
Specific hazards during fire fighting	<b>)-</b> :	Cool closed containers exposed to fi	re with water spray.
Hazardous combustion pro ucts	:d- :	Carbon oxides (CO, CO2), nitrogen oxides (SOx), phosphorus oxides (P (H2S), zinc oxides (ZnOx), metal oxi hydes, smoke and irritating vapours combustion.	Ox), sulphur compounds des, hydrocarbons, alde-
5.3 Advice for firefighters			
Further information	:	Prevent fire extinguishing water from water or the ground water system.	n contaminating surface

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective</li> </ul>
	equipment may intervene.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON TM/MC SHP 15W-40

## 000003005463

Version 4.0	Revision Date 2023/09/07	Print Date 2023/09/07
6.2 Environmental precautions		
Environmental precautions	<ul> <li>Do not allow uncontrolled discharge or ronment.</li> <li>If the product contaminates rivers and respective authorities.</li> </ul>	
6.3 Methods and material for cont	tainment and cleaning up	
Methods for cleaning up	<ul> <li>Prevent further leakage or spillage if Remove all sources of ignition.</li> <li>Soak up with inert absorbent materia Non-sparking tools should be used.</li> <li>Ensure adequate ventilation.</li> <li>Contact the proper local authorities.</li> </ul>	

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	· · · · · · · · · · · · · · · · · · ·	9	
	Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
	Advice on protection against fire and explosion	:	None known.
	Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.
7.2	Conditions for safe storage, i	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.
7.3	Specific end use(s) Specific use(s)	:	No data available



# DURON <sup>™/MC</sup> SHP 15W-40

#### 000003005463

Version 4.0 Revision Date 2023/09/07 Print Date 2023/09/07

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

8-hour TLV-TWA of 5 mg/m<sup>3</sup> recommended by manufacturer based on ACGIH TLV for mineral oil mists. Consult local authorities for acceptable exposure limits.

#### 8.2 Exposure controls

#### Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye/face protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.
Filter type	:	organic vapour filter
Protective measures	:	Wash contaminated clothing before re-use.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	viscous liquid
Colour	:	light brown
Odour	:	Mild petroleum oil like.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON TM/MC SHP 15W-40

## 000003005463

/ersion 4.0		Revision Date 2023/09/07	Print Date 2023/09/07
Odour Threshold	:	No data available	
Pour point	:	-36 °C	
Boiling point/boiling range	:	No data available	
Flash point	:	226 °C Method: Cleveland open cup	
Fire Point	:	247 °C	
Auto-Ignition Temperature	:	No data available	
Evaporation rate	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8662 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	113.9 cSt (40 °C)	
		15.4 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must be heat will occur.	ed before ignition
Explosive properties ernet: lubricants.petro-canada.com/s idemarks are owned or used under license.	: sds	Do not pressurize, cut, weld, braze, solder, Petro-Canada Lu	drill, grind or ex- Page: 7 / 14 ubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

## 000003005463

Version 4.0

Revision Date 2023/09/07

Print Date 2023/09/07

pose containers to heat or sources of ignition.

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	: Hazardous polymerisation does not occur.Stable under nor- mal conditions.
10.4 Conditions to avoid	

Conditions to avoid	:	No data available
---------------------	---	-------------------

#### 10.5 Incompatible materials

Materials to avoid	:	Reactive with oxidising agents, reducing agents and acids.
--------------------	---	--

## 10.6 Hazardous decomposition products

Hazardous decomposition	:	May release COx, H2S, smoke and irritating vapours when
products		heated to decomposition.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Skin contact
exposure		Eye contact
		Inhalation
		Ingestion

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON TM/MC SHP 15W-40

## 000003005463

sion 4.0	Revision Date 2023/09/07	Print Date 2023/09
Components:		
Lubricating oils (petroleum), C fied:	15-30, hydrotreated neutral oil-based	; Baseoil — unspeci-
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity :	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity :	LD50 (Rabbit): > 2,000 mg/kg	
	t-dewaxed heavy paraffinic; Baseoil – LD50 (Rat): > 5,000 mg/kg	- unspecified:
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg	
Skin corrosion/irritation Not classified due to lack of data	L.	
Product:		
Remarks :	No data available	
Product: Remarks :	No data available	
Respiratory or skin sensitisati	on	
Skin sensitisation Not classified due to lack of data	l.	
Respiratory sensitisation Not classified due to lack of data	ι.	
Germ cell mutagenicity		
Not classified due to lack of data	l.	
Not classified due to lack of data Carcinogenicity Not classified due to lack of data		
Carcinogenicity	ι.	en shown to contain
Carcinogenicity Not classified due to lack of data <u>Product:</u>	All components listed in Annex VI to w and contained in the product, have be less than 3% DMSO extractables as n	en shown to contain

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

#### 000003005463

Version 4.0

Revision Date 2023/09/07

Print Date 2023/09/07

## **STOT - repeated exposure** Not classified due to lack of data.

## Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
• • • •	, C <sup>.</sup>	15-30, hydrotreated neutral oil-based; Baseoil — unspeci-
fied:		
Toxicity to fish	:	NOEC (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to fish		
Toxicity to fish Toxicity to daphnia and other	:	Exposure time: 96 h NOEC (Daphnia (water flea)): > 100 mg/l

## 12.2 Persistence and degradability

#### Product:

Biodegradability	:	Remarks: No data available
------------------	---	----------------------------

#### 12.3 Bioaccumulative potential

No data available Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

## 000003005463

 Version 4.0
 Revision Date 2023/09/07
 Print Date 2023/09/07

 **12.4 Mobility in soil** Finit Date 2023/09/07
 Print Date 2023/09/07

No data available

## 12.5 Results of PBT and vPvB assessment

## Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
 Offer surplus and non-recyclable solutions to a licensed disposal company.
 Waste must be classified and labelled prior to recycling or disposal.
 Send to a licensed waste management company.
 Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

## **SECTION 14: Transport information**

14.1 UN number or ID number		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
IMDG	:	Not regulated as a dangerous good

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON TM/MC SHP 15W-40

## 000003005463

Version 4.0	Revision Date 2023/09/07	Print Date 2023/09/07
ΑΤΑΙ	: Not regulated as a dangerous good	
14.4 Packing group		
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazard Not regulated as a dan		
14.6 Special precautions f Not applicable	or user	
14.7 Maritime transport in	bulk according to IMO instruments	
Remarks	: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated	

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Water hazard class (Germa-	:	WGK 2 obviously hazardous to water
ny)		-

The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

#### 000003005463

Version 4.0

Revision Date 2023/09/07

Print Date 2023/09/07

## **SECTION 16: Other information**

#### Full text of H-Statements

Full text of other abbre	aviations	
H413	:	May cause long lasting harmful effects to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.
H318	:	Causes serious eye damage.
H315	:	Causes skin irritation.
H304	:	May be fatal if swallowed and enters airways.

Aquatic Chronic Asp. Tox.	Long-term (chronic) aquatic hazard Aspiration hazard
	Serious eye damage/eye irritation Skin corrosion/irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

For Copy of SDS

: Internet: lubricants.petro-canada.com/sds Order Email for packed goods: pcepackage@hfsinclair.com Order Email for bulk: pceorders@hfsinclair.com

## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# DURON <sup>™/MC</sup> SHP 15W-40

## 000003005463

Version 4.0	Revision Date 2023/09/07	Print Date 2023/09/07		
	Telephone: +31 88313 0365 / +31 88313 0366 For Product Safety Information: 1 905-491-0565			
Prepared by	: Product Safety: +1 905-491-056	5		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN