according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : DURON TM/MC UHP 5W-30

Synonyms : RDL-3669

Product code : DUHP53DCT, DUHP53, DUHP53C20, DUHP53BOX,

DUHP53BLK, DUHP53P5R, DUHP53DRR, DUHP53ICT, DUHP53IBC, DUHP53DRM, DUHP53P20, DUHP53C16.

DUHP53C12

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub: A synthetic, SAE 5W-30 Heavy Duty Diesel Engine Oil destance/Mixture
: A synthetic, SAE 5W-30 Heavy Duty Diesel Engine Oil destance/Mixture

stroke engines operating on diesel, gasoline or natural gas fuel in mobile equipment. The low sulphated ash, phosphorus and sulphur design helps to protect emission control equipment such as particulate filters and catalytic converters and

SCRs.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

HollyFrontier LSP Europe BV

Mainhavenweg 6 1043 AL Amsterdam The Netherlands

Telephone: +31 (0)85 4000080

E-mail address of person responsible for the SDS

: EUSDS@hfsinclair.com,

REACH Only Representative (OR):

INTERTEK FRANCE Allée de la Fosse Moret

Eco parc 2

27400 Heudebouville

France

Phone number: +33 2 79 23 03 49 Email address: if.reach@intertek.com

1.4 Emergency telephone number

Emergency telephone num-

: CHEMTREC: +1-703-741-5970;

ber

Poison Control Centre: Consult local telephone directory for

emergency number(s).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10

Print Date 2023/10/10

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- 0055	Asp. Tox. 1; H304	70 - 90
Dec-1-ene, oligomers, hydrogenated	68037-01-4 500-183-1	Asp. Tox. 1; H304	1 - 10
1-Dodecene trimer, hydrogenated	151006-62-1 417-070-7	Aquatic Chronic 4; H413	2.5 - 10
Distillates (petroleum), hy-	64742-55-8	Asp. Tox. 1; H304	1 - 10

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 2 / 14 Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

drotreated light paraffinic; Baseoil — unspecified	265-158-7 649-468-00-3		
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6	Asp. Tox. 1; H304	1 - 10
Phenol, tetrapropylene-, sulfu- rized, carbonates, calcium salts, overbased	122384-87-6	Aquatic Chronic 4; H413	1 - 2.5
bis(nonylphenyl)amine	36878-20-3 253-249-4	Aquatic Chronic 4; H413	1 - 2.5
Distillates (petroleum), solvent- dewaxed light paraffinic; Baseoil — unspecified	64742-56-9 265-159-2 649-469-00-9 01-2119480132-48- 0013	Asp. Tox. 1; H304	1 - 10
Zinc alkyldithiophosphate	298-577-9	Eye Dam. 1; H318 Skin irr. 2; H315 Aquatic Chronic 2; H411 ———— specific concentration limit Eye Dam. 1 12.5 % Eye Dam. 2 10 - < 12.5 % Skin irr. 2 6.25 % Skin irr. 3 1 - < 6.25 %	1 - 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact : In case of contact, immediately flush eyes or skin with plenty

of water for at least 15 minutes while removing contaminated

clothing and shoes.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Wash clothing before reuse.

Seek medical advice.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 3 / 14 Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

In case of eye contact Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Obtain medical attention.

If swallowed Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

: First aider needs to protect himself. Risks

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

: No information available.

5.2 Special hazards arising from the substance or mixture

fighting

Specific hazards during fire- : Cool closed containers exposed to fire with water spray.

Hazardous combustion prod- :

ucts

Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), zinc oxides (ZnOx), metal oxides, hydrocarbons, smoke and irritating vapours as products of incomplete com-

bustion.

5.3 Advice for firefighters

Further information Prevent fire extinguishing water from contaminating surface

water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 4 / 14 Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the envi-

ronment.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used.

Ensure adequate ventilation.

Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition. Keep container closed when not in use.

Advice on protection against :

fire and explosion

None known.

Hygiene measures : Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use. Wash face, hands and any ex-

posed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store

in heat or direct sunlight.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 5 / 14
Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8-hour TLV-TWA of 5 mg/m³ recommended by manufacturer based on ACGIH TLV for mineral oil mists. Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye/face protection : Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton®.

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-

ing limits of the selected respirator.

Filter type : organic vapour filter

Protective measures : Wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : viscous liquid

Colour : brown

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

Odour : Mild petroleum oil like.

Odour Threshold : No data available

Pour point : -45 °C

Boiling point/boiling range : No data available

Flash point : 215 °C

Method: Cleveland open cup

Fire Point : 235 °C

Auto-Ignition Temperature : No data available

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.8563 kg/l (15 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, kinematic : 70.3 cSt (40 °C)

11.9 cSt (100 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

Flammability : Low fire hazard. This material must be heated before ignition

will occur.

Explosive properties : Do not pressurize, cut, weld, braze, solder, drill, grind or ex-

pose containers to heat or sources of ignition.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur. Stable under nor-

mal conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Reactive with oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition

products

May release COx, H2S, smoke and irritating vapours when

heated to decomposition.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure

Eye contact Ingestion Inhalation

Skin contact

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 8 / 14
Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : No data available

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : All components listed in Annex VI to which Note L applies,

and contained in the product, have been shown to contain less than 3% DMSO extractables as measured by IP346.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Remarks: Test data and bridging principles were applied when the ecotoxicity of the phenol, dodecyl-, branched was considered during determination of the environmental classification

of this mixture.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 10 / 14 Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Waste must be classified and labelled prior to recycling or

disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions

of the person responsible for waste disposal.

SECTION 14: Transport information

14.1 UN number or ID number

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.2 UN proper shipping name

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.4 Packing group

IMDG: Not regulated as a dangerous goodIATA (Cargo): Not regulated as a dangerous goodIATA (Passenger): Not regulated as a dangerous good

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks ADR: Not Regulated

> ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

ny)

Water hazard class (Germa: WGK 2 obviously hazardous to water

The components of this product are reported in the following inventories:

DSL On the inventory, or in compliance with the inventory

TSCA All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

Causes skin irritation. H315

Causes serious eye damage. H318

H411 Toxic to aquatic life with long lasting effects.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 12 / 14 Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10 Print Date 2023/10/10

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard

Eye Dam. : Serious eye damage/eye irritation

Skin irr. : Skin corrosion/irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

Further information

For Copy of SDS : Internet: lubricants.petro-canada.com/sds

Order Email for packed goods: pcepackage@hfsinclair.com

Order Email for bulk: pceorders@hfsinclair.com Telephone: +31 88313 0365 / +31 88313 0366 For Product Safety Information: 1 905-491-0565

Prepared by : Product Safety: +1 905-491-0565

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 13 / 14
Petro-Canada Lubricants is a HF Sinclair brand

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DURON TM/MC UHP 5W-30

000003002355

Version 4.1 Revision Date 2023/10/10

Print Date 2023/10/10

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. Page: 14 / 14 Petro-Canada Lubricants is a HF Sinclair brand