

## SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 MOTO FORK OIL SYN 5W

**SDS no.** 32038

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**1.1 Product identifier** 

**Product name** 

: MOTO FORK OIL SYN 5W

Product code Product description Product type Other means of identification

: 32038

- : Not available. : Liquid.
- : Not available.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Not applicable.

## Uses advised against Not applicable.

Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

✓ talEnergies Lubrifiants
 562 Avenue du Parc de L'ile
 92029 Nanterre Cedex FRANCE
 Tél: +33 (0)1 41 35 40 00
 Fax: +33 (0)1 41 35 84 71
 ✓ m.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 183 Eversholt St, Kings Cross London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

H.S.E

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

Telephone number	: National Poisons Information Service (NPIS): 111
<u>Supplier</u>	
Telephone number	: Emergency telephone: +44 1235 239670
Hours of operation	<ul> <li>Edit the content of sentence <gb -="" hours="" number="" of<br="" supplier="" telephone="">operation&gt; to define this output</gb></li> </ul>
Information limitations	: Edit the content of sentence <gb -="" information="" limitations="" number="" supplier="" telephone=""> to define this output</gb>



SDS no. 32038 :

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** 

: Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	1	₩412 - Harmful to aquatic life with long lasting effects.
Precautionary statements		
General	:	<ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P103 - Read carefully and follow all instructions.</li> </ul>
Prevention	1	₱273 - Avoid release to the environment.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	:	₱501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII		This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %. This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.
Other hazards which do not result in classification	:	razard of slipping on spilt product.



SDS no.

1

32038

## **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Туре
Sec-1-ene, trimers, hydrogenated	REACH #: 01-2119493949-12 EC: 500-393-3 CAS: 157707-86-3	≥25 - ≤50	Asp. Tox. 1, H304	[1]
Phenol, isopropylated, phosphate (3:1)	REACH #: 01-2119535109-41 EC: 273-066-3 CAS: 68937-41-7	<2.5	Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 1, H410 (M=1)	[1]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	REACH #: 01-2119491299-23 EC: 270-128-1 CAS: 68411-46-1	≤1	Repr. 2, H361f	[1]
Molybdenum trioxide, reaction products with bis[O,O-bis (2-ethylhexyl)] hydrogen dithiophosphate	REACH #: 01-2120772600-59 EC: 947-946-9	<1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 4, H413	[1]
diphenylamine	EC: 204-539-4 CAS: 122-39-4 Index: 612-026-00-5	<0.1	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

**Additional information** 

: The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

4.1 Description of firs	t aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.



SDS no. : 32038

### **SECTION 4: First aid measures**

Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important symptom	s and effects, both acute and delayed
Over-exposure signs/sympt	<u>oms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	: Preat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
<b>SECTION 5: Firefight</b>	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Øse dry chemical, CO₂, water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans
5.3 Advice for firefighters Special protective actions for fire-fighters	Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.



SDS no. : 32038

## **SECTION 5: Firefighting measures**

Special protective	: Fre-fighters should wear appropriate protective equipment and self-contained
equipment for fire-fighters	breathing apparatus (SCBA) with a full face-piece operated in positive pressure
	mode.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: F specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
---------------------	---



SDS no.

32038

### **SECTION 7: Handling and storage**

Advice on general occupational hygiene : Fating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

: Not available.

Recommendations Industrial sector specific solutions

### **SECTION 8: Exposure controls/personal protection**

: Not available.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/substance	Exposure limit values
d f phenylamine	EH40/2005 WELs (United Kingdom (UK), 1/2020). STEL: 20 mg/m³ 15 minutes. TWA: 10 mg/m³ 8 hours.

## Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring
	standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

## Advisory OEL

: No known significant effects or critical hazards.

#### DNELs/DMELs

Product/substance	Туре	Exposure	Value	Population	Effects
Phenol, isopropylated, phosphate (3: 1)	DNEL	Long term Oral	0.04 mg/ kg bw/day	General population	Systemic
,	DNEL	Long term Inhalation	0.145 mg/ m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	0.208 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal		Workers	Systemic
	DNEL	Short term Oral	50 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	100 mg/kg bw/day	General population	Systemic



SDS no. : 32038

	DNEL	Short term	350 mg/m <sup>3</sup>	General	Systemic
		Inhalation	_	population	-
	DNEL	Short term	700 mg/m <sup>3</sup>	Workers	Systemic
		Inhalation	_		
	DNEL	Short term Dermal	2000 mg/	Workers	Systemic
			kg bw/day		-
	DNEL	Long term Dermal	0.417 mg/	Workers	Systemic
		_	kg bw/day		-
	DNEL	Short term Dermal	16 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Short term Dermal	8 mg/cm <sup>2</sup>	General	Local
				population	
	DNEL	Short term Oral	50 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	8 mg/cm <sup>2</sup>	General	Local
				population	
	DNEL	Short term Dermal	16 mg/cm <sup>2</sup>	Workers	Local
Benzenamine, N-phenyl-, reaction	DNEL	Long term Oral	0.04 mg/	General	Systemic
products with 2,4,4-trimethylpentene			kg bw/day	population	
	DNEL	Long term Dermal	0.04 mg/	General	Systemic
			kg bw/day	population	
	DNEL	Long term Dermal	0.08 mg/	Workers	Systemic
			kg bw/day		
	DNEL	Long term	0.14 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	
	DNEL	Long term	0.6 mg/m³	Workers	Systemic
		Inhalation			
Molybdenum trioxide, reaction	DNEL	Long term	4.93 mg/m <sup>3</sup>	Workers	Systemic
products with bis[O,O-bis		Inhalation			
(2-ethylhexyl)] hydrogen					
dithiophosphate					
	DNEL	Long term Dermal	1.4 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Long term	0.87 mg/	General	Systemic
	1	Inhalation	kg bw/day	population	
		Law a tawa Daw			
	DNEL	Long term Dermal	0.5 mg/kg	General	Systemic
	DNEL DNEL	Long term Dermal Long term Oral	0.5 mg/kg bw/day 0.5 mg/kg	General population General	Systemic

#### **PNECs**

Product/substance	Compartment Detail	Value	Method Detail
Phenol, isopropylated, phosphate (3:1)	Fresh water	0.00031 mg/l	-
	Marine water	0.000031 mg/l	-
	Fresh water sediment	0.185 mg/kg	-
	Marine water sediment	0.0185 mg/kg	-
	Soil	1 mg/kg	-
	Sewage Treatment Plant	100 mg/l	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	33.8 µg/l	-
	Marine water	3.38 µg/l	-
	Fresh water sediment	446 µg/kg dwt	-
	Marine water sediment	44.6 µg/kg dwt	-
	Soil	1.76 mg/kg dwt	-

#### 8.2 Exposure controls



SDS no. : 32038

## SECTION 8: Exposure controls/personal protection

Appropriate engineering controls	Sood general ventilation should be sufficient to control worker exposure to a contaminants.	airborne
Individual protection meas	<u>&gt;</u>	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when assessment indicates this is necessary to avoid exposure to liquid splashes gases or dusts. If contact is possible, the following protection should be wor unless the assessment indicates a higher degree of protection: safety glass side-shields.EN 166	, mists, rn,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard be worn at all times when handling chemical products if a risk assessment in this is necessary. Considering the parameters specified by the glove manuf- check during use that the gloves are still retaining their protective properties should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consistin several substances, the protection time of the gloves cannot be accurately estimated.	ndicates facturer, 5. It
	nitrile rubber Please observe the instructions regarding permeability and breakthrough tin which are provided by the supplier of the gloves. Also take into consideration specific local conditions under which the product is used, such as the dange cuts, abrasion, and the contact time. In case of prolonged contact with the product, it is recommended to wear glo complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indici- only. The level of protection is provided by the material of the glove, its techn characteristics, its resistance to the chemicals to be handled, the appropriation of its use and its replacement frequency	n the er of oves ) ative nical
Body protection	Personal protective equipment for the body should be selected based on the being performed and the risks involved and should be approved by a special before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	
Respiratory protection	Ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry into confined spaces In case of inadequate ventilation respiratory protection: Type A/P1 Warning ! filters have a limited use duration use of breathing apparatus must comply strictly with the manufacturer's instrand the regulations governing their choices and uses	wear ion The
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legisles. In some cases, fume scrubbers, filters or engineering modifications to the pre- equipment will be necessary to reduce emissions to acceptable levels.	ation.



SDS no. 32038

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

#### 9.1 Information on basic physical and chemical properties

9.1 information on basic physic	and chemical properties
<u>Appearance</u>	
Physical state	: Liquid. [Clear]
Colour	: Red.
Odour	: Characteristic.
Odour threshold	: Not available.
Melting point/freezing point	: 🔽 echnically not possible to measure
Initial boiling point and boiling range	: ▶316°C (>600.8°F) [EN ISO 3405]
Flammability (solid, gas)	: 100
Upper/lower flammability or explosive limits	: <b>I</b> ∕ower: 0.9% Upper: 7%
Flash point	: Øpen cup: 100°C (212°F) [ASTM D 92]
Auto-ignition temperature	: 10°C (212°F) [ASTM E 659]
Decomposition temperature	: Not applicable.
рН	: Not applicable. Product is non-soluble (in water).
Viscosity	: ₭nematic (40°C): 23.3 mm²/s [ASTM D 445]
Solubility(ies)	:
Media	Result

wedia		Result
water		Not soluble
Solubility in water	: 🕻	95 g/l
Miscible with water	: 🖡	No.
Partition coefficient: n-octanol/ water	: 🕨	•3.5
Vapour pressure	: 🔻	≪0.013 kPa (<0.1 mm Hg) [ASTM D 5191]
Relative density	:	7.829 [ISO 12185]
Density	:	7.829 g/cm³ [15°C (59°F)] [ISO 12185]
Vapour density	: 🕨	▶2 [Air = 1]
Particle characteristics		
Median particle size	: 🖡	Not applicable.

9.2 Other information

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	: Moder normal conditions of storage and use, hazardous reactions will not occur.	



SDS no. : 32038

## SECTION 10: Stability and reactivity

10.4 Conditions to avoid	:	Reep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
₽ Dec-1-ene, trimers, hydrogenated	LC50 Inhalation Vapour	Rat	1.17 mg/l	4 hours	OECD 403
	LC50 Inhalation Vapour	Rat	0.9 mg/l	4 hours	OECD 403
	LC50 Inhalation Vapour	Rat	1.4 mg/l	4 hours	OECD 403
	LD50 Dermal	Rat	>3000 mg/kg	-	OECD 402
	LD50 Oral	Rat	>5000 mg/kg	-	OECD 401
Phenol, isopropylated, phosphate (3:1)	LC50 Inhalation Dusts and mists	Rat	>200 mg/l	1 hours	-
	LD50 Dermal	Rabbit	>10000 mg/ kg	-	-
	LD50 Oral	Rat	>5000 mg/kg	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Oral	Rat	>5000 mg/kg	-	-
Molybdenum trioxide, reaction products with bis[O, O-bis(2-ethylhexyl)] hydrogen dithiophosphate	LD50 Dermal	Rabbit	11320 mg/kg	-	-
	LD50 Oral	Rat	7708 mg/kg	-	-
diphenylamine	LC50 Inhalation Dusts and mists	Rat	0.501 mg/l	4 hours	-
	LC50 Inhalation Vapour	Rat	3 mg/l	4 hours	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-	-
	LD50 Dermal	Rat	300 mg/kg	-	-
	LD50 Oral	Rat	100 mg/kg	-	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Molybdenum trioxide, reaction products with bis[O, O-bis(2-ethylhexyl)] hydrogen dithiophosphate	7708	11320	N/A	N/A	N/A
diphenylamine	100	300	N/A	3	0.501



SDS no. 32038

11/18

## **SECTION 11: Toxicological information**

	-
Irritation/Corrosion	
<b>Conclusion/Summary</b>	
Skin	: Based on available data, the classification criteria are not met.
Eyes	: Based on available data, the classification criteria are not met.
Respiratory	: Based on available data, the classification criteria are not met.
Sensitisation	
<b>Conclusion/Summary</b>	
Skin	: Based on available data, the classification criteria are not met. Contains sensitiser May produce an allergic reaction.
Respiratory	: Based on available data, the classification criteria are not met.
Mutagenicity	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
Teratogenicity	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
Specific target organ toxic	<u>city (single exposure)</u>

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Specific target organ toxicity (repeated exposure)

Product/substance	Category	Route of exposure	Target organs
	Category 2 Category 2	-	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Aspiration hazard

Product/substance	Result
Øec-1-ene, trimers, hydrogenated	ASPIRATION HAZARD - Category 1
	· · · · · · · · · · · · · · · · · · ·

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

## Information on likely routes : Not available. of exposure

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: 🛛 No specific data.
Inhalation	: No specific data.

Date of revision :	Version : 3	United Kingdom (UK)	ENGLISH
2022/09/21			



SDS no. 1

32038

### **SECTION 11: Toxicological information**

Skin contact	: No specific data.
Ingestion	: 📈 specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure
Phenol, isopropylated, phosphate (3:1)	Sub-chronic LOAEL Oral	Rat	25 mg/kg	-
Conclusion/Summary	: Not available.			
General	: No known significant effects or critical hazards.			
Carcinogenicity	: During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.			
Mutagenicity	: No known significant effects or critical hazards.			
Reproductive toxicity	: 📈 known significant effects or critical hazards.			

#### 11.2 Information on other hazards

#### **11.2.1 Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### 11.2.2 Other information

### SECTION 12: Ecological information

Farmful to aquatic life with long lasting effects.

#### 12.1 Toxicity

Product/substance	Result	Species	Exposure	Test
Dec-1-ene, trimers, hydrogenated	Acute EC50 >1000 mg/l	Algae - Scenedesmus capricornutum	72 hours	OECD 201
	Acute EC50 >5002 ppm	Daphnia - Americamysis bahia	96 hours	OECD 202
	Acute EC50 >150 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute NOEL 1000 mg/l	Algae - Scenedesmus	72 hours	OECD 201
	Acute NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	96 hours	-



SDS no.

:

32038

## **SECTION 12: Ecological information**

	Chronic NOEL 125 mg/l	Daphnia - Daphnia magna	21 days	OECD 211
Phenol, isopropylated, phosphate (3:1)	Acute EC50 2.5 mg/l	Algae	72 hours	-
,	Acute EC50 2.44 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute EC50 >1000 mg/l	Micro-organism	3 hours	-
	Acute LC50 1.6 mg/l	Fish	96 hours	-
	Chronic NOEC 0.041 mg/l	Daphnia - Daphnia magna	21 days	TEPA and OECD 211
Molybdenum trioxide, reaction products with bis[O, O-bis(2-ethylhexyl)] hydrogen dithiophosphate	Acute EC50 >100 mg/l	Algae - Pseudokirchnerella subcapitata	72 hours	OECD 201
	Acute EC50 >100 mg/l	Daphnia - Daphnia Magna	48 hours	OECD 202
	Acute EC50 1 mg/l	Micro-organism	3 hours	-
diphenylamine	Acute EC50 0.31 mg/l Fresh water	Daphnia - Daphnia magna	48 hours	-
	Acute LC50 2.2 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours	US EPA

Conclusion/Summary

: Not available.

#### 12.2 Persistence and degradability

Conclusion/Summary	: Not available.		
Product/substance	Aquatic half-life	Photolysis	Biodegradability
henol, isopropylated, phosphate (3:1)	-	-	Not readily
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	-	-	Not readily

#### 12.3 Bioaccumulative potential

Product/substance	LogPow	BCF	Potential
MOTO FORK OIL SYN 5W Dec-1-ene, trimers, hydrogenated	>3.5 >6.5	-	low high
Phenol, isopropylated, phosphate (3:1)	4.92 to 5.17	-	high
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5.1	1730	high

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
Mobility in soil	: Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water. Loss by evaporation is limited

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



SDS no. : 32038

## **SECTION 12: Ecological information**

#### 12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 02 06*
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	9006	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, isopropylated, phosphate (3:1))	-	-



SDS no. : 32038

**SECTION 14: Transport information** 9 14.3 Transport hazard class(es) 14.4 Packing group 14.5 No. Yes. No. No. **Environmental** hazards **Additional information ADN** : The product is only regulated as a dangerous good when transported in tank vessels. 14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are user upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. : Not available. 14.7 Maritime transport in bulk according to IMO instruments SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB) /REACH Annex XIV - List of substances subject to authorisation **Annex XIV** None of the components are listed. Substances of very high concern None of the components are listed. **Ozone depleting substances** Not listed. **Prior Informed Consent (PIC)** Not listed. **Persistent Organic Pollutants** Not listed. **Annex XVII - Restrictions** : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Seveso Directive** 

This product is not controlled under the Seveso Directive. <u>EU regulations</u>



SDS no. 32038

1

**Industrial emissions** : Not listed (integrated pollution prevention and control) -Δir

**Industrial emissions** : Not listed (integrated pollution prevention and control) -Water

#### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

**Montreal Protocol** 

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

- Australia inventory (AIIC) Canada inventory China inventory (IECSC) **Europe inventory** Japan inventory
- **New Zealand Inventory of Chemicals** (NZIoC) **Philippines inventory (PICCS)**

Korea inventory (KECI)

**Taiwan Chemical Substances Inventory** (TCSI) **Thailand inventory** 

**Turkey inventory** 

- **United States inventory (TSCA 8b)**
- **Vietnam inventory**

- : All components are listed or exempted.
- : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

- : All components are listed or exempted.
- : Not determined.
- : Not determined.
- : All components are listed or exempted.
- : Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety	÷	This product contains substances for which Chemical Safety Assessments are still
assessment		required.



SDS no. : 32038

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

	5 1 5
Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DNEL = Derived No Effect Level
	DMEL = Derived Minimal Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	vPvB = Very Persistent and Very Bioaccumulative
	PNEC = Predicted No Effect Concentration
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	OEL = Occupational Exposure Limit
	VOC = Volatile Organic Compound
	UVCB Substance of unknown or Variable composition, Complex reaction products
	or Biological material
	NOEC No Observed Effect Concentration
	QSAR = Quantitative Structure–Activity Relationship
	• •

#### Procedure used to derive the classification

Classification	Justification
Aquatic Chronic 3, H412	Calculation method

#### Full text of abbreviated H statements

<b>H</b> 301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### Full text of classifications

Cute Tox. 3	ACUTE TOXICITY - Category 3
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Aquatic Chronic 4	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Repr. 2	REPRODUCTIVE TOXICITY - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1B	SKIN SENSITISATION - Category 1B
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
Date of printing	: 2022/09/21
Date of issue/ Date of revision	: 2022/09/21



SDS no. 32038

### **SECTION 16: Other information**

Date of previous issue	: 2021/07/06
Version	: 3

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.