

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

EQUIVIS ZS 46

SDS no. 31509

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

: EQUIVIS ZS 46

Product code Product description Product type Other means of identification : 31509

- : Not available.
- : <mark>L</mark>íquid.
- : Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Not applicable.

Uses advised against Not applicable.

Not applicable.

1.3 Details of the supplier of the safety data sheet

✓ talEnergies Lubrifiants
 562 Avenue du Parc de L'ile
 92029 Nanterre Cedex FRANCE
 Tél: +33 (0)1 41 35 40 00
 Fax: +33 (0)1 41 35 84 71
 ✓ m.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 183 Eversholt St, Kings Cross London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

H.S.E

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	: National Poisons Information Service (NPIS): 111
<u>Supplier</u>	
Telephone number	: Emergency telephone: +44 1235 239670
Hours of operation	 Edit the content of sentence <gb -="" hours="" number="" of<br="" supplier="" telephone="">operation> to define this output</gb>
Information limitations	: Edit the content of sentence <gb -="" information="" limitations="" number="" supplier="" telephone=""> to define this output</gb>



SDS no. 31509

SECTION 2: Hazards identification

2.1 Classification of the subs	stai	nce or mixture
Product definition : Mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]		
Not classified.		
The product is not classified a	as h	nazardous according to UK CLP Regulation SI 2019/720 as amended.
Ingredients of unknown : Contains 66.7% of components with unknown hazards to the aquatic environment ecotoxicity		
See Section 11 for more deta	ilec	l information on health effects and symptoms.
2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII		This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %. This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.
Other hazards which do not result in classification	:	None known.

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Туре
Distillates (petroleum), hydrotreated light paraffinic	REACH #: 01-2119487077-29 EC: 265-158-7 CAS: 64742-55-8	≤3	Asp. Tox. 1, H304	[1]



SDS no. 31509

SECTION 3: Composition/information on ingredients

•	Ŭ	
		See Section 16 for the full text of the H statements declared above.
Additional information	: Mineral oil of petroleum origin P	roduct containing mineral oil with less than 3%

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[7] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Mash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	\mathbf{W} ash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	 Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.



SDS no. 31509

SECTION 5: Firefighting measures		
5.1 Extinguishing media Suitable extinguishing media	: ☑se dry chemical, CO₂, water spray (fog) or foam.]
Unsuitable extinguishing media	: <mark>Ø</mark> o not use water jet.	
5.2 Special hazards arising f	rom the substance or mixture	
Hazards from the substance or mixture	: 📝 a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion products	: carbon monoxide carbon dioxide Silicon Dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Fromptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	if
Special protective equipment for fire-fighters	 Fre-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 	

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	Fspecialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop

up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.



SDS no. :

31509

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Fut on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SECTION 8: Exposure controls/personal protection		
Industrial sector specific solutions	: Not available.	
Recommendations	: Not available.	
7.3 Specific end use(s)		

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.



SDS no. : 31509

SECTION 8: Exposure controls/personal protection

: Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

DNELs/DMELs

Product/substance	Туре	Exposure	Value	Population	Effects
Sistillates (petroleum), hydrotreated light paraffinic	DNEL	Long term Inhalation	5.4 mg/m ³	Workers	Local
	DNEL	Long term Inhalation	1.2 mg/m³	General population	Local
	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.19 mg/m ³	General population	Local
	DNEL	Long term Inhalation	2.73 mg/m ³		Systemic
	DNEL	Long term Inhalation	5.58 mg/m³	Workers	Local

PNECs

No PNECs available

8.2 Exposure controls

Provide the second second	
Appropriate engineering controls	: Sood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.EN 166
Skin protection	
Hand protection	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Hydrocarbon-proof gloves nitrile rubber
	Fluorinated rubber
	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
	In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency

Advisory OEL



SDS no. : 31509

SECTION 8: Exposure controls/personal protection

_		
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	: None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: 🗭ear.
Odour	: Characteristic.
Odour threshold	: Not available.
Melting point/freezing point	: 🔽 echnically not possible to measure
Initial boiling point and boiling range	: ▶300°C (>572°F) [ISO 3405]
Flammability (solid, gas)	: Not applicable.
Upper/lower flammability or explosive limits	: Kower: 0.9% Upper: 7%
Flash point	: Øpen cup: 215°C (419°F) [ISO 2592]
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not applicable.
рН	: Not applicable. Product is non-soluble (in water).
Viscosity	: ₭inematic (40°C): 41.4 to 50.6 mm²/s [ISO 3104]
Solubility(ies)	1 · · · · · · · · · · · · · · · · · · ·

Media		Result
water		Not soluble
Solubility in water	: Ir	nsoluble
Miscible with water	: 📐	To.
Partition coefficient: n-octanol/ water	: 📐	ot applicable.
Vapour pressure		0.013 kPa (<0.1 mm Hg) [room temperature] lot applicable. [50°C (122°F)]
Relative density	: 🛛	.84 to 0.89 [ISO 12185]
Density	: Ø	.84 to 0.89 g/cm³ [15°C (59°F)] [ISO 12185]
Vapour density <u>Particle characteristics</u>	: >	2 [Air = 1]



SECTION 9: Physical and chemical properties

Median particle size

: Not applicable.

9.2 Other information

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	: Vinder normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
10.5 Incompatible materials	: No specific data.	
10.6 Hazardous decomposition products	: Farbon monoxide carbon dioxide Silicon Dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Sistillates (petroleum), hydrotreated light paraffinic	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours	OECD 403
,	LD50 Dermal	Rabbit	>5000 mg/kg	-	OECD 402
	LD50 Oral	Rat	>5000 mg/kg	-	OECD 420
Conclusion/Summary	: Based on available data	a, the classifica	tion criteria are r	not met.	
Acute toxicity estimates					
N/A					
N/A ritation/Corrosion					
ritation/Corrosion	: Based on available data	a, the classifica	tion criteria are r	not met.	
<u>ritation/Corrosion</u> Conclusion/Summary	: Based on available data : Based on available data				

Sensitisation	
Conclusion/Summary	:
Skin	: Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.



SDS no. 31509

SECTION 11: Toxico	logical information	
Mutagenicity		
Conclusion/Summary	: Based on available data, the clas	sification criteria are not met.
Carcinogenicity		
Conclusion/Summary	: Based on available data, the clas	sification criteria are not met.
Reproductive toxicity		
Conclusion/Summary	: Based on available data, the clas	sification criteria are not met.
Teratogenicity		
Conclusion/Summary	: Based on available data, the clas	sification criteria are not met.
Specific target organ toxici	t <u>y (single exposure)</u>	
Not available.		
Conclusion/Summary	: B ased on available data, the clas	sification criteria are not met.
Specific target organ toxici		
Not available.		
Conclusion/Summary	: Based on available data, the clas	sification criteria are not met
Aspiration hazard		
	ct/substance	Result
♥istillates (petroleum), hydro		ASPIRATION HAZARD - Category 1
Conclusion/Summary	: B ased on available data, the clas	sification criteria are not met.
Information on likely routes of exposure	: Not available.	
Potential acute health effects		itiaal haranda
Eye contact	: No known significant effects or c	
Inhalation Skin contact	: No known significant effects or c	
	 Defatting to the skin. May cause No known significant effects or cause 	
Ingestion	: No known significant effects of ci	
Symptoms related to the phy	vsical, chemical and toxicological o	<u>haracteristics</u>
Eye contact	: No specific data.	
Inhalation	: 🕺 specific data.	
Skin contact	: Adverse symptoms may include t irritation dryness cracking	the following:
Ingestion	: No specific data.	
-		
Delayed and immediate effec	ts as well as chronic effects from	short and long-term exposure
Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		



SDS no. 31509 1

SECTION 11: Toxicological information

Potential immediate	: Not available.
effects	

Potential delayed effects	: Not available.
---------------------------	------------------

Potential chronic health effects

Not available.

Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: 📈 known significant effects or critical hazards.
Mutagenicity	: 📈 known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

11.2.2 Other information

SECTION 12: Ecological information

12.1 Toxicity

Product/substance	Result	Species	Exposure	Test
Ďistillates (petroleum), hydrotreated light paraffinic	Acute EC50 >100 mg/l Acute EC50 >10000 mg/l Chronic NOEL 10 mg/l Chronic NOEL >1000 mg/l	Algae - Pseudokirchnerella subcapitata Daphnia - Daphnia magna Daphnia - Daphnia magna Fish - Oncorhynchus mykiss		OECD 201 OECD 202 OECD 211 -

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
Mobility in soil	: Given its physical

al and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water. Loss by evaporation is limited

12.5 Results of PBT and vPvB assessment



SDS no. 31509

SECTION 12: Ecological information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 01 10*
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-



SECTION 14: Transport information 14.5 No. No. No. No. **Environmental** hazards

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions : Not listed (integrated pollution prevention and control) -Air **Industrial emissions** : Not listed (integrated pollution prevention and control) -Water

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals



EQUIVIS ZS 46

SDS no. :

31509

SECTION 15: Regulatory information	ation
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Convention on Persistent Organ	ic Pollutants
Not listed.	
Rotterdam Convention on Prior Informed Co	onsent (PIC)
Not listed.	
UNECE Aarhus Protocol on POPs and Heav	v Motals
Not listed.	<u>L'incluis</u>
Inventory list	
Australia inventory (AIIC)	: All components are listed or exempted.
Canada inventory	: All components are listed or exempted.
China inventory (IECSC)	: All components are listed or exempted.
Europe inventory	: 🕅 components are listed or exempted.
Japan inventory	: Japan inventory (CSCL): All components are listed or
	exempted. Japan inventory (ISHL): Not determined.
New Zealand Inventory of Chemicals	: All components are listed or exempted.
(NZIoC)	
Philippines inventory (PICCS)	: All components are listed or exempted.
Korea inventory (KECI)	: Not determined.
Taiwan Chemical Substances Inventory (TCSI)	: All components are listed or exempted.
Thailand inventory	: Not determined.
Turkey inventory	: Not determined.
United States inventory (TSCA 8b)	: 🕅 components are listed or exempted.
Vietnam inventory	: Not determined.
countries Inventories. The information used	es solely to the conformity of the chemical product with the I to confirm the inventory status of this product may be based on I shown in Section 3. Other regulations may apply for importation
15.2 Chemical safety assessment: This product required.	contains substances for which Chemical Safety Assessments are still

SECTION 16: Other information

Indicates information that has changed from previously issued version. **Abbreviations and** : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. acronyms 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative



SDS no. :

31509

SECTION 16: Other information

PNEC = Predicted No Effect Concentration LC50 = Median lethal concentration LD50 = Median lethal dose OEL = Occupational Exposure Limit VOC = Volatile Organic Compound UVCB Substance of unknown or Variable composition, Complex reaction products or Biological material NOEC No Observed Effect Concentration QSAR = Quantitative Structure–Activity Relationship

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

⊮ 304	May be fatal if swallowed and enters airways.
Full text of cla	ssifications
Asp. Tox. 1	ASPIRATION HAZARD - Category 1

Date of printing	: 2022/09/27
Date of issue/ Date of revision	: 2022/09/27
Date of previous issue	: 2021/05/25
Version	: 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.