



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

QUARTZ INEO FIRST 0W-30

SDS no. 080871

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : QUARTZ INEO FIRST 0W-30

Product code : 080871

Product description: Not available.

Product type : Liquid.

Other means of : Not available.

identification

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Not applicable.

Uses advised against

Not applicable.

Not applicable.

1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 10 Upper Bank Street (19th floor) Canary Wharf,

London E14 5BF UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

rm.gb-msds@totalenergies.com

H.S.E

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : National Poisons Information Service (NPIS): 111

Supplier

Telephone number : Emergency telephone: +44 1235 239670

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 1/17 2023/11/02



SDS no.

080871

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown

: Contains 3.2% of components with unknown hazards to the aquatic environment

ecotoxicity

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Supplemental label

elements

: Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Safety data sheet available on request.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0.1 %.

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

Other hazards which do not result in classification

: Hazard of slipping on spilt product.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 2/17 2023/11/02



SDS no.

080871

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Type
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥50 - ≤75	Asp. Tox. 1, H304	[1]
Dec-1-ene, homopolymer, hydrogenated	REACH #: 01-2119486452-34 EC: 500-183-1 CAS: 68037-01-4	≥10 - ≤25	Asp. Tox. 1, H304	[1]
Distillates (petroleum), solvent- dewaxed heavy paraffinic	REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6	≤3	Asp. Tox. 1, H304	[1]
Distillates (petroleum), solvent- dewaxed light paraffinic	REACH #: 01-2119480132-48 EC: 265-159-2 CAS: 64742-56-9 Index: 649-469-00-9	≤3	Asp. Tox. 1, H304	[1]
Paraffin oils (petroleum), catalytic dewaxed heavy	REACH #: 01-2119487080-42 EC: 265-174-4 CAS: 64742-70-7	≤3	Asp. Tox. 1, H304	[1]
C14-16-18 Alkyl phenol	REACH #: 01-2119498288-19 EC: 931-468-2	≤0.3	Skin Sens. 1B, H317 STOT RE 2, H373	[1]
			See Section 16 for the full text of the H statements declared above.	

Additional information

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact

: Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 3/17



SDS no. 080871

SECTION 4: First aid measures

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

> person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

: No specific data. **Eye contact** Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

: No specific treatment. **Specific treatments**

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of revision: Version: 4.02 United Kingdom (UK) **ENGLISH** 4/17



SDS no.

080871

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations : Not available.

Date of revision: Version: 4.02 United Kingdom (UK) **ENGLISH** 5/17 2023/11/02



SDS no.

080871

SECTION 7: Handling and storage

Industrial sector specific : Not available.

solutions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

Biological Limit Values (BLV)

No exposure indices known.

Recommended monitoring procedures

- : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- Advisory OEL : Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

DNELs/DMELs

Product/substance	Type	Exposure	Value	Population	Effects
Distillates (petroleum), hydrotreated	DNEL	Long term Oral	0.74 mg/	General	Systemic
heavy paraffinic			kg bw/day	population	
	DNEL	Long term Dermal	0.97 mg/	Workers	Systemic
	DATE	1	kg bw/day	0	1 1
	DNEL	Long term	1.19 mg/m ³	General	Local
	DNEL	Inhalation Long term	2.73 mg/m ³	population Workers	Systemic
	DINEL	Inhalation	2.73 mg/m	Workers	Systemic
	DNEL	Long term	5.58 mg/m ³	Workers	Local
	D. 122	Inhalation	o.oo mg/m	***************************************	20041
Distillates (petroleum), solvent-	DNEL	Long term Oral	0.74 mg/	General	Systemic
dewaxed heavy paraffinic			kg bw/day	population	-
	DNEL	Long term Dermal	0.97 mg/	Workers	Systemic
			kg bw/day		
	DNEL	Long term	1.19 mg/m ³	General	Local
	DATE	Inhalation	0.70	population	0
	DNEL	Long term Inhalation	2.73 mg/m ³	Workers	Systemic
	DNEL	Long term	5.58 mg/m ³	Workers	Local
	DINLL	Inhalation	3.36 mg/m	WOIKEIS	Lucai
Distillates (petroleum), solvent-	DNEL	Long term Oral	0.74 mg/	General	Systemic
dewaxed light paraffinic		3	kg bw/day	population	
- '	DNEL	Long term Dermal	0.97 mg/	Workers	Systemic
			kg bw/day		
	DNEL	Long term	1.19 mg/m³	General	Local
		Inhalation	0.70 / 2	population	
	DNEL	Long term	2.73 mg/m ³	Workers	Systemic
	DNEL	Inhalation	5 50 mg/m3	Morkoro	Local
	DINEL	Long term Inhalation	5.58 mg/m ³	vvorkers	Local
Paraffin oils (petroleum), catalytic	DNEL	Long term Oral	0.74 mg/	General	Systemic
dewaxed heavy] . ,	201.9 101111 0141	kg bw/day	population	2,31011110

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 6/17



SDS no.

080871

•	•	•			
	DNEL	Long term Dermal	0.97 mg/	Workers	Systemic
			kg bw/day		
	DNEL	Long term	1.19 mg/m ³	General	Local
		Inhalation		population	
	DNEL	Long term	2.73 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term	5.58 mg/m ³	Workers	Local
		Inhalation			
C14-16-18 Alkyl phenol	DNEL	Long term	1.17 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term Dermal	0.3 mg/kg	Workers	Systemic
			bw/day		

PNECs

Product/substance	Compartment Detail	Value	Method Detail
Distillates (petroleum), hydrotreated heavy paraffinic	Secondary Poisoning	9.33 mg/kg	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Secondary Poisoning	9.33 mg/kg	-
C14-16-18 Alkyl phenol	Fresh water	0.1 mg/l	-
• .	Marine water	0.01 mg/l	-
	Fresh water sediment	4266.16 mg/kg	-
		dwt	
	Marine water sediment	426.62 mg/kg dwt	-
	Soil	852.58 mg/kg dwt	-
	Sewage Treatment Plant	100 mg/l	-

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Skin protection

Hand protection

: In case of contact through splashing: safety glasses with side-shields, EN 166.

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hydrocarbon-proof gloves

nitrile rubber

Fluorinated rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 7/17



SDS no. 080871

SECTION 8: Exposure controls/personal protection

characteristics, its resistance to the chemicals to be handled, the appropriateness

of its use and its replacement frequency

Personal protective equipment for the body should be selected based on the task **Body protection**

being performed and the risks involved and should be approved by a specialist

before handling this product. Non-skid safety shoes or boots

Respiratory protection : None under normal use conditions. If these are not sufficient to maintain exposure

below the OEL, suitable respiratory protection must be worn (Type A/P1).

: Emissions from ventilation or work process equipment should be checked to **Environmental exposure**

> ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process

equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

Appearance

controls

Physical state : Liquid. [Clear]

Colour : Clear.

Odour Characteristic.

Melting point/freezing point : Technically not possible to measure

Initial boiling point and

boiling range

: >316°C (>600.8°F) [ISO 3405]

Flammability (solid, gas) : Not applicable. Upper/lower flammability or : Lower: 0.9%

explosive limits

Upper: 7%

: Open cup: 230°C (446°F) [ASTM D 1298] Flash point

Auto-ignition temperature : >230°C (>446°F) [ASTM E 659]

Decomposition temperature : Not applicable.

pН : Not applicable. Product is non-soluble (in water).

: Kinematic (40°C): 47 to 54 mm²/s [ASTM D 445] **Viscosity**

Solubility(ies)

Media	Result
water	Not soluble

Miscible with water : No.

Partition coefficient: n-octanol/ : Not applicable.

Vapour pressure : <0.013 kPa (<0.1 mm Hg) [room temperature]

Not applicable. [50°C (122°F)]

: 0.836 to 0.846 [ISO 12185] Relative density

: 0.836 to 0.846 g/cm³ [15°C (59°F)] [ISO 12185] **Density**

Vapour density : >2 [Air = 1]

Particle characteristics

Median particle size : Not applicable.

ENGLISH Date of revision: Version: 4.02 United Kingdom (UK) 8/17



SDS no.

080871

SECTION 9: Physical and chemical properties

9.2 Other information

No other relevant physical and chemical parameters for the safe use of the product

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: Stable under recommended storage and handling conditions (see Section 7).

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

10.5 Incompatible materials

: Strong oxidising agents

10.6 Hazardous decomposition products

: carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Distillates (petroleum), hydrotreated heavy paraffinic	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5 mg/l	4 hours	OECD 403 Read across
	LD50 Dermal	Rabbit - Male, Female	>5000 mg/kg	-	OECD 402 Read across
	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-	OECD 401 Read across
Dec-1-ene, homopolymer, hydrogenated	LC50 Inhalation Dusts and mists	Rat	5.3 mg/l	4 hours	-
	LD50 Dermal LD50 Oral	Rat Rat	>2000 mg/kg >5000 mg/kg	-	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours	OECD 403
	LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg >5000 mg/kg	-	OECD 402 OECD 420
Distillates (petroleum), solvent-dewaxed light paraffinic	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours	OECD 403
	LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg >5000 mg/kg	- -	OECD 402 OECD 401
Paraffin oils (petroleum),	LC50 Inhalation Dusts	Rat	5.1 mg/l	4 hours	-

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 9/17



SDS no.

080871

SECTION 11: Toxicological information

					-	Ц
catalytic dewaxed heavy	and mists					
	LC50 Inhalation Vapour	Rat	80.4 mg/l	1 hours	-	
	LC50 Inhalation Vapour	Rat	20.1 mg/l	4 hours	-	
	LD50 Dermal	Rabbit	>5000 mg/kg	-	-	
	LD50 Oral	Rat	>5000 mg/kg	-	-	
C14-16-18 Alkyl phenol	LD50 Dermal	Rat	2000 mg/kg	-	-	
	LD50 Oral	Rat	2000 mg/kg	-	-	
	1	I				

Acute toxicity estimates

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Dec-1-ene, homopolymer, hydrogenated Paraffin oils (petroleum), catalytic dewaxed heavy	N/A	N/A	N/A	N/A	5.3
	N/A	N/A	N/A	20.1	5.1

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Conclusion/Summary

Skin
 Based on available data, the classification criteria are not met.
 Eyes
 Based on available data, the classification criteria are not met.
 Respiratory
 Based on available data, the classification criteria are not met.

Sensitisation

Conclusion/Summary

Skin: Based on available data, the classification criteria are not met. Contains Sensitiser.

May produce an allergic reaction.

Respiratory: Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Product/substance	Category	Route of exposure	Target organs
C14-16-18 Alkyl phenol	Category 2	-	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Aspiration hazard

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 10/17 2023/11/02



SDS no.

080871

SECTION 11: Toxicological information

Product/substance	Result
Distillates (petroleum), hydrotreated heavy paraffinic Dec-1-ene, homopolymer, hydrogenated Distillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), solvent-dewaxed light paraffinic Paraffin oils (petroleum), catalytic dewaxed heavy	ASPIRATION HAZARD - Category 1

Conclusion/Summary : Based on available data, the classification criteria are not met.

Information on likely routes : Not available.

of exposure

Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

Skin contact : Defatting to the skin. May cause skin dryness and irritation.

: No known significant effects or critical hazards. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data. Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

: Not available. **Potential immediate**

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Not available.

General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Date of revision: Version: 4.02 United Kingdom (UK) **ENGLISH** 11/17



SDS no.

080871

SECTION 11: Toxicological information

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Acute EC50 >10000 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Dec-1-ene, homopolymer, hydrogenated Chronic NOEL >1000 mg/l Acute EC50 >10000 mg/l Acute EC50 191 mg/l Acute EC50 191 mg/l Acute NOEL 1000 mg/l Acute NOEL 1000 mg/l Chronic NOEL 125 mg/l Acute LL50 >10000 mg/l Acute LL50 >10000 mg/l Acute LL50 >10000 mg/l Acute EL50 >10000 mg/l Acute NOEL 1000 mg/l Acute NOEL 1000 mg/l Acute NOEL 1000 mg/l Acute LL50 >10000 mg/l Acute EL50 >10000 mg/l Acute	Product/substance	Result	Species	Exposure	Test
Acute EC50 >10000 mg/l Crustaceans - Daphnia magna Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Acute EC50 >1000 mg/l Acute EC50 191 mg/l Acute EC50 191 mg/l Acute EC50 191 mg/l Acute EC50 191 mg/l Acute NOEL 1000 mg/l Acute EL50 >10000 mg/l Acute EL50 ×10000 mg/l Acute EL50 ×	Distillates (petroleum), hydrotreated heavy paraffinic	Acute EC50 >100 mg/l	Pseudokirchneriella	72 hours	OECD 201
Chronic NOEL >100 mg/l Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Acute EL50 >1000 mg/l Acute EL50 >10000 mg/l		Acute EC50 >10000 mg/l	Crustaceans - <i>Daphnia</i>	48 hours	OECD 202
Chronic NOEL >1000 mg/l Dec-1-ene, homopolymer, hydrogenated Acute EC50 >1000 mg/l Acute EC50 191 mg/l Acute LC50 751 mg/l Acute NOEL 1000 mg/l Acute NOEL 125 mg/l Acute EL50 >10000 mg/l Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Acute EL50 >10000 mg/l Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 10000 mg/l Acute EC50 1000		Chronic NOEL >100 mg/l	Algae - Pseudokirchneriella	72 hours	OECD 201
Dec-1-ene, homopolymer, hydrogenated Acute EC50 >1000 mg/l Algae - Scenedesmus capricornutum 72 hours OECD 201 Acute EC50 191 mg/l Acute LC50 751 mg/l Acute NOEL 1000 mg/l Distillates (petroleum), solvent-dewaxed heavy paraffinic Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Algae - Scenedesmus capricornutum 72 hours OECD 201 Distillates (petroleum), solvent-dewaxed heavy paraffinic Acute LL50 >1000 mg/l Fish - Oncorhynchus magna 48 hours OECD 201 Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >1000 mg/l Fish - Oncorhynchus magna 96 hours OECD 201 Acute EL50 >1000 mg/l paraffinic Acute EL50 >1000 mg/l Algae - Pseudokirchneriella subcapitata 72 hours OECD 201 Acute EL50 10000 mg/l paraffinic Acute EL50 10000 mg/l Algae - Pseudokirchneriella subcapitata 72 hours OECD 201 Acute EL50 10000 mg/l paraffin oils (petroleum), catalytic dewaxed heavy Acute EC50 10000 mg/l Acute		Chronic NOEL >1000 mg/l	Crustaceans - Daphnia	21 days	-
Acute LC50 751 mg/l Acute NOEL 1000 mg/l Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed heavy paraffinic Acute LL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 ≥100 mg/l Acute EC50 10000 mg/l		Acute EC50 >1000 mg/l	Algae - Scenedesmus	72 hours	OECD 201
Acute NOEL 1000 mg/l Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Chronic NOEL >1000 m					-
Chronic NOEL 125 mg/l Acute EL50 >10000 mg/l Acute LL50 >10000 mg/l Acute EL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >10000 mg/l Acute EL50 >1000 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Chronic NOEL >1000 mg/l Acute EL50 ≥100 mg/l Chronic NOEL >1000 mg/l Acute EL50 ≥100 mg/l Chronic NOEL >1000 mg/l Acute EL50 ≥100 mg/l Acute EC50 10000 mg/l					-
Distillates (petroleum), solvent-dewaxed heavy paraffinic Acute LL50 >10000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >1000 mg/l Acute EL50 >10000 mg/l Acute EL50 >10000 mg/l Acute EL50 >10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥1000 mg/l A			capricornutum		
solvent-dewaxed heavy paraffinic Acute LL50 >1000 mg/l Chronic NOEL >1000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >1000 mg/l Acute EL50 >1000 mg/l Acute EL50 10000 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Acute EL50 10000 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute Acute EL50 ≥100 mg/l Acute Acute EL50 ≥1000 mg/l Acute Acute EL50 ≥1000 mg/l Acute					
Chronic NOEL >1000 mg/l Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >100 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 2100 mg/l Acute EL50 2100 mg/l Acute EL50 2100 mg/l Chronic NOEL >100 mg/l Acute EL50 2100 mg/l Chronic NOEL >1000 mg/l Paraffin oils (petroleum), catalytic dewaxed heavy Acute NOEL 101 mg/l Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia Magna Daphnia Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata		Acute EL50 >10000 mg/l		48 hours	OECD 202
Distillates (petroleum), solvent-dewaxed light paraffinic Acute EL50 >100 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 2100 mg/l Acute EL50 2100 mg/l Chronic NOEL >100 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Acute EC50 10000 mg/l Chronic NOEL >1000 mg/l Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Daphnia 48 hours OECD 201 Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata		Acute LL50 >1000 mg/l		96 hours	OECD 203
Solvent-dewaxed light paraffinic Acute EL50 10000 mg/l Acute EL50 2100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Chronic NOEL >100 mg/l Pseudokirchneriella subcapitata Crustaceans - Daphnia magna Fish - Pimephales promelas Algae - Pseudokirchneriella subcapitata Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Paraffin oils (petroleum), catalytic dewaxed heavy Acute NOEL 101 mg/l		Chronic NOEL >1000 mg/l		21 days	OECD 211
Acute EL50 10000 mg/l Acute EL50 10000 mg/l Acute EL50 ≥100 mg/l Acute EL50 ≥100 mg/l Crustaceans - Daphnia magna Fish - Pimephales promelas Algae - Pseudokirchneriella subcapitata Chronic NOEL >1000 mg/l Crustaceans - Daphnia magna Chronic NOEL >1000 mg/l Paraffin oils (petroleum), catalytic dewaxed heavy Acute NOEL 101 mg/l	solvent-dewaxed light	Acute EL50 >100 mg/l	Pseudokirchneriella	72 hours	OECD 201
Acute EL50 ≥100 mg/l Fish - Pimephales promelas Pseudokirchneriella subcapitata Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Crustaceans - Daphnia magna Daphnia Acute EC50 10000 mg/l Daphnia Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Pseudokirchneriella subcapitata Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Acute NOEL 101 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Acute NOEL 101 mg/l	para	Acute EL50 10000 mg/l	Crustaceans - <i>Daphnia</i>	48 hours	OECD 202
Chronic NOEL >100 mg/l Chronic NOEL >1000 mg/l Chronic NOEL >1000 mg/l Paraffin oils (petroleum), catalytic dewaxed heavy Chronic NOEL >1000 mg/l Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata 72 hours OECD 201 Crustaceans - Daphnia magna Daphnia 48 hours 72 hours OECD 201 Algae - Pseudokirchneriella subcapitata		Acute EL50 ≥100 mg/l	Fish - <i>Pimephales</i>	96 hours	OECD 203
Paraffin oils (petroleum), catalytic dewaxed heavy Chronic NOEL >1000 mg/l Acute EC50 10000 mg/l Acute NOEL 101 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata Crustaceans - Daphnia 21 days OECD 211 Algae - 72 hours - 21 days OECD 211 Algae - 72 hours - 21 days OECD 211		Chronic NOEL >100 mg/l	Algae - Pseudokirchneriella	72 hours	OECD 201
Paraffin oils (petroleum), catalytic dewaxed heavy Acute EC50 10000 mg/l Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata 48 hours - 72 hours - 72 hours		Chronic NOEL >1000 mg/l	Crustaceans - Daphnia	21 days	OECD 211
Acute NOEL 101 mg/l Algae - Pseudokirchneriella subcapitata 72 hours - subcapitata	Paraffin oils (petroleum), catalytic dewaxed heavy	Acute EC50 10000 mg/l		48 hours	-
	,	Acute NOEL 101 mg/l	Pseudokirchneriella	72 hours	-
	C14-16-18 Alkyl phenol	Acute EC50 >100 mg/l	Daphnia - <i>Daphnia magna</i>	48 hours	OECD 202

Conclusion/Summary

: Not available.

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 12/17 2023/11/02



SDS no.

080871

SECTION 12: Ecological information

12.2 Persistence and degradability

Product/substance	Test	Result	Dose	Inoculum
Distillates (petroleum), hydrotreated heavy paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge
Distillates (petroleum), solvent-dewaxed heavy paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge
Distillates (petroleum), solvent-dewaxed light paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge

Conclusion/Summary: Not available.

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Distillates (petroleum), hydrotreated heavy paraffinic	-	-	Not readily
Dec-1-ene, homopolymer, hydrogenated	-	-	Not readily
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	-	Not readily
Distillates (petroleum), solvent-dewaxed light paraffinic	-	-	Not readily
Paraffin oils (petroleum), catalytic dewaxed heavy	-	-	Not readily

12.3 Bioaccumulative potential

Product/substance	LogPow	BCF	Potential
Distillates (petroleum), hydrotreated heavy paraffinic	>4	-	High
Dec-1-ene, homopolymer, hydrogenated	>6.5	-	High
Distillates (petroleum), solvent-dewaxed heavy paraffinic	9.2	260	Low
Distillates (petroleum), solvent-dewaxed light paraffinic	3.1	-	Low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility

: Not available.

Mobility in soil

: Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %.

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 13/17



SDS no.

080871

SECTION 12: Ecological information

12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: Yes.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 13 02 05*

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 14/17



SDS no. 080871

SECTION 14: Transport information No. 14.5 No. No. No. **Environmental** hazards

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO

: Not available.

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **UK (GB)/REACH**

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Industrial emissions

: Not listed

(integrated pollution prevention and control) -

Air

Industrial emissions (integrated pollution : Not listed

prevention and control) -Water

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Date of revision: Version: 4.02 United Kingdom (UK) **ENGLISH** 15/17



SDS no.

080871

SECTION 15: Regulatory information

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia inventory (AIIC) : All components are listed or exempted. **Canada inventory** : All components are listed or exempted. **China inventory (IECSC)** : All components are listed or exempted.

: All components are listed or exempted. **Europe inventory**

: Japan inventory (CSCL): All components are listed or **Japan inventory**

exempted.

Japan inventory (ISHL): Not determined.

New Zealand Inventory of Chemicals

(NZIoC)

: Not determined.

Philippines inventory (PICCS) : All components are listed or exempted.

: Not determined. Korea inventory (KECI) **Taiwan Chemical Substances Inventory** Not determined.

(TCSI)

Thailand inventory : Not determined. **Turkey inventory** : Not determined.

United States inventory (TSCA 8b) : All components are listed or exempted.

: Not determined. Vietnam inventory

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety assessment

: Risk management measures and safety conditions of use are included in the relevant sections of the SDS

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative PNEC = Predicted No Effect Concentration

LC50 = Median lethal concentration

Date of revision: Version: 4.02 United Kingdom (UK) **ENGLISH** 16/17



SDS no.

080871

SECTION 16: Other information

LD50 = Median lethal dose

OEL = Occupational Exposure Limit VOC = Volatile Organic Compound

UVCB Substance of unknown or Variable composition, Complex reaction products

or Biological material

NOEC No Observed Effect Concentration

QSAR = Quantitative Structure-Activity Relationship

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

Full text of classifications

Asp. Tox. 1 ASPIRATION HAZARD - Category 1 Skin Sens. 1B SKIN SENSITISATION - Category 1B

STOT RE 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

Date of printing : 2023/11/02 Date of issue/ Date of : 2023/11/02

revision

Date of previous issue : 2023/11/02

Version : 4.02

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of revision: Version: 4.02 United Kingdom (UK) ENGLISH 17/17