

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 TRAXIUM GEAR 9 FE 75W-80

SDS no. 090277

2

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name Product code Product description Product type Other means of

: TRAXIUM GEAR 9 FE 75W-80

: 090277

: Not available.

: Liquid.

: Not available.

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses	
Transmission fluids	
Uses advised against	

Not applicable.

identification

#### **1.3 Details of the supplier of the safety data sheet**

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 10 Upper Bank Street (19th floor) Canary Wharf, London E14 5BF UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033 rm.gb-msds@totalenergies.com

H.S.E

**1.4 Emergency telephone number** 

National advisory	<u>v body/Poison Centre</u>

Telephone number	: National Poisons Information Service (NPIS): 111
Supplier	
Telephone number	: Emergency telephone: +44 1235 239670



SDS no. 090277

### **SECTION 2: Hazards identification**

2.1 Classification of the subs	nce or mixture	
Product definition	Mixture	
Classification according to	gulation (EC) No. 1272/2008 [CLP/GHS]	
Not classified.		
The product is not classified a	nazardous according to UK CLP Regulation SI 2019/720 as amended.	
Ingredients of unknown ecotoxicity	Contains 5.2% of components with unknown hazards to the aquatic environme	nt
See Section 11 for more deta	l information on health effects and symptoms.	
2.2 Label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Supplemental label elements	Safety data sheet available on request.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or vPvB in a concentration $\geq 0,1$ %. This product does not contain any substance present at a concentration equal to greater than 0.1% by mass, included in the list drawn up in accordance with art 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting proper or a substance known to have endocrine disrupting properties in accordance with e criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.	to or ticle erties,
Other hazards which do not result in classification	Hazard of slipping on spilt product.	

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

: Mixture



# **TRAXIUM GEAR 9 FE 75W-80**

SDS no. 090277

Product/ingredient name	Identifiers	%	Classification	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥10 - ≤25	Asp. Tox. 1, H304	[1]
mineral oil Reaction products of 4-methyl- 2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	- REACH #: 01-2119493620-38 EC: 931-384-6	≤10 <0.92	Asp. Tox. 1, H304 Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	[1] [1]
			See Section 16 for the full text of the H statements declared above.	

**Additional information** 

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

Eye contact	: No specific data.
Inhalation	: No specific data.



SDS no. 090277

Skin contact	: Adverse symptoms may include the following:
	irritation
	dryness
la se sti sa	cracking
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion	: carbon monoxide
products	carbon dioxide Silicon Dioxide
	nitrogen oxides
	phosphorus oxides
	sulfur oxides
	Hydrogen sulfide Mercaptans
5.3 Advice for firefighters	
Special protective actions	: Promptly isolate the scene by removing all persons from the vicinity of the incident
for fire-fighters	there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure
	mode.

o. i i cisoliai precautions, pro		cive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".



SDS no. 090277

### **SECTION 6: Accidental release measures**

6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material	for containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

	Protective measures Advice on general occupational hygiene	
--	--	--

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.



SDS no. (

090277

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

# Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

#### **Biological Limit Values (BLV)**

No exposure indices known.

Recommended monitoring	:	Reference should be made to appropriate monitoring standards. Reference to
procedures		national guidance documents for methods for the determination of hazardous
		substances will also be required.

#### Advisory OEL

: Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

#### DNELs/DMELs

Product/substance	Туре	Exposure	Value	Population	Effects
Distillates (petroleum), hydrotreated heavy paraffinic	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.19 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	2.73 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	5.58 mg/m <sup>3</sup>	Workers	Local
Reaction products of 4-methyl- 2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	DNEL	Long term Dermal	12.5 mg/kg	Workers	Systemic
	DNEL	Long term Inhalation	4.28 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	6.25 mg/kg	General population	Systemic
	DNEL	Long term Inhalation	1.09 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Oral	0.25 mg/ day	General population	Systemic
	DNEL	Long term Dermal	0.16 mg/ cm <sup>2</sup>	Workers	Local

#### **PNECs**



SDS no.

Product/substance	<b>Compartment Detail</b>	Value	Method Detail	
Distillates (petroleum), hydrotreated heavy paraffinic	Secondary Poisoning	9.33 mg/kg	-	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	Fresh water	2.4 µg/l	-	
	Marine water	240 ng/l	-	
	Fresh water sediment	12.9 µg/kg dwt	-	
	Marine water sediment	1.29 µg/kg dwt	-	
	Soil	1.17 µg/kg dwt	-	
	Sewage Treatment Plant	24.33 mg/l	-	
	Secondary Poisoning	10 mg/kg	-	

8.2 Exposure controls Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	ures de la constante de la cons
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.EN 166
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	<ul> <li>Hydrocarbon-proof gloves nitrile rubber</li> <li>Fluorinated rubber</li> <li>Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.</li> <li>In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency</li> </ul>
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).



SDS no. :

090277

## **SECTION 8: Exposure controls/personal protection**

Environmental exposure	: Emissions from ventilation or work process equipment should be checked to
controls	ensure they comply with the requirements of environmental protection legislation.
	In some cases, fume scrubbers, filters or engineering modifications to the process
	equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

Appearance         Physical state       : Liquid. [Clear]         Colour       : Yellow.         Odour       : Characteristic.         Melting point/freezing point       : Technically not possible to measure         Initial boiling point and       : >316°C (>600.8°F) [ISO 3405]         boiling range       :         Flammability (solid, gas)       : Not applicable.         Upper/lower flammability or       : Lower: 0.9%         explosive limits       Upper: 7%         Flash point       : Open cup: 200°C (392°F) [ASTM D 92]         Auto-ignition temperature       : >200°C (>392°F) [ASTM E 659]         Decomposition temperature       : Not applicable.         pH       : Not applicable.         PH       : Not applicable.         PH       : Not applicable.         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Image: State Stat	9.1 Information on basic physica	l a	nd chemical properties				
Colour: Yellow.Odour: Characteristic.Melting point/freezing point: Technically not possible to measureInitial boiling point and: >316°C (>600.8°F) [ISO 3405]boiling range:Flammability (solid, gas): Not applicable.Upper/lower flammability or: Lower: 0.9%upper/lower flammability or: Not applicable.pH: Not applicable.WaterNot solubleMiscible with water: No.Partition coefficient: n-octanol/: Not applicable.water: < 0.013 kPa (<0.1 mm Hg) [rom temperature] Not applicable. [50°C (122°F)]Relative density: 0.855 to 0.861 [ISO 3675]Density: 0.855 to 0.861 [ISO 3675]Vapour density: >2 [Air = 1] <t< th=""><th><u>Appearance</u></th><th></th><th></th></t<>	<u>Appearance</u>						
Odour: Characteristic.Melting point/freezing point: Technically not possible to measureInitial boiling point and boiling range: >316°C (>600.8°F) [ISO 3405]Flammability (solid, gas): Not applicable.Upper/lower flammability or explosive limits: Lower: 0.9% Upper: 7%Flash point: Open cup: 200°C (392°F) [ASTM D 92]Auto-ignition temperature: >200°C (>392°F) [ASTM D 92]Decomposition temperature: Not applicable.pH: Not applicable.pH: Not applicable.viscosity: Kinematic (40°C): 54 mm²/sSolubility(ies):Image: MediaResultwaterNot solubleMiscible with water: No.Partition coefficient: n-octanol/ water: Not applicable.Vapour pressure: <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]Relative density: 0.855 to 0.861 [ISO 3675]Density: 0.855 to 0.861 [ISO 3675]Vapour density: >2 [Air = 1]Particle characteristics:>2 [Air = 1]	Physical state	:	Liquid. [Clear]				
Melting point/freezing point       :       Technically not possible to measure         Initial boiling point and boiling range       :       >316°C (>600.8°F) [ISO 3405]         Flammability (solid, gas)       :       Not applicable.         Upper/lower flammability or explosive limits       :       Lower: 0.9%         Upper: 7%       :       Lower: 0.9%         Flash point       :       Open cup: 200°C (392°F) [ASTM D 92]         Auto-ignition temperature       :       >200°C (>392°F) [ASTM E 659]         Decomposition temperature       :       Not applicable.         pH       :       Not applicable.         yiscosity       :       Kinematic (40°C): 54 mm²/s         Solubility(ies)       :       .         water       Not soluble         Miscible with water       :       No.         Partition coefficient: n-octanol/ water       :       Not applicable.         Vapour pressure       :       <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       :       0.855 to 0.861 [ISO 3675]         Density       :       0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       :       >2 [Air = 1]         Particle characteristics       :	Colour	:	Yellow.				
Initial boiling point and boiling range       : >316°C (>600.8°F) [ISO 3405]         Flammability (solid, gas)       : Not applicable.         Upper/lower flammability or explosive limits       : Lower: 0.9%         Upper: 7%       : Upper: 7%         Flash point       : Open cup: 200°C (392°F) [ASTM D 92]         Auto-ignition temperature       : >200°C (392°F) [ASTM E 659]         Decomposition temperature       : Not applicable.         pH       : Not applicable.         pH       : Not applicable.         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Image:       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature]         Not applicable.       : Not applicable.         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature]         Not applicable.       : Solubile.         Vapour density       : 0.855 to 0.861 [SO 3675]         Density       : 0.855 to 0.861 [sC0 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]	Odour	:	Characteristic.				
boiling range       Flammability (solid, gas)       : Not applicable.         Upper/lower flammability or explosive limits       : Lower: 0.9% Upper: 7%         Flash point       : Open cup: 200°C (392°F) [ASTM D 92]         Auto-ignition temperature       : >200°C (>392°F) [ASTM D 92]         Auto-ignition temperature       : >200°C (>392°F) [ASTM D 92]         Decomposition temperature       : Not applicable.         pH       : Not applicable.         PH       : Not applicable.         PH       : Not applicable.         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/ water       : Not applicable.         Vapour pressure       : <0.013 kPa <<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]	Melting point/freezing point	1	Technically not possible to measure				
Upper/lower flammability or explosive limits       : Lower: 0.9% Upper: 7%         Flash point       : Open cup: 200°C (392°F) [ASTM D 92]         Auto-ignition temperature       : >200°C (>392°F) [ASTM E 659]         Decomposition temperature       : Not applicable.         pH       : Not applicable.         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/ water       : Not applicable.         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]	•••	:	>316°C (>600.8°F) [ISO 3405]				
explosive limitsUpper: 7%Flash point:Auto-ignition temperature:>200°C (>392°F) [ASTM D 92]Auto-ignition temperature:>200°C (>392°F) [ASTM D 92]Decomposition temperature:Not applicable.Product is non-soluble (in water).Viscosity:Kinematic (40°C): 54 mm²/sSolubility(ies):MediaResultwaterNot solubleMiscible with water:Partition coefficient: n-octanol/:Not applicable.Not applicable.water:Vapour pressure:< <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]Relative density:0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]Density:>2 [Air = 1] Particle characteristics	Flammability (solid, gas)	:	Not applicable.				
Auto-ignition temperature       : >200°C (>392°F) [ASTM E 659]         Decomposition temperature       : Not applicable.         pH       : Not applicable.         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         vater       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable.         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]		:					
Decomposition temperature       : Not applicable.       Product is non-soluble (in water).         PH       : Not applicable.       Product is non-soluble (in water).         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         water       Vapour pressure         : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       :	Flash point	:	Open cup: 200°C (392°F) [ASTM D 92]				
pH       : Not applicable.       Product is non-soluble (in water).         Viscosity       : Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         water       : Not applicable.         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       :	Auto-ignition temperature	:	>200°C (>392°F) [ASTM E 659]				
Viscosity       :       Kinematic (40°C): 54 mm²/s         Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       :         Partition coefficient: n-octanol/       :         Not applicable.         water       Vapour pressure         :       <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       :         0.855 to 0.861 [ISO 3675]         Density       :         Vapour density       :         >2 [Air = 1]         Particle characteristics	Decomposition temperature	:	Not applicable.				
Solubility(ies)       :         Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         water       vapour pressure         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]	рН	:	Not applicable. Product is non-soluble (in water).				
Media       Result         water       Not soluble         Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         water       Vapour pressure         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics	Viscosity	:	Kinematic (40°C): 54 mm²/s				
waterNot solubleMiscible with water: No.Partition coefficient: n-octanol/: Not applicable.water: Not applicable.Vapour pressure: <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]Relative density: 0.855 to 0.861 [ISO 3675]Density: 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]Vapour density: >2 [Air = 1]Particle characteristics	Solubility(ies)	1					
Miscible with water       : No.         Partition coefficient: n-octanol/       : Not applicable.         water       : <0.013 kPa (<0.1 mm Hg) [room temperature]         Vapour pressure       : <0.013 kPa (<0.1 mm Hg) [room temperature]         Not applicable. [50°C (122°F)]         Relative density       : 0.855 to 0.861 [ISO 3675]         Density       : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]         Vapour density       : >2 [Air = 1]         Particle characteristics       : >2 [Air = 1]	Media		Result				
Partition coefficient: n-octanol/ waterNot applicable.Vapour pressure: <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]Relative density: 0.855 to 0.861 [ISO 3675]Density: 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]Vapour density: >2 [Air = 1]Particle characteristics	water		Not soluble				
waterVapour pressure: <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)]Relative density: 0.855 to 0.861 [ISO 3675]Density: 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]Vapour density: >2 [Air = 1]Particle characteristics	Miscible with water	:	No.				
Not applicable. [50°C (122°F)]           Relative density         : 0.855 to 0.861 [ISO 3675]           Density         : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]           Vapour density         : >2 [Air = 1]           Particle characteristics		:	Not applicable.				
Density         : 0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]           Vapour density         : >2 [Air = 1]           Particle characteristics	Vapour pressure	1					
Vapour density     : >2 [Air = 1]       Particle characteristics	Relative density	1	0.855 to 0.861 [ISO 3675]				
Particle characteristics	Density	1	0.855 to 0.861 g/cm³ [15°C (59°F)] [ISO 3675]				
	Vapour density	1	>2 [Air = 1]				
Median particle size : Not applicable	Particle characteristics						
	Median particle size	:	Not applicable.				

#### 9.2 Other information



SDS no. 090277

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	:	Strong oxidising agents
10.6 Hazardous decomposition products	-	carbon monoxide carbon dioxide Silicon Dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Distillates (petroleum), hydrotreated heavy paraffinic	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5 mg/l	4 hours	OECD 403 Read across
	LD50 Dermal	Rabbit - Male, Female	>5000 mg/kg	-	OECD 402 Read across
	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-	OECD 401 Read across
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	LC50 Inhalation Dusts and mists	Rat	5.1 mg/l	4 hours	-
	LC50 Inhalation Vapour	Rat	80.4 mg/l	1 hours	-
	LC50 Inhalation Vapour	Rat	20.1 mg/l	4 hours	-
	LD50 Dermal LD50 Oral	Rabbit Rat	2201 mg/kg 2000 mg/kg	-	- OECD 401

Acute toxicity estimates



SDS no. 090277

Product/s	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists (mg/l)		
Reaction products of 4-me diphosphorus pentasulfide with diphosphorus pentao amines, C12-14- tert-alky	2000	2201	N/A	20.1	5.1		
Conclusion/Summary	:	Based on available of	lata, the class	sification crite	eria are not n	net.	
Irritation/Corrosion							
Conclusion/Summary							
Skin	1	Based on available of	lata, the class	sification crite	eria are not n	net.	
Eyes	1	Based on available of	lata, the class	sification crite	eria are not n	net.	
Respiratory	:	Based on available of	lata, the class	sification crite	eria are not n	net.	
<u>Sensitisation</u>							
Conclusion/Summary	1						
Skin	1	Based on available of	lata, the class	sification crite	eria are not n	net.	
Respiratory	- 1	Based on available of	lata, the class	sification crite	eria are not n	net.	
<u>Mutagenicity</u>							
Conclusion/Summary	- 1	Based on available of	lata, the class	sification crite	eria are not n	net.	
Carcinogenicity							
Conclusion/Summary	- 1	Based on available of	lata, the class	sification crite	eria are not n	net.	
Reproductive toxicity							
Conclusion/Summary	:	Based on available of	lata, the class	sification crite	eria are not n	net.	
<u>Teratogenicity</u>							
Conclusion/Summary		Based on available of	lata, the class	sification crite	eria are not n	net.	
Specific target organ toxic	city (	<u>single exposure)</u>					
Not available.							
Conclusion/Summary	:	Based on available of	lata, the class	sification crite	eria are not n	net.	
Specific target organ toxic	<u>city (</u>	<u>repeated exposure)</u>					
Not available.							
Conclusion/Summary		Based on available of	lata, the class	sification crite	eria are not n	net.	
Aspiration hazard							
Proc	luct/s	substance			Res	sult	
Distillates (petroleum), hyd	rotrea	ated heavy paraffinic		ASPIRATIO		- Category 1	
mineral oil		·····				- Category 1	
Conclusion/Summary	:	Based on available of	lata, the class	sification crite	eria are not n	net.	
nformation on likely routes f exposure	s :	Not available.					
otential acute health effect	:ts						
Eye contact	:	No known significant	t effects or cri	tical hazards	6.		
Inhalation		No known significant	t offocto or cri	tical bazarda			



SDS no. 090277 :

Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	sical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following:
	irritation dryness
	cracking
Ingestion	No specific data.
Delayed and immediate effec	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Reproductive toxicity	No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### **11.2.1 Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### **11.2.2 Other information**

Not available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity



SDS no.

:

090277

# **SECTION 12: Ecological information**

Product/substance	Result	Species	Exposure	Test
Distillates (petroleum),	Acute EC50 >100 mg/l	Algae -	72 hours	OECD 201
hydrotreated heavy paraffinic		Pseudokirchneriella		
		subcapitata		
	Acute EC50 >10000 mg/l	Crustaceans - Daphnia	48 hours	OECD 202
		magna		
	Chronic NOEL >100 mg/l	Algae -	72 hours	OECD 201
		Pseudokirchneriella		
		subcapitata		
	Chronic NOEL >1000 mg/l	Crustaceans - Daphnia	21 days	-
		magna	001	
Reaction products of	Acute EC50 6.4 mg/l	Algae -	96 hours	OECD 201
4-methyl-2-pentanol and		Pseudokirchneriella		
diphosphorus pentasulfide, propoxylated, esterified with		subcapitata		
diphosphorus pentaoxide,				
and salted by amines,				
C12-14- tert-alkyl				
	Acute EL50 91.4 mg/l	Crustaceans - Daphina	48 hours	OECD 202
	5	, Magna		
	Acute LL50 24 mg/l	Fish - Oncorhynchus	96 hours	OECD 203
		mykiss		
	Chronic NOEC 1.7 mg/l	Algae -	96 hours	OECD 201
		Pseudokirchneriella		
		subcapitata		
	Chronic NOEL 0.12 mg/l	Crustaceans - Daphina	21 days	OECD 211
		Magna		
	. Nataurilahla		1	1

Conclusion/Summary

: Not available.

#### 12.2 Persistence and degradability

Product/substance	Test	Result	Dose	Inoculum
Distillates (petroleum), hydrotreated heavy paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	STDMETH, ASTM and USEPA	3 % - Not readily - 28 days	-	Activated sludge
Conclusion/Summary	: Not available.		-	

conclusion/summary . Not available.		
Product/substance Aquatic half-life	Photolysis	Biodegradability
Distillates (petroleum), hydrotreated heavy paraffinic Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	-	Not readily Not readily



SDS no. 1

090277

# **SECTION 12: Ecological information**

#### 12.3 Bioaccumulative potential

Product/substance	LogPow	BCF	Potential
Distillates (petroleum), hydrotreated heavy paraffinic	>4	-	High
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	0.3 to 7.1	-	Low

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.
Mobility in soil	: Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water. Loss by evaporation is limited

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %.

#### 12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 02 05*



SDS no. 090277 2

### **SECTION 13: Disposal considerations**

#### Packaging

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Not available. 14.7 Maritime transport in bulk according to IMO instruments

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

#### **Annex XIV**

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

#### **Ozone depleting substances**

Not listed.

#### **Prior Informed Consent (PIC)**

Not listed.



SDS no. 090277

### **SECTION 15: Regulatory information**

#### Persistent Organic Pollutants Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### Seveso Directive

**Industrial emissions** 

This product is not controlled under the Seveso Directive.

: Not listed

#### **EU regulations**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

(integrated pollution prevention and control) -Air Industrial emissions : Not listed (integrated pollution prevention and control) -Water **International regulations** Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. **Montreal Protocol** Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. **Rotterdam Convention on Prior Informed Consent (PIC)** Not listed. **UNECE Aarhus Protocol on POPs and Heavy Metals** Not listed. **Inventory** list Australia inventory (AIIC) : All components are listed or exempted. **Canada inventory** : All components are listed or exempted. China inventory (IECSC) : All components are listed or exempted. : All components are listed or exempted. **Europe inventory** Japan inventory Japan inventory (CSCL): All components are listed or 2 exempted. Japan inventory (ISHL): All components are listed or exempted. **New Zealand Inventory of Chemicals** : All components are listed or exempted. (NZIOC) **Philippines inventory (PICCS)** : All components are listed or exempted. : All components are listed or exempted. Korea inventory (KECI) **Taiwan Chemical Substances Inventory** : All components are listed or exempted. (TCSI) **Thailand inventory** : Not determined. **Turkey inventory** Not determined. •



SDS no. 090277

### **SECTION 15: Regulatory information**

United States inventory (TSCA 8b)

: All components are listed or exempted.

#### Vietnam inventory

Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety	This product contains substances for which Chemical Safety Assessments are still
assessment	required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative PNEC = Predicted No Effect Concentration LC50 = Median lethal concentration LD50 = Median lethal dose OEL = Occupational Exposure Limit VOC = Volatile Organic Compound UVCB Substance of unknown or Variable composition, Complex reaction products or Biological material NOEC No Observed Effect Concentration
	or Biological material NOEC No Observed Effect Concentration QSAR = Quantitative Structure–Activity Relationship

#### Procedure used to derive the classification

Not classified.

#### Full text of abbreviated H statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

#### Full text of classifications

Acute Tox. 4 Aquatic Chronic 2 Asp. Tox. 1 Eye Irrit. 2 Skin Sens. 1B	ACUTE TOXICITY - Category 4 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 ASPIRATION HAZARD - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN SENSITISATION - Category 1B
Date of printing	: 2023/08/01
Date of issue/ Date of revision	: 2023/08/01
Date of previous issue	e : 2023/08/01
Version	: 2.03

Version : 2.03



SDS no. 090277 :

### **SECTION 16: Other information**

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.