



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

RUBIA TIR 9900 FE 5W-30

SDS no. 39334

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : RUBIA TIR 9900 FE 5W-30

Product code : 39334

Product description: Not available.

Product type : Liquid.

Other means of : Not available.

identification

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Motor oil

Uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00

Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 183 Eversholt St, Kings Cross

London, NW1 1BU

UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

rm.gb-msds@totalenergies.com

H.S.E

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : National Poisons Information Service (NPIS): 111

<u>Supplier</u>

Telephone number: Emergency telephone: +44 1235 239670

Hours of operation : Edit the content of sentence <GB Telephone Number - Supplier - Hours of

operation> to define this output

Information limitations : Edit the content of sentence <GB Telephone Number - Supplier - Information

limitations> to define this output

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 1/21



SDS no.

39334

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown

toxicity

: 4.4 percent of the mixture consists of component(s) of unknown acute oral toxicity

4.4 percent of the mixture consists of component(s) of unknown acute dermal

toxicity

5.8 percent of the mixture consists of component(s) of unknown acute inhalation

toxicity

Ingredients of unknown ecotoxicity

: Contains 16.2% of components with unknown hazards to the aquatic environment

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label

elements

Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Safety data sheet available on request.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %.

Other hazards which do not result in classification

: Hazard of slipping on spilt product.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 2/21 2022/08/17



SDS no.

39334

SECTION 3: Composition/information on ingredients

| Product/ingredient name | Identifiers | % | Classification | Type |
|--|--|-----------|---|------|
| Distillates (petroleum), hydrotreated heavy paraffinic | REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8 | ≥50 - ≤75 | Asp. Tox. 1, H304 | [1] |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based | REACH #: 01-2119474878-16 EC: 276-737-9 CAS: 72623-86-0 Index: 649-482-00-X | ≤5 | Asp. Tox. 1, H304 | [1] |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl- 4-hydroxyphenyl)propionate | REACH #: 01-0000015551-76 EC: 406-040-9 CAS: 125643-61-0 Index: 607-530-00-7 | ≤5 | Aquatic Chronic 4, H413 | [1] |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based | REACH #: 01-2119474889-13 EC: 276-738-4 CAS: 72623-87-1 Index: 649-483-00-5 | ≤5 | Asp. Tox. 1, H304 | [1] |
| Distillates (petroleum), solvent- dewaxed heavy paraffinic | REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6 | ≤3 | Asp. Tox. 1, H304 | [1] |
| Distillates (petroleum), solvent- dewaxed light paraffinic | REACH #: 01-2119480132-48 EC: 265-159-2 CAS: 64742-56-9 Index: 649-469-00-9 | ≤3 | Asp. Tox. 1, H304 | [1] |
| Paraffin oils (petroleum), catalytic dewaxed heavy | REACH #: 01-2119487080-42 EC: 265-174-4 CAS: 64742-70-7 | ≤3 | Asp. Tox. 1, H304 | [1] |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | REACH #: 01-2119543726-33 EC: 298-577-9 CAS: 93819-94-4 | <2.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | |

Additional information

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

 $\begin{tabular}{ll} [1] Substance classified with a health or environmental hazard \\ \end{tabular}$

Occupational exposure limits, if available, are listed in Section 8.

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 3/21 2022/08/17



SDS no.

39334

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

Skin contact : Wash skin thoroughly with soap and water or use recognised skin cleanser.

Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

> person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

: No specific data. **Eye contact** Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Contact poison treatment specialist immediately if large Notes to physician

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the

substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: carbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

5.3 Advice for firefighters

Version: 1 United Kingdom (UK) **ENGLISH** Date of revision: 4/21



SDS no.

39334

SECTION 5: Firefighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general

occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Date of revision: Version: 1 United Kingdom (UK) **ENGLISH** 5/21 2022/08/17



SDS no.

39334

SECTION 7: Handling and storage

Do not store above the following temperature: 60°C (140°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations : Not available. : Not available. **Industrial sector specific**

solutions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/substance | Type | Exposure | Value | Population | Effects |
|--|------|-------------------------|------------------------|-----------------------|----------|
| Distillates (petroleum), hydrotreated heavy paraffinic | DNEL | Long term Inhalation | 5.58 mg/m ³ | Workers | Local |
| | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term | 2.73 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | DNEL | Long term Inhalation | 5.4 mg/m³ | Workers | Local |
| Tryal off officer floating off-based | DNEL | Long term Inhalation | 1.2 mg/m³ | General population | Local |
| | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |

Date of revision: Version: 1 United Kingdom (UK) **ENGLISH** 6/21



SDS no.

39334

SECTION 8: Exposure controls/personal protection

| ntrols/personal protection |
|--|
| DNEL Long term Dermal 0.97 mg/ Workers Systemic |
| kg bw/day |
| DNEL Long term 1.19 mg/m³ General Local population |
| DNEL Long term 2.73 mg/m³ Workers Systemic |
| Inhalation |
| DNEL Long term 5.58 mg/m³ Workers Local |
| DNEL Long term 3 mg/m³ Workers Systemic |
| DNEL Long term Dermal 8.6 mg/kg Workers Systemic bw/day |
| DNEL Long term 0.74 mg/m³ General Systemic |
| DNEL Long term Dermal 4.3 mg/kg General Systemic |
| DNEL Long term Oral bw/day population General Systemic |
| DNEL Long term Dermal kg bw/day population 0.006 mg/ Workers Local cm² |
| DNEL Long term Oral 0.16 mg/ General Systemic population |
| DNEL Long term Dermal 0.22 mg/ Workers Systemic |
| DNEL Long term Dermal 0.33 mg/ General Systemic kg bw/day population |
| DNEL Long term 0.74 mg/m³ General population Systemic |
| DNEL Short term Dermal 1 mg/cm² Workers Local |
| DNEL Long term 2.33 mg/m³ Workers Systemic |
| DNEL Short term Dermal 8.33 mg/ General Local population |
| DNEL Short term Dermal 20 mg/kg Workers Systemic bw/day |
| DNEL Short term Oral 50 mg/kg General population Systemic |
| DNEL Short term Dermal 50 mg/kg General Systemic bw/day population |
| DNEL Short term 875 mg/m³ General Systemic population |
| DNEL Short term 1750 mg/ Workers Systemic |
| 50, DNEL Long term 2.73 mg/m³ Workers Systemic |
| DNEL Long term Oral 0.74 mg/ General Local |
| DNEL Long term 5.58 mg/m³ Workers Local |
| DNEL Long term Dermal 0.97 mg/ Workers Systemic |
| DNEL Long term Oral 0.74 mg/ General Systemic kg bw/day population |
| DNEL Long term Dermal 0.97 mg/ Workers Systemic |
| Inhalation |

Date of revision: Version: 1
2022/08/17
United Kingdom (UK) ENGLISH 7/21



SDS no.

39334

SECTION 8: Exposure controls/personal protection

| SECTION 8: Exposure con | trois/p | ersonai prote | ction | | |
|--|---------|-------------------------|------------------------|-----------------------|----------|
| | DNEL | Long term | 1.19 mg/m³ | General | Local |
| | | Inhalation | | population | _ |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m ³ | Workers | Local |
| Distillates (petroleum), solvent- dewaxed heavy paraffinic | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| dowaxed fleavy paramine | DNEL | Long term Inhalation | 2.73 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Dermal | 970 μg/kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m³ | General population | Local |
| | DNEL | Long term Oral | 740 µg/kg bw/day | General population | Systemic |
| | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m³ | General population | Local |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| Distillates (petroleum), solvent- dewaxed light paraffinic | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| dewaxed light paranimo | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m³ | General population | Local |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| Paraffin oils (petroleum), catalytic dewaxed heavy | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| acmazioù neavy | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | DNEL | Long term Oral | 0.24 mg/ kg bw/day | General population | Systemic |
| (555 Baty)] bio(ditiliophiosphate) | DNEL | Long term Dermal | 0.29 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.58 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 2.11 mg/m ³ | General population | Systemic |
| | DNEL | Long term Inhalation | 8.31 mg/m³ | | Systemic |

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 8/21 2022/08/17



SDS no.

39334

SECTION 8: Exposure controls/personal protection

PNECs

| Product/substance | Compartment Detail | Value | Method Detail |
|--|---------------------------|----------------------|---------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | Secondary Poisoning | 9.33 mg/kg | - |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate | Fresh water | 0.0043 mg/l | - |
| | Marine water | 0.00043 mg/l | - |
| | Fresh water sediment | 233 mg/kg dwt | - |
| | Marine water sediment | 23.3 mg/kg dwt | - |
| | Soil | 189 mg/kg | - |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | Secondary Poisoning | 9.33 mg/kg | - |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | Fresh water | 0.004 mg/l | - |
| | Marine water | 0.0046 mg/l | - |
| | Fresh water sediment | 0.0116 mg/kg dwt | - |
| | Marine water sediment | 0.00116 mg/kg dwt | - |
| | Soil | 0.00528 mg/kg | - |
| | Sewage Treatment Plant | 100 mg/l | - |
| | Secondary Poisoning | 10.67 mg/kg dwt | - |

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.EN 166

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hydrocarbon-proof gloves

nitrile rubber

Fluorinated rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 9/21



SDS no.

39334

SECTION 8: Exposure controls/personal protection

of its use and its replacement frequency

Body protection Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

: None under normal use conditions. If these are not sufficient to maintain exposure **Respiratory protection**

below the OEL, suitable respiratory protection must be worn (Type A/P1).

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process

equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. Colour Clear.

Odour : Characteristic. **Odour threshold** : Not available.

Melting point/freezing point : Technically not possible to measure

Initial boiling point and

boiling range

: >300°C (>572°F) [ISO 3405]

Flammability (solid, gas) : Not applicable. Upper/lower flammability or

explosive limits

: Lower: 0.9% Upper: 7%

Flash point : Open cup: 223°C (433.4°F) [ISO 2592]

Auto-ignition temperature >250°C (>482°F) [ASTM E 659]

Decomposition temperature : Not applicable.

pН Product is non-soluble (in water). Not applicable.

Viscosity Kinematic (40°C): 72.2 mm²/s [ISO 3104]

Solubility(ies)

Media Result Not soluble water

Solubility in water : 0.855 g/l Miscible with water : No.

Partition coefficient: n-octanol/ : Not applicable.

water

: <0.013 kPa (<0.1 mm Hg) [room temperature] Vapour pressure

Not applicable. [50°C (122°F)]

Relative density : 0.843 [ISO 12185]

: 0.843 g/cm³ [15°C (59°F)] [ISO 12185] **Density**

Vapour density : >2 [Air = 1]

Date of revision : Version: 1 United Kingdom (UK) **FNGLISH** 10/21



SDS no.

39334

SECTION 9: Physical and chemical properties

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

Oxidising properties : This product is not considered oxidising based on chemical structure

considerations

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see Section 7).

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

10.5 Incompatible materials : Strong oxidising agents

10.6 Hazardous decomposition products

: carbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 <u>Acute toxicity</u>

| Product/substance | Result | Species | Dose | Exposure | Test |
|--|---------------------------------|--------------------------|-------------|----------|-------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | LC50 Inhalation Dusts and mists | Rat - Male, Female | >5 mg/l | 4 hours | OECD 403 Read across |
| | LD50 Dermal | Rabbit - Male, Female | >5000 mg/kg | - | OECD 402 Read across |
| | LD50 Oral | Rat - Male, Female | >5000 mg/kg | - | OECD 401 Read across |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | LC50 Inhalation Dusts and mists | Rat | 5.53 mg/l | 4 hours | OECD 403 |
| | LD50 Dermal | Rabbit | >5000 mg/kg | - | OECD 402 |
| | LD50 Oral | Rat | >5000 mg/kg | - | OECD 401 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | LC50 Inhalation Dusts and mists | Rat | 5.1 mg/l | 4 hours | OECD 403 |
| | LD50 Dermal | Rabbit - Male, Female | >5000 mg/kg | - | OECD 402 Read across |

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 11/21



SDS no.

39334

SECTION 11: Toxicological information

| | LD50 Oral | Rat - Male, | >5000 mg/kg | - | OECD 401 |
|------------------------------|------------------------|--------------|----------------|---------|-------------|
| | | Female | ! | | Read across |
| Distillates (petroleum), | LC50 Inhalation Dusts | Rat | >5 mg/l | 4 hours | OECD 403 |
| solvent-dewaxed heavy | and mists | | , | | |
| paraffinic | | | i Í | | |
| · | LD50 Dermal | Rabbit | >5000 mg/kg | _ | OECD 402 |
| | LD50 Oral | Rat | >5000 mg/kg | _ | OECD 420 |
| Distillates (petroleum), | LC50 Inhalation Dusts | Rat | >5 mg/l | 4 hours | OECD 403 |
| solvent-dewaxed light | and mists | | , , | | |
| paraffinic | | | l | | |
| | LD50 Dermal | Rabbit | >5000 mg/kg | _ | OECD 402 |
| | LD50 Oral | Rat | >5000 mg/kg | _ | OECD 401 |
| Paraffin oils (petroleum), | LC50 Inhalation Dusts | Rat | 5.1 mg/l | 4 hours | _ |
| catalytic dewaxed heavy | and mists | | , | | |
| | LC50 Inhalation Vapour | Rat | 80.4 mg/l | 1 hours | - |
| | LC50 Inhalation Vapour | Rat | 20.1 mg/l | 4 hours | - |
| | LD50 Dermal | Rabbit | >5000 mg/kg | _ | - |
| | LD50 Oral | Rat | >5000 mg/kg | _ | - |
| zinc bis[O-(6-methylheptyl)] | LC50 Inhalation Dusts | Rat - Male | >2 mg/l | 1 hours | OECD 403 |
| bis[O-(sec-butyl)] bis | and mists | | , , | | |
| (dithiophosphate) | | | ! | | |
| | LD50 Dermal | Rabbit - | >3160 mg/kg | _ | OECD 402 |
| | | Male, Female | | | |
| | LD50 Oral | Rat - Male | 2600 mg/kg | - | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Acute toxicity estimates

| Product/substance | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|------------------|-------------------|--------------------------------|-----------------------------------|--|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | N/A | N/A | N/A | N/A | 5.53 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | N/A | N/A | N/A | N/A | 5.1 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | N/A | N/A | N/A | 40.05 | N/A |
| Paraffin oils (petroleum), catalytic dewaxed heavy zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | N/A 2600 | N/A N/A | N/A N/A | 20.1 N/A | 5.1 N/A |

Irritation/Corrosion

| Product/substance | Result | Species | Score | Exposure | Test |
|---|-----------------|---------|-------|----------|----------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Eyes - Irritant | Rabbit | - | - | - |
| , , , | Skin - Irritant | Rabbit | - | 4 hours | OECD 404 |

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met.

Eyes : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Sensitisation

Conclusion/Summary

Date of revision: Version: 1 United Kingdom (UK) **ENGLISH** 12/21



SDS no.

39334

SECTION 11: Toxicological information

Skin

: Based on available data, the classification criteria are not met. Contains sensitizer.

May produce an allergic reaction.

Respiratory

: Based on available data, the classification criteria are not met.

Mutagenicity

| Product/substance | Test | Experiment | Result |
|---|----------|---|----------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | OECD 471 | Experiment: In vitro Subject: Bacteria | Negative |
| | OECD 474 | Experiment: In vivo Subject: Mammalian-Animal Cell: Somatic | Negative |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

| Product/substance | Result | Species | Dose | Exposure |
|---|----------------------|-----------------------|------|----------|
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl- 4-hydroxyphenyl) propionate | Negative - Oral - TC | Rat - Male, Female | - | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Reproductive toxicity

| Product/substance | Maternal toxicity | Fertility | Developmental toxin | Species | Dose | Exposure |
|---|-------------------|-----------|---------------------|--------------------|------|----------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Negative | Negative | Negative | Rat - Male, Female | Oral | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Teratogenicity

| Product/substance | Result | Species | Dose | Exposure |
|---|-----------------|-----------------------|------|----------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Negative - Oral | Rat - Male, Female | - | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Not available.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Aspiration hazard

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 13/21 2022/08/17



SDS no.

39334

SECTION 11: Toxicological information

| Product/substance | Result |
|--|--|
| Distillates (petroleum), hydrotreated heavy paraffinic Lubricating oils (petroleum), C15-30, hydrotreated neutral oilbased | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | ASPIRATION HAZARD - Category 1 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), solvent-dewaxed light paraffinic Paraffin oils (petroleum), catalytic dewaxed heavy | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |

Conclusion/Summary: Based on available data, the classification criteria are not met.

Information on likely routes

of exposure

: Not available.

Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

Skin contact: Defatting to the skin. May cause skin dryness and irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation dryness cracking

Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

| Product/substance | Result | Species | Dose | Exposure |
|---|--------------------------|--------------------------|-----------|----------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Sub-chronic LOAEL Dermal | Rabbit - Male, Female | 70 mg/kg | - |
| | Sub-chronic NOAEL Oral | Rat - Male, Female | 160 mg/kg | - |

Conclusion/Summary: Not available.

General: No known significant effects or critical hazards.

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 14/21



SDS no.

39334

SECTION 11: Toxicological information

Carcinogenicity

: During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Mutagenicity
Reproductive toxicity

No known significant effects or critical hazards.No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

11.2.2 Other information

SECTION 12: Ecological information

12.1 Toxicity

| Product/substance | Result | Species | Exposure | Test |
|--|-------------------------|---|----------|----------|
| Distillates (petroleum), hydrotreated heavy paraffinic | Acute EC50 >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Acute EC50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | - |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | Acute EL50 >100 mg/l | Algae - Pseudokircheriella subcapitata | 72 hours | OECD 201 |
| | Acute EL50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Acute LL50 >1000 mg/l | Fish - Pimephales promelas | 96 hours | OECD 203 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokircheriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | OECD 211 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | Acute EL50 >100 mg/l | Algae - Pseudokirchneriella subcapitata | 48 hours | OECD 201 |
| | Acute EL50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Acute LL50 >100 mg/l | Fish - Pimephales promelas | 96 hours | OECD 203 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | OECD 211 |
| Distillates (petroleum), | Acute EC50 >100 mg/l | Algae - | 72 hours | OECD 201 |

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 15/21



SDS no.

39334

SECTION 12: Ecological information

| <u> </u> | | | | |
|------------------------------|-------------------------|-------------------------|----------|----------|
| solvent-dewaxed heavy | | Pseudokirchnerella | | |
| paraffinic | | subcapitata | | |
| | Acute EC50 >10000 mg/l | Daphnia - Daphnia magna | 48 hours | OECD 202 |
| | Chronic NOEL 10 mg/l | Daphnia - Daphnia magna | 21 days | OECD 211 |
| | Chronic NOEL >1000 mg/l | Fish - Oncorhynchus | 21 days | - |
| | | mykiss | - | |
| Distillates (petroleum), | Acute EL50 >100 mg/l | Algae - | 72 hours | OECD 201 |
| solvent-dewaxed light | _ | Pseudokirchneriella | | |
| paraffinic | | subcapitata | | |
| | Acute EL50 10000 mg/l | Crustaceans - Daphnia | 48 hours | OECD 202 |
| | | magna | | |
| | Acute EL50 ≥100 mg/l | Fish - Pimephales | 96 hours | OECD 203 |
| | | promelas | | |
| | Chronic NOEL >100 mg/l | Algae - | 72 hours | OECD 201 |
| | | Pseudokirchneriella | | |
| | | subcapitata | | |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia | 21 days | OECD 211 |
| | | magna | | |
| Paraffin oils (petroleum), | Acute EC50 10000 mg/l | Daphnia | 48 hours | - |
| catalytic dewaxed heavy | | | | |
| | Acute NOEL 101 mg/l | Algae - | 72 hours | - |
| | | Pseudokirchneriella | | |
| | | subcapitata | | |
| zinc bis[O-(6-methylheptyl)] | Acute EC50 2 mg/l | Algae - Selenastrum | 96 hours | OECD 201 |
| bis[O-(sec-butyl)] bis | | capricornutum | | |
| (dithiophosphate) | | | | |
| | Acute EC50 5.4 mg/l | Crustaceans - Daphnia | 48 hours | OECD 202 |
| | | magna | | |
| | Acute LC50 4.5 mg/l | Fish - Oncorhynchus | 96 hours | OECD 203 |
| | | mykiss | | |
| | Chronic NOEC 1 mg/l | Algae - Selenastrum | 96 hours | OECD 201 |
| | | capricornutum | 40.1 | 0505044 |
| | Chronic NOEC 0.4 mg/l | Crustaceans - Daphnia | 48 hours | OECD 211 |
| | | magna | | |

Conclusion/Summary

: Not available.

12.2 Persistence and degradability

| Product/substance | Test | Result | Dose | Inoculum |
|--|-----------|------------------------------|------|------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert- butyl-4-hydroxyphenyl) propionate | OECD 301B | 2 % - Not readily - 28 days | - | Activated sludge |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Distillates (petroleum), solvent-dewaxed light paraffinic | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis | OECD 301B | 0 % - Not readily - 28 days | - | Activated sludge |

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 16/21



SDS no.

39334

SECTION 12: Ecological information

(dithiophosphate)

Conclusion/Summary: Not available.

| Product/substance | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------------|-------------------|------------|------------------|
| Distillates (petroleum), | - | - | Not readily |
| hydrotreated heavy paraffinic | | | |
| Lubricating oils (petroleum), | - | - | Not readily |
| C15-30, hydrotreated | | | |
| neutral oil-based | | | |
| reaction mass of isomers of: | - | - | Not readily |
| C7-9-alkyl 3-(3,5-di-tert- | | | |
| butyl-4-hydroxyphenyl) | | | |
| propionate | | | |
| Lubricating oils (petroleum), | - | - | Not readily |
| C20-50, hydrotreated | | | |
| neutral oil-based | | | |
| Distillates (petroleum), | - | - | Readily |
| solvent-dewaxed heavy | | | |
| paraffinic | | | |
| Distillates (petroleum), | - | - | Not readily |
| solvent-dewaxed light | | | |
| paraffinic | | | N1 - 4 |
| Paraffin oils (petroleum), | - | [- | Not readily |
| catalytic dewaxed heavy | | | Niet we edily |
| zinc bis[O-(6-methylheptyl)] | - | [| Not readily |
| bis[O-(sec-butyl)] bis | | | |
| (dithiophosphate) | | | |

12.3 Bioaccumulative potential

| Product/substance | LogPow | BCF | Potential |
|--|--------|-----|-----------|
| Distillates (petroleum), hydrotreated heavy paraffinic | >4 | - | high |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 6.1 | - | high |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert- butyl-4-hydroxyphenyl) | 9.2 | 260 | low |
| propionate Distillates (petroleum), solvent-dewaxed light paraffinic | 3.1 | - | low |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | 0.9 | - | low |

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility

: Not available.

Mobility in soil

: Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 17/21



SDS no.

39334

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 02 05*

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ICAO/IATA |
|------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| | | | | |
| | | | | |

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 18/21



SDS no. 39334

SECTION 14: Transport information

| 14.3 Transport hazard class(es) | - | - | - | - |
|----------------------------------|-----|-----|-----|-----|
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO

instruments

: Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market

and use of certain dangerous substances, mixtures and articles

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions (integrated pollution prevention and control) -**Air**

: Not listed

Date of revision: Version: 1 United Kingdom (UK) **ENGLISH** 19/21 2022/08/17



SDS no.

39334

SECTION 15: Regulatory information

Industrial emissions

(integrated pollution

prevention and control) -

Water

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

: Not listed

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia inventory (AIIC) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

China inventory (IECSC) : All components are listed or exempted.

Europe inventory : All components are listed or exempted.

Japan inventory : Japan inventory (CSCL): All components are listed or

exempted.

Japan inventory (ISHL): Not determined.

: All components are listed or exempted.

New Zealand Inventory of Chemicals

(NZIoC)

Philippines inventory (PICCS) : All components are listed or exempted.

Korea inventory (KECI) : All components are listed or exempted.

Taiwan Chemical Substances Inventory : All components are listed or exempted.

(TCSI)

Thailand inventory : Not determined.

Turkey inventory : Not determined.

United States inventory (TSCA 8b) : All components are listed or exempted.

Vietnam inventory : Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 20/21



SDS no. 39334

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level
DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative PNEC = Predicted No Effect Concentration

LC50 = Median lethal concentration

LD50 = Median lethal dose

OEL = Occupational Exposure Limit VOC = Volatile Organic Compound

UVCB Substance of unknown or Variable composition, Complex reaction products

or Biological material

NOEC No Observed Effect Concentration

QSAR = Quantitative Structure-Activity Relationship

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

| H304 | May be fatal if swallowed and enters airways. |
|------|---|
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |

Full text of classifications

Aquatic Chronic 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4

Asp. Tox. 1 ASPIRATION HAZARD - Category 1

Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1

Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2

Date of printing : 2022/08/17

Date of issue/ Date of : 2022/08/17

revision

Date of previous issue : No previous validation

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of revision: Version: 1 United Kingdom (UK) ENGLISH 21/21