Page: 1 / 17 Revision nr: 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019

COOLTEMP ULTRA VRCS-CONCENTRATE



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form
Trade name

name UFI

: COOLTEMP ULTRA VRCS-CONCENTRATE C2190 : 1A6K-QT7M-CH67-QX46

Relevant identified uses of the substance or mixture and uses advised against 1.2.

: Mixture

Relevant identified uses 1.2.1.

: Professional uses

Use of the substance/mixture

Main use category

: Coolant

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet 1.3.

Supplier Finol Oils 3 Stannaway Drive Crumlin D12 X2PN T 00353 01 4555484 technical@finol.ie www.finol.ie

Supplier SOLVENTIS EUROPE NV Sint Maartenstraat 1 2000 Antwerpen - BELGIUM T +32 3 205 16 66 sds@solventis.net

Emergency telephone number 1.4.

Emergency number

: +32 (0)3 575 55 55

This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

Classification of the substance or mixture <u>2.1.</u>

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT RE 2 H373

Full text of H- and EUH-statements: see section 16

Label elements

<u>2.2.</u>

SAFETY DATA SHEET Page : 2 / 17 Revision nr : 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019 Supersedes : 10/12/2019

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	GHS07 GHS08
Signal word	: Warning
Hazardous ingredients	: ethanediol; ethylene glycol; potassium 3,5,5-trimethylhexanoate
Hazard statements (CLP)	 H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Precautionary statements (CLP)	 P260 - Do not breathe vapours. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents and container to an approved waste disposal plant.
2.3. Other hazards	
Other hazards	 Results of PBT and vPvB assessment : Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol substance with a Community workplace exposure limit	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index) 603-027-00-1 (REACH-no) 01-2119456816-28-XXXX / UK-01-1060922537-9-0026	80,975 – 100	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
potassium 3,5,5-trimethylhexanoate	(CAS-No.) 93918-10-6 (EC-No.) 299-890-3	1,95 – 2,6	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Page : 3 / 17 Revision nr : 5.0 Issue date : 25/04/2023

Supersedes : 10/12/2019

SECTION 4: First aid measures				
4.1. Description of first aid measures				
Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.			
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.			
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.			
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.			
Ingestion	: Rinse mouth thoroughly with water. Get medical advice/attention.			
4.2. Most important symptoms and e	ffects, both acute and delayed			
Inhalation	: May cause respiratory irritation. The following symptoms may occur: Cough, Dizziness, Headache.			
Skin contact	: Causes skin irritation. May be absorbed through the skin. Chronic exposure may cause dermatitis. The following symptoms may occur: Dry skin, Redness, pain.			
Eyes contact	: Causes serious eye irritation. The following symptoms may occur: erythema (redness), Pain.			
Ingestion	: Harmful if swallowed. The following symptoms may occur: Abdominal pain, Drowsiness, Dizziness, Nausea, Headache, Vomiting, Unconsciousness, Impairment of the nervous system, Liver and kidney injuries may occur.			
Chronic symptoms	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).			

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.	
Unsuitable extinguishing media	: Strong water jet.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.	
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2).	
5.3. Advice for firefighters		
Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.	
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.	

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Page : 4 / 17 Revision nr : 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019

SECTION 6: Accidental release measures

<u>6.1.</u>	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
For non-emergency personnel :		:	: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Wear recommen personal protective equipment. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
6.1.2.	For emergency responders			
For eme	ergency responders	:	Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.	
6.2.	Environmental precautions			

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.			
Hygiene measures	: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage, inclu	iding any incompatibilities			
Storage conditions	: Keep container tightly closed in a cool, well-ventilated place. Hydroscopic. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.			
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
Special rules on packaging	: Containers which are opened should be properly resealed and kept upright to prevent leakage.			
Packaging materials	: Keep only in the original container.			
7.3. Specific end use(s) Coolant.				

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Page : 5 / 17 Revision nr : 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019

SECTION 8: Exposure controls/personal protection

8.1. Control parameters				
ethanediol; ethylene glycol (107-21-1)				
EU	IOEL TWA	52 mg/m ³		
EU	IOEL TWA [ppm]	20 ppm		
EU	IOEL STEL	104 mg/m ³		
EU	IOEL STEL [ppm]	40 ppm		
EU	Remark	Possibility of significant uptake through the skin		
Austria	MAK (OEL TWA)	26 mg/m ³		
Austria	MAK (OEL TWA) [ppm]	10 ppm		
Austria	MAK (OEL STEL)	52 mg/m ³		
Austria	MAK (OEL STEL) [ppm]	20 ppm		
Bulgaria	OEL TWA	52 mg/m ³		
Bulgaria	OEL TWA [ppm]	20 ppm		
Bulgaria	OEL STEL	104 mg/m ³		
Bulgaria	OEL STEL [ppm]	40 ppm		
Croatia	GVI (OEL TWA) [1]	52 mg/m³		
Croatia	GVI (OEL TWA) [2]	20 ppm		
Croatia	KGVI (OEL STEL)	104 mg/m ³		
Croatia	KGVI (OEL STEL) [ppm]	40 ppm		
Cyprus	OEL TWA	52 mg/m³		
Cyprus	OEL TWA [ppm]	20 ppm		
Cyprus	OEL STEL	104 mg/m ³		
Cyprus	OEL STEL [ppm]	40 ppm		
Czech Republic	PEL (OEL TWA)	50 mg/m ³		
Denmark	OEL TWA [1]	26 mg/m ³ 10 mg/m ³ (atomized)		
Denmark	OEL TWA [2]	10 ppm		
Estonia	OEL TWA	52 mg/m ³ (total concentration of aerosol and vapor)		
Estonia	OEL TWA [ppm]	20 ppm (total concentration of aerosol and vapor)		
Estonia	OEL STEL	104 mg/m ³ (total concentration of aerosol and vapor)		
Estonia	OEL STEL [ppm]	40 ppm (total concentration of aerosol and vapor)		
Finland	HTP (OEL TWA) [1]	50 mg/m ³		
Finland	HTP (OEL TWA) [2]	20 ppm		
Finland	HTP (OEL STEL)	100 mg/m ³		
Finland	HTP (OEL STEL) [ppm]	40 ppm		
France	VME (OEL TWA)	52 mg/m ³ (indicative limit-vapor)		
France	VME (OEL TWA) [ppm]	20 ppm (indicative limit-vapor)		

Page : 6 / 17 Revision nr : 5.0 Issue date : 25/04/2023

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Supersedes : 10/12/2019

ethanediol; ethylen		
France	VLE (OEL C/STEL)	104 mg/m ³ (indicative limit-vapor)
France	VLE (OEL C/STEL) [ppm]	40 ppm (indicative limit-vapor)
Germany	Occupational exposure limit value (mg/m ³) (TRGS900)	26 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	Occupational exposure limit value (ppm) (TRGS900)	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	OEL TWA	52 mg/m ³
Gibraltar	OEL TWA [ppm]	20 ppm
Gibraltar	OEL STEL	104 mg/m ³
Gibraltar	OEL STEL [ppm]	40 ppm
Greece	OELTWA	125 mg/m ³ (vapor)
Greece	OEL TWA [ppm]	50 ppm (vapor)
Greece	OEL STEL	125 mg/m ³ (vapor)
Greece	OEL STEL [ppm] AK (OEL TWA)	50 ppm (vapor) 52 mg/m ³
Hungary	· · · · ·	
Hungary	CK (OEL STEL)	104 mg/m ³
Ireland	OEL TWA [1]	52 mg/m ³
Ireland	OEL TWA [2]	20 ppm
Ireland	OEL STEL	104 mg/m ³
Ireland	OEL STEL [ppm]	40 ppm
Italy	OEL TWA	52 mg/m³
Italy	OEL TWA [ppm]	20 ppm
Italy	OEL STEL	104 mg/m ³
Italy	OEL STEL [ppm]	40 ppm
Latvia	OEL TWA	52 mg/m ³
Latvia	OEL TWA [ppm]	20 ppm
Lithuania	IPRV (OEL TWA)	25 mg/m ³ (aerosol and vapor)
Lithuania	IPRV (OEL TWA) [ppm]	10 ppm (aerosol and vapor)
Lithuania	TPRV (OEL STEL)	50 mg/m ³ (aerosol and vapor)
Lithuania	TPRV (OEL STEL) [ppm]	20 ppm (aerosol and vapor)
Luxembourg	OEL TWA	52 mg/m ³
Luxembourg	OEL TWA [ppm]	20 ppm
Luxembourg	OEL STEL	104 mg/m ³
Luxembourg	OEL STEL [ppm]	40 ppm
Malta	OEL TWA	52 mg/m ³
Malta	OEL TWA [ppm]	20 ppm
Malta	OEL STEL	104 mg/m ³
Malta	OEL STEL [ppm]	40 ppm

SAFETY DATA SHEET	Page : 7 / 17 Revision nr : 5.0 Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

ethanediol; ethylene	glycol (107-21-1)	
Netherlands	TGG-8u (OEL TWA)	52 mg/m ³ (fume) 10 mg/m ³ (droplets)
Netherlands	TGG-15min (OEL STEL)	104 mg/m ³
Poland	NDS (OEL TWA)	15 mg/m ³
Poland	NDSCh (OEL STEL)	50 mg/m ³
Portugal	OEL TWA	52 mg/m ³ (indicative limit value)
Portugal	OEL TWA [ppm]	20 ppm (indicative limit value)
Portugal	OEL STEL	104 mg/m ³ (indicative limit value)
Portugal	OEL STEL [ppm]	40 ppm (indicative limit value)
Portugal	OEL C	100 mg/m ³ (aerosol only)
Romania	OEL TWA	52 mg/m ³
Romania	OEL TWA [ppm]	20 ppm
Romania	OEL STEL	104 mg/m ³
Romania	OEL STEL [ppm]	40 ppm
Slovakia	NPHV (OEL TWA) [1]	52 mg/m ³
Slovakia	NPHV (OEL TWA) [2]	20 ppm
Slovakia	NPHV (OEL C)	104 mg/m³
Slovenia	OEL TWA	52 mg/m ³
Slovenia	OEL TWA [ppm]	20 ppm
Slovenia	OEL STEL	104 mg/m ³
Slovenia	OEL STEL [ppm]	40 ppm
Spain	VLA-ED (OEL TWA) [1]	52 mg/m ³ (indicative limit value)
Spain	VLA-ED (OEL TWA) [2]	20 ppm (indicative limit value)
Spain	VLA-EC (OEL STEL)	104 mg/m ³
Spain	VLA-EC (OEL STEL) [ppm]	40 ppm
Sweden	NGV (OEL TWA)	25 mg/m ³ (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	NGV (OEL TWA) [ppm]	10 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	KTV (OEL STEL)	104 mg/m ³ (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	KTV (OEL STEL) [ppm]	40 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m ³ (particulates) 52 mg/m ³ (vapour)
United Kingdom	WEL TWA (OEL TWA) [2]	20 ppm (vapour)
United Kingdom	WEL STEL (OEL STEL)	104 mg/m ³ (vapour) 30 mg/m ³ (calculated-particulate)
United Kingdom	WEL STEL (OEL STEL) [ppm]	40 ppm (vapour)

SAFETY DATA SHEET Page : 8 / 17 Revision nr : 5.0 Issue date : 25/04/2023 COOLTEMP ULTRA VRCS-2 CONCENTRATE Supersedes : 10/12/2019

ethanediol; ethylene	glycol (107-21-1)	
Norway	Grenseverdi (OEL TWA) [1]	52 mg/m ³ (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Grenseverdi (OEL TWA) [2]	20 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL)	104 mg/m ³ (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL) [ppm]	40 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Switzerland	MAK (OEL TWA) [1]	26 mg/m ³ (aerosol, vapour)
Switzerland	MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
Switzerland	KZGW (OEL STEL)	52 mg/m ³ (aerosol, vapour)
Switzerland	KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)
Australia	OES TWA [1]	10 mg/m ³ (particulate) 52 mg/m ³ (vapour)
Australia	OES TWA [2]	20 ppm (vapour)
Australia	OES STEL	104 mg/m ³ (vapour)
Australia	OES STEL [ppm]	40 ppm (vapour)
Canada (Quebec)	Plafond (OEL C)	127 mg/m ³ (mist and vapour)
Canada (Quebec)	Plafond (OEL C) [ppm]	50 ppm (mist and vapour)
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)
USA - ACGIH	ACGIH OEL STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
USA - ACGIH	ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)

Additional information

: Personal air monitoring :. Room air monitoring. Recommended monitoring procedures

8.2. Exposure controls

Engineering measure(s)

: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling.

Personal protective equipment

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Page : 9 / 17 Revision nr : 5.0 Issue date : 25/04/2023

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Supersedes : 10/12/2019

Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Neoprene. Nitrile rubber. Breakthrough time : >8h. Thickness >0,3mm. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: tightly fitting safety goggles (EN 166). During splash contact: face shield (EN 166)
Body protection	: Wear suitable protective clothing. Wear suitable coveralls to prevent exposure to the skin
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: A/P (EN14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Viscous. liquid.	
Colour	: Coloured or colourless. Various colours.	
Odour	: odourless.	
Odour threshold	: No data available	
рН	: 7,5 – 8,5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting / freezing point	: -12 °C	
Freezing point	: No data available	
Initial boiling point and boiling range	: 197 °C (760 mm Hg)	
Flash point	: 111 °C (closed cup)	
Auto-ignition temperature	: 400 °C	
Decomposition temperature	: No data available	
Flammability	: Not applicable, liquid	
Vapour pressure	: No data available	
Vapour pressure at 50°C	: 0,05 kPa	
Vapour density	: No data available	
Relative density	: 1,1 (20°C)	
Solubility	: Miscible with : Acetone. alcohols. Water: Miscible	
Partition coefficient n-octanol/water	: -1,36	
Kinematic viscosity	: No data available	
Dynamic viscosity	: No data available	
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.	

COOLTEMP ULTRA VRCS-2 CONCENTRATE

oxidising properties.

Page : 10 / 17 Revision nr : 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019

: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with

Oxidising properties

Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Non flammable. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See Section 7 for information on safe handling.

10.5. Incompatible materials

oxidising substances. Strong bases. Strong acids. Aluminium. Sulphuric acid. Perchloric acid. Chlorosulfonic acid. Sodium hydroxide. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Harmful if swallowed.
ATE CLP (oral)	515,824 mg/kg bodyweight
ethanediol; ethylene glycol (107-21-1)	
LD50/oral/rat	7712 mg/kg bodyweight

SAFETY DATA SHEET	Page : 11 / 17 Revision nr : 5.0 Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

ethanediol; ethylene glycol (107-21-1)		
LD50 oral	7712 mg/kg	
LD50/dermal/rat	10600 mg/kg	
LD50/dermal/rabbit	> 3500 mg/kg	
LD50 dermal	10600 mg/kg	
LC50/inhalation/4h/rat	> 2,5 mg/l (Exposure time: 6 h)	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 7,5 – 8,5	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 7,5 – 8,5	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
ethanediol; ethylene glycol (107-21-1)		
NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight	
NOAEL (chronic, oral, animal/female, 2 years)	1500 mg/kg bodyweight	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	
ethanediol; ethylene glycol (107-21-1)		
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day OECD Guideline 407	
NOAEL (dermal, rat/rabbit, 90 days)	2220 mg/kg bodyweight/day OECD 410	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
Kinematic viscosity	No data available	
Other adverse effects	: May cause damage to organs through prolonged or repeated exposure.	
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For	

further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

COOLTEMP ULTRA VRCS-2 CONCENTRATE

Page : 12 / 17 Revision nr : 5.0 Issue date : 25/04/2023 Supersedes : 10/12/2019

11.2.2 Other information Other adverse effects : May cause damage to organs through prolonged or repeated exposure. Other information : Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Hazardous to the aquatic environment, short- term (acute)	: Not classified
Hazardous to the aquatic environment, long– term (chronic)	: Not classified
ethanediol; ethylene glycol (107-21-1)	
LC50 - Fish [1]	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
I C50 - Fish [2]	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

LC50 - FISN [2]	14 – 18 mi/i (Exposure time: 96 n - Species: Oncomynchus mykiss [static])
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)
NOEC (chronic)	15380 mg/l (7d, Pimephales promelas)

12.2. Persistence and degradability

C2190		
Persistence and degradability	No additional information available.	
ethanediol; ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	90-100 Experimental data	

12.3. Bioaccumulative potential

C2190	
Partition coefficient n-octanol/water	-1,36
Bioaccumulative potential	No additional information available.

ethanediol; ethylene glycol (107-21-1)	
Partition coefficient n-octanol/water	-1,36
Bioaccumulative potential	Does not bioaccumulate.

SAFETY DATA SHEET	Page : 13 / 17
	Revision nr : 5.0
	Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

potassium 3,5,5-trimetnyinexanoate (93918-	10-0)
Partition coefficient n-octanol/water	-0,47 (at 25 °C)
<u>12.4. Mobility in soil</u>	
C2190	
Mobility in soil	No data available
ethanediol; ethylene glycol (107-21-1)	
Mobility in soil	Not expected to adsorb on soil.
12.5. Results of PBT and vPvB assessment	
C2190	
Results of PBT assessment	Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII
 <u>12.6. Endocrine disrupting properties</u> Adverse effects on the environment caused by endocrine disrupting properties <u>12.7. Other adverse effects</u> Other adverse effects 	 The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % No data available
Other adverse enects	
SECTION 13: Disposal consideration	ns
recommendations	Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.
European waste catalogue (2001/573/EC, : 75/442/EEC, 91/689/EEC)	This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

SECTION 14: Transport information

Γ

.

....

.

In accordance with ADR /	RID / IMDG / IATA / ADN			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or I	D number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper ship	ping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET	Page : 14 / 17
	Revision nr : 5.0
	Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

ADR	IMDG	IATA	ADN	RID
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	N	o supplementary information	on available	1

<u>14.6.</u> Special precautions for user

Special precautions for user

: No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

<u>14.7</u>. Maritime transport in bulk according to IMO instruments Code: IBC

: No data available.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture <u>15.1.</u>

15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

SAFETY DATA SHEET	Page : 15 / 17
	Revision nr : 5.0
	Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

France

No ICPE	Installations classées Désignation de la rubriq	ue		Code Régime	Rayon	
na	Not Applicable			na	na	
Germany						
Regulatory refe	rence	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)				
German storage	e class (LGK)	:	LGK 12 - Non-combustible liquids			
Hazardous Incie BImSchV)	dent Ordinance (12.	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)				
Netherlands	::!		D (C) Mainin eshedeliik yezhin het weter levende erre			
Waterbezwaarli	1		B (5) - Weinig schadelijk voor in het water levende orga	anismen		
SZW-lijst van kankerverwekkende stoffen		: None of the components are listed				
SZW-lijst van mutagene stoffen		: None of the components are listed				
SZW-lijst van re Borstvoeding	eprotoxische stoffen –	:	None of the components are listed			
SZW-lijst van re Vruchtbaarheid	eprotoxische stoffen –	:	None of the components are listed			
SZW-lijst van reprotoxische stoffen – Ontwikkeling		: None of the components are listed				
Denmark						
Recommendati	ons Danish Regulation	:	Young people below the age of 18 years are not allowe Pregnant/breastfeeding women working with the product contact with the product.	-		

15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information

Indication of changes:			
1.1	UFI on SDS 1.1	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.3	ED text	Added	
3	Composition/informatio n on ingredients	Modified	
4.2	Skin contact	Modified	
4.3	Indication of any	Added	

SAFETY DATA SHEET	Page : 16 / 17 Revision nr : 5.0 Issue date : 25/04/2023
COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

	immediate medical attention and special treatment needed		
7.2	Special rules on packaging	Added	
9.2	Information with regard to physical hazard classes	Added	
9.2	Other safety characteristics	Added	
11.1	Skin corrosion/irritation	Modified	
11.2	Adverse health effects caused by endocrine disrupting properties	Added	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
14.7	Maritime transport in bulk according to IMO instruments	Added	
15.1	Regulatory information	Modified	

Abbreviations and acronyms:

 ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 BTT = Breakthrough time (maximum wearing time)
 DMEL = Derived Minimal Effect level
 DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
 ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
 NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
 OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
 PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity

COOLTEMP ULTRA VRCS-2 CONCENTRATE Supersedes : 10/12/2019	SAFETY DATA SHEET	Page : 17 / 17 Revision nr : 5.0 Issue date : 25/04/2023
	COOLTEMP ULTRA VRCS-2 CONCENTRATE	Supersedes : 10/12/2019

TWA = time weighted avera	TWA = time weighted average		
VOC = Volatile organic com	VOC = Volatile organic compounds		
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)			
Sources of key data used to compile the datasheet	: European Chemicals Agency, LoLi, SDS supplier.		
Training advice		: Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.	
Other information	: Assessment/classification CLP. Article 9. Calculation method.		
Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)		Acute toxicity (oral), Category 4	
Eye Dam. 1		Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2		Serious eye damage/eye irritation, Category 2	
H302		Harmful if swallowed.	
H314		Causes severe skin burns and eye damage.	
H315		Causes skin irritation.	
H318		Causes serious eye damage.	
H319		Causes serious eye irritation.	
H373		May cause damage to organs through prolonged or repeated exposure.	
Skin Corr. 1		Skin corrosion/irritation, Category 1	
Skin Irrit. 2		Skin corrosion/irritation, Category 2	
STOT RE 2		Specific target organ toxicity – Repeated exposure, Category 2	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

