



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 32432

Performance Plus LS E9 10W-30

Date of the previous version: 01/08/2019

Revision Date: 01/08/2022

Version 5.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|--------------------------|--------------------------------------|
| Product name | Performance Plus LS E9 10W-30 |
| Number | 1D4 |
| Substance/mixture | Mixture |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|------------------------|--------------------|
| Identified uses | Engine oil. |
|------------------------|--------------------|

1.3. Details of the supplier of the safety data sheet

| | |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supplier | FINOL OILS 3 Stannaway Drive Crumlin, Dublin 12, D12 X2PN Ireland Tel: +353 (0) 1 4555484 technical@finol.ie - www.finol.ie |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.4. Emergency telephone number | National Poisons Information centre Beaumont Hospital , Beaumont Road, Dublin 9 01-8092166 Office Hours (08.00 - 22.00) 00 353 01 8092566 Professionals 24/7 |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

*For the full text of the H-Statements mentioned in this Section, see Section 2.2. ******Classification******The product is not classified as dangerous according to Regulation (EC) No. 1272/2008****



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008***

Hazard Statements

None***

Precautionary statements

None***

Supplemental Hazard Statements

EUH210 - Safety data sheet available on request***

Contains Calcium long chain alkarylsulphonate May produce an allergic reaction***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Environmental properties Should not be released into the environment.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Hazardous components

| Chemical Name | EC-No | REACH Registration Number | CAS-No | Weight % | GHS Classification |
|---------------------------------------------|--------------|---------------------------------|-------------|----------|-------------------------------------------------|
| Polyolefin polyamine succinimide, polyol*** | - | no data available | ^ | <5 | Aquatic Chronic 4 (H413) |
| Zinc alkyldithiophosphate*** | 272-028-3*** | no data available | 68649-42-3 | <2.5 | Eye Dam. 1 (H318) Aquatic Chronic 2 (H411) |
| Calcium long chain alkarylsulphonate*** | - | - | 722503-69-7 | <2.5 | Aquatic Chronic 4 (H413) |
| Calcium long chain alkarylsulphonate*** | - | - | 722503-69-7 | <1 | Skin Sens. 1 (H317) Aquatic Chronic 4 (H413) |
| Calcium long chain alkaryl sulfonate*** | - | - | 722503-68-6 | <1 | Aquatic Chronic 4 (H413) Skin Sens.1 (H317) |

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.***

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

4.1. Description of first aid measures

| | |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.*** |
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids.*** |
| Skin contact | Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.*** |
| Inhalation | Move to fresh air. |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.*** |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact | Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required. This product does not meet the EU criteria for classification.*** |
| Skin contact | Not classified. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.*** |
| Inhalation | Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system. |
| Ingestion | Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

| | |
|---------------------------|------------------------|
| Notes to physician | Treat symptomatically. |
|---------------------------|------------------------|

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

| | |
|---------------------------------------|-----------------------------------------------------------------------------|
| Suitable extinguishing media | Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.*** |
| Unsuitable Extinguishing Media | Do not use a solid water stream as it may scatter and spread fire. |

5.2. Special hazards arising from the substance or mixture

| | |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special hazard | Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.***

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.***

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.***



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.***

Materials to avoid

Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)

No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

Mineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

Legend

See section 16

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment

General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

| | |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection | Tightly fitting safety goggles. Safety glasses with side-shields. |
| Skin and body protection | Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. |
| Hand protection | Hydrocarbon-proof gloves: Nitrile rubber, Fluorinated rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. |

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | | |
|------------------------------|------------------|-----------------------------------------|------------------------------------------------------|
| Appearance | | Clear | |
| Colour | | brown | |
| Physical state @20°C | | Liquid | |
| Odour | | characteristic*** | |
| Odour Threshold | | No information available | |
| Property | Values | Remarks | Method |
| pH | | Not applicable*** | *** |
| Melting point/range | | No information available | |
| Boiling point/boiling range | | No information available*** | |
| Flash point | 232 °C 450 °F | | Cleveland Open Cup (COC) Cleveland Open Cup (COC) |
| Evaporation rate | | No information available | |
| Flammability Limits in Air | | No information available | |
| Upper *** | *** | No information available*** | *** |
| Lower *** | *** | No information available*** | *** |
| Vapour pressure | | No information available | |
| Vapour density | | No information available | |
| Relative density *** | *** 0.889*** | @ 15 °C*** | *** |
| Density | 889 kg/m³ | @ 15 °C | |
| Water solubility | | Insoluble | |
| Solubility in other solvents | | Soluble in many common organic solvents | |
| logPow | | No information available*** | |
| Autoignition temperature | | No information available | |
| Decomposition temperature | | No information available | |



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

| | | | |
|-------------------------------------------|-------------------------------------------------|---------------------|----------------------|
| Viscosity, kinematic | 101 mm ² /s 14 mm ² /s | @ 40 °C @ 100 °C | ISO 3104 ISO 3104 |
| Explosive properties | Not explosive | | |
| Oxidising properties | Not applicable | | |
| Possibility of hazardous reactions | No information available*** | | |

9.2. Other information

Freezing point *** No information available***

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.***

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.***

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.***

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.***



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

| | |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact | . Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required. This product does not meet the EU criteria for classification.*** |
| Inhalation | . Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system. |
| Ingestion | . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

Acute toxicity - Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------------|-----------------------|----------------------------|-----------------|
| Zinc alkyldithiophosphate*** | LD50 2900 mg/kg (Rat) | LD50 > 2000 mg/kg (Rabbit) | |

Sensitisation

Sensitisation Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.

Specific effects

Carcinogenicity This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicity This product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic Toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

Acute aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates. | Toxicity to fish | Toxicity to microorganisms |
|--------------------------------------------|---------------------|------------------------------------------------------|---------------------|----------------------------|
| Zinc alkyldithiophosphate*** 68649-42-3 | EC50 (72h) 2.2 mg/l | EC50 (48h) 1.2 mg/l (Daphnia magna) | LC50 (96h) 4.5 mg/l | |

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates. | Toxicity to fish | Toxicity to microorganisms |
|--------------------------------------------|-------------------|------------------------------------------------------|--------------------|----------------------------|
| Zinc alkyldithiophosphate*** 68649-42-3 | NOEC 1.0 mg/l | NOEC (21d) 0.4 mg/l (Daphnia magna) | NOEC(28d) 1.8 mg/l | |

Effects on terrestrial organisms

No information available.***

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.***

logPow

No information available***

Component Information

| Chemical Name | log Pow |
|-------------------------------------------|---------|
| Zinc alkyldithiophosphate*** - 68649-42-3 | 0.56 |

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.***

Air

Loss by evaporation is limited.***

Water

Insoluble. The product spreads on the surface of the water.***

12.5. Results of PBT and vPvB assessment



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

PBT and vPvB assessment No information available.***

12.6. Other adverse effects

General Information No information available.***

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.***

EWG Waste Disposal No The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information



SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

15.3. National regulatory information

The United Kingdom

- Avoid exceeding occupational exposure limits (see section 8).

Ireland

- Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

H317 - May cause an allergic skin reaction***

Abbreviations, acronyms

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

OECD = Organization for Economic Co-operation and Development

bw = body weight

bw/day = body weight/day

GLP = Good Laboratory Practice

fw = fresh water

mw = marine water

or = occasional release

dw = dry weight

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

ACGIH = American Conference of Governmental Industrial Hygienists

IARC = International Agency for Research of Cancer

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

NOAEL = No Observed Adverse Effect Level

EC x = Effect Concentration associated with x% response

SDS # : 32432

Performance Plus LS E9 10W-30

Revision Date: 01/08/2022

Version 5.01

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+ Sensitiser
 ** Hazard Designation
 M: Mutagen

* Skin designation
 C: Carcinogen
 R: Toxic to reproduction

Revision Date: 01/08/2022

Revision Note *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet