

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK **REACH Regulation SI 2019/758**

QUARTZ 9000 NFC 5W-30

SDS no. 090271

2

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name Product code : 090271 **Product description** : Not available. **Product type** : Liquid. Other means of identification

: QUARTZ 9000 NFC 5W-30

: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | |
|----------------------|--|
| Motor oil | |
| Uses advised against | |

Not applicable.

1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 10 Upper Bank Street (19th floor) Canary Wharf, London E14 5BF UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033 rm.gb-msds@totalenergies.com

H.S.E

1.4 Emergency telephone number

| Nationa | advisory | body/Poison | Centre |
|---------|----------|-------------|--------|
| | | | |

| Telephone number | : National Poisons Information Service (NPIS): 111 |
|------------------|--|
| <u>Supplier</u> | |
| Telephone number | : Emergency telephone: +44 1235 239670 |



SDS no. 090271

SECTION 2: Hazards identification

| 2.1 Classification of the subs | nce or mixture | |
|---|--|------------------------|
| Product definition | Mixture | |
| | gulation (EC) No. 1272/2008 [CLP/GHS] | |
| Not classified. | | |
| The product is not classified a | nazardous according to UK CLP Regulation SI 2019/720 as amended. | |
| Ingredients of unknown ecotoxicity | Contains 2.9% of components with unknown hazards to the aquatic environment | nt |
| See Section 11 for more deta | information on health effects and symptoms. | |
| 2.2 Label elements | | |
| Signal word | No signal word. | |
| Hazard statements | No known significant effects or critical hazards. | |
| Precautionary statements | | |
| Prevention | Not applicable. | |
| Response | Not applicable. | |
| Storage | Not applicable. | |
| Disposal | Not applicable. | |
| Supplemental label elements | Contains C14-16-18 Alkyl phenol and Molybdenum polysulphide long chain alky dithiocarbamate complex. May produce an allergic reaction. Safety data sheet available on request. | 4 |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | Not applicable. | |
| 2.3 Other hazards | | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | This mixture does not contain any substances that are assessed to be a PBT or vPvB in a concentration $\geq 0,1$ %. This product does not contain any substance present at a concentration equal to greater than 0.1% by mass, included in the list drawn up in accordance with artic 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting proper or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605. | o or cle erties, |
| Other hazards which do not result in classification | Hazard of slipping on spilt product. | |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture



SDS no. :

090271

| Product/ingredient name | Identifiers | % | Classification | Тур |
|---|---|-----------|---|-----|
| Distillates (petroleum), hydrotreated heavy paraffinic | REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8 | ≥75 - ≤90 | Asp. Tox. 1, H304 | [1] |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based | REACH #: 01-2119474878-16 EC: 276-737-9 CAS: 72623-86-0 Index: 649-482-00-X | ≤3 | Asp. Tox. 1, H304 | [1] |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based | REACH #: 01-2119474889-13 EC: 276-738-4 CAS: 72623-87-1 Index: 649-483-00-5 | ≤3 | Asp. Tox. 1, H304 | [1] |
| C14-16-18 Alkyl phenol | REACH #: 01-2119498288-19 EC: 931-468-2 | ≤3 | Skin Sens. 1B, H317 STOT RE 2, H373 | [1] |
| Distillates (petroleum), solvent- dewaxed heavy paraffinic | REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6 | ≤3 | Asp. Tox. 1, H304 | [1] |
| Distillates (petroleum), solvent- dewaxed light paraffinic | REACH #: 01-2119480132-48 EC: 265-159-2 CAS: 64742-56-9 Index: 649-469-00-9 | ≤3 | Asp. Tox. 1, H304 | [1] |
| Paraffin oils (petroleum), catalytic dewaxed heavy | REACH #: 01-2119487080-42 EC: 265-174-4 CAS: 64742-70-7 | ≤3 | Asp. Tox. 1, H304 | [1] |
| zinc bis(O,O-diisooctyl) bis (dithiophosphate) | REACH #: 01-2119953278-28 EC: 249-109-7 CAS: 28629-66-5 | <2.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 | [1] |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | REACH #: 01-0000019337-66 EC: 457-320-2 | ≤0.3 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | |

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.



SDS no. 090271 :

SECTION 3: Composition/information on ingredients

| SECTION 4: First aid measures | | |
|---------------------------------------|--|--|
| 4.1 Description of first aid measures | | |
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. | |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. | |
| Skin contact | : Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. | |
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. | |

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact | : No specific data. |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation dryness cracking |
| Ingestion | : No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|---------------------|---|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|--------------------------------|--|--|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. | |
| Unsuitable extinguishing media | : Do not use water jet. | |

5.2 Special hazards arising from the substance or mixture

| Hazards from the | 1 | In a fire or if heated, a pressure increase will occur and the container m | ay burst. |
|----------------------|---|--|-----------|
| substance or mixture | | | |



SDS no. 0

090271

SECTION 5: Firefighting measures

| Hazardous combustion products | : carbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides |
|--|---|
| 5.3 Advice for firefighters | |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, prot | ective equipment and emergency procedures |
|---------------------------------|---|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. |
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and material for c | ontainment and cleaning up |
| Small spill | Stop leak if without risk. Move containers from spill area. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
| 6.4 Reference to other sections | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |



SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

Protective measures

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

| 7.3 Specific end use(s) | |
|----------------------------|------------------|
| Recommendations | : Not available. |
| Industrial sector specific | : Not available. |
| solutions | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

Biological Limit Values (BLV)

No exposure indices known.

| Recommended monitoring procedures | : | Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
|-----------------------------------|---|---|
| Advisory OEL | : | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3. |

uvisory Of

STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

DNELs/DMELs

| Product/substance | Туре | Exposure | Value | Population | Effects |
|--|------|-------------------------|------------------------|--------------------|----------|
| Sistillates (petroleum), hydrotreated heavy paraffinic | DNEL | Long term Oral | 0.74 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.97 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 1.19 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | Workers | Systemic |
| | DNEL | Long term | 5.58 mg/m³ | Workers | Local |



SDS no. : 090271

| | | Inhalation | | | |
|---------------------------------------|-------|------------------|------------------------|------------|-----------|
| Lubricating oils (petroleum), C15-30, | DNEL | Long term | 5.4 mg/m ³ | Workers | Local |
| hydrotreated neutral oil-based | 0.122 | Inhalation | 0. i iiig/iii | T officio | 2004 |
| | DNEL | Long term | 1.2 mg/m ³ | General | Local |
| | DIVLL | Inhalation | n.z mg/m | population | Loodi |
| | DNEL | Long term Oral | 0.74 mg/ | General | Systemic |
| | DIVEL | Long tonn ordi | kg bw/day | population | Cysternie |
| | DNEL | Long term Dermal | 0.97 mg/ | Workers | Systemic |
| | DINLL | Long term Dermai | kg bw/day | VUINEIS | Systemic |
| | DNEL | Long term | 1.19 mg/m ³ | General | Local |
| | DINCL | Inhalation | 1.13 mg/m | population | Local |
| | DNEL | Long term | 2.73 mg/m ³ | | Systemic |
| | DINEL | Inhalation | 2.75 mg/m | WUIKEIS | Systemic |
| | | | $E = E Q m q / m^3$ | Workoro | |
| | DNEL | Long term | 5.58 mg/m ³ | workers | Local |
| | DNIEL | Inhalation | 0.74 | | 1 1 |
| Lubricating oils (petroleum), C20-50, | DNEL | Long term Oral | 0.74 mg/ | General | Local |
| hydrotreated neutral oil-based | | | kg bw/day | population | |
| | DNEL | Long term Oral | 0.74 mg/ | General | Systemic |
| | | | kg bw/day | population | |
| | DNEL | Long term Dermal | 0.97 mg/ | Workers | Systemic |
| | | | kg bw/day | | |
| | DNEL | Long term | 1.19 mg/m ³ | General | Local |
| | | Inhalation | | population | |
| | DNEL | Long term | 2.73 mg/m ³ | Workers | Systemic |
| | | Inhalation | _ | | - |
| | DNEL | Long term | 5.58 mg/m ³ | Workers | Local |
| | | Inhalation | Ũ | | |
| C14-16-18 Alkyl phenol | DNEL | Long term | 1.17 mg/m ³ | Workers | Systemic |
| | | Inhalation | 5 | | |
| | DNEL | Long term Dermal | 0.3 mg/kg | Workers | Systemic |
| | | 5 | bw/day | | , |
| Distillates (petroleum), solvent- | DNEL | Long term Oral | 0.74 mg/ | General | Systemic |
| dewaxed heavy paraffinic | | | kg bw/day | population | -, |
| | DNEL | Long term Dermal | 0.97 mg/ | Workers | Systemic |
| | DITE | Long toni Donna | kg bw/day | T on or o | eyetenne |
| | DNEL | Long term | 1.19 mg/m ³ | General | Local |
| | DITE | Inhalation | n to mg/m | population | Loodi |
| | DNEL | Long term | 2.73 mg/m ³ | | Systemic |
| | | Inhalation | 2.70 mg/m | WOINCIS | Oysternie |
| | DNEL | Long term | 5.58 mg/m ³ | Workers | Local |
| | | Inhalation | 5.50 mg/m | VV UINEIS | LUCAI |
| Distillates (petroleum), solvent- | DNEL | Long term Oral | 0.74 mg/ | General | Systemic |
| dewaxed light paraffinic | | Long term Ola | kg bw/day | population | Cysternic |
| | DNEL | Long torm Dormal | | Workers | Sustamia |
| | DINEL | Long term Dermal | 0.97 mg/ | WORKEIS | Systemic |
| | | 1 | kg bw/day | 0.000 | 1 1 |
| | DNEL | Long term | 1.19 mg/m ³ | | Local |
| | DNIEL | Inhalation | 0.70 / 3 | population | 0 |
| | DNEL | Long term | 2.73 mg/m ³ | Workers | Systemic |
| | | Inhalation | | | |
| | DNEL | Long term | 5.58 mg/m ³ | vvorkers | Local |
| | | Inhalation | | a . | |
| Paraffin oils (petroleum), catalytic | DNEL | Long term Oral | 0.74 mg/ | General | Systemic |
| dewaxed heavy | | | kg bw/day | population | |
| | DNEL | Long term Dermal | 0.97 mg/ | Workers | Systemic |
| | | | kg bw/day | | |
| | DNEL | Long term | 1.19 mg/m ³ | General | Local |
| | 1 | Inhalation | - | population | |



SDS no. : 090271

| SECTION 8: Exposure controls/personal protection | | | | | |
|--|------|-------------------------|------------------------|-----------------------|----------|
| | DNEL | Long term Inhalation | 2.73 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Inhalation | 5.58 mg/m³ | Workers | Local |
| zinc bis(O,O-diisooctyl) bis (dithiophosphate) | DNEL | Long term Oral | 0.19 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 1.61 mg/m ³ | | Systemic |
| | DNEL | Long term Dermal | 4.65 mg/ kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 6.55 mg/m ³ | | Systemic |
| | DNEL | Long term Dermal | 9.29 mg/ kg bw/day | Workers | Systemic |

PNECs

| Product/substance | Compartment Detail | Value | Method Detail |
|---|---------------------------|----------------------|---------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | Secondary Poisoning | 9.33 mg/kg | - |
| C14-16-18 Alkyl phenol | Fresh water | 0.1 mg/l | - |
| | Marine water | 0.01 mg/l | - |
| | Fresh water sediment | 4266.16 mg/kg dwt | - |
| | Marine water sediment | 426.62 mg/kg dwt | - |
| | Soil | 852.58 mg/kg dwt | - |
| | Sewage Treatment Plant | 100 mg/l | - |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | Secondary Poisoning | 9.33 mg/kg | - |
| zinc bis(O,O-diisooctyl) bis(dithiophosphate) | Fresh water | 0.004 mg/l | - |
| | Marine water | 0.0046 mg/l | - |
| | Fresh water sediment | 0.21 mg/kg dwt | - |
| | Marine water sediment | 0.021 mg/kg dwt | - |
| | Soil | 0.04 mg/kg dwt | - |
| | Sewage Treatment Plant | 3 mg/l | - |

8.2 Exposure controls

| Appropriate engineering controls | Good general ventilation should be sufficient to control worker exposure to aird contaminants. | oorne |
|----------------------------------|---|---------|
| Individual protection meas | <u>s</u> | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working per Appropriate techniques should be used to remove potentially contaminated cloc Wash contaminated clothing before reusing. Ensure that eyewash stations an safety showers are close to the workstation location. | othing. |
| Eye/face protection | 🖟 case of contact through splashing: safety glasses with side-shields, EN 166 | |
| Skin protection | | |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard s be worn at all times when handling chemical products if a risk assessment ind this is necessary. | |



SDS no. : 090271

SECTION 8: Exposure controls/personal protection

| | • • |
|---------------------------------|--|
| | Hydrocarbon-proof gloves nitrile rubber Fluorinated rubber Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Non-skid safety shoes or boots |
| Respiratory protection | : None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1). |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

| <u>Appearance</u> | | | | |
|---|--|--|--|--|
| Physical state | : Liquid. [Clear] | | | |
| Colour | Yellow. | | | |
| Odour | : Characteristic. | | | |
| Melting point/freezing point | : Technically not possible to measure | | | |
| Initial boiling point and boiling range | : >316°C (>600.8°F) [ISO 3405] | | | |
| Flammability (solid, gas) | : Not applicable. | | | |
| Upper/lower flammability or explosive limits | Lower: 0.9% Upper: 7% | | | |
| Flash point | : Open cup: 234°C (453.2°F) [ASTM D 92] | | | |
| Auto-ignition temperature | : >234°C (>453.2°F) [ASTM E 659] | | | |
| Decomposition temperature | : Not applicable. | | | |
| рН | : Not applicable. Product is non-soluble (in water). | | | |
| Viscosity | : Kinematic (40°C): 53 mm²/s [ISO 3104] | | | |
| Solubility(ies) | : | | | |
| Media | Result | | | |
| water | Not soluble | | | |

Miscible with water

: No.



SDS no. 090271

SECTION 9: Physical and chemical properties

Partition coefficient: n-octanol/ : Not applicable

| water | |
|--------------------------|--|
| Vapour pressure | : <0.013 kPa (<0.1 mm Hg) [room temperature] Not applicable. [50°C (122°F)] |
| Relative density | : 0.849 [ISO 12185] |
| Density | : 0.849 g/cm³ [15°C (59°F)] [ISO 12185] |
| Vapour density | : >2 [Air = 1] |
| Particle characteristics | |
| Median particle size | : Not applicable. |

9.2 Other information

No other relevant physical and chemical parameters for the safe use of the product

| SECTION 10: Stabilit | y and reactivity |
|--|--|
| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| 10.2 Chemical stability | : Stable under recommended storage and handling conditions (see Section 7). |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| 10.5 Incompatible materials | : Strong oxidising agents |
| 10.6 Hazardous decomposition products | : carbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/substance | Result | Species | Dose | Exposure | Test |
|--|---------------------------------|--------------------------|-------------|----------|-------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | LC50 Inhalation Dusts and mists | Rat - Male, Female | >5 mg/l | 4 hours | OECD 403 Read across |
| F | LD50 Dermal | Rabbit - Male, Female | >5000 mg/kg | - | OECD 402 Read across |
| | LD50 Oral | Rat - Male, Female | >5000 mg/kg | - | OECD 401 Read across |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | LC50 Inhalation Dusts and mists | Rat | 5.53 mg/l | 4 hours | OECD 403 |
| | LD50 Dermal | Rabbit | >5000 mg/kg | - | OECD 402 |



SDS no. : 090271

SECTION 11: Toxicological information

| | 9.00 | | | | |
|-------------------------------|------------------------|--------------|----------------------------|--------------|----------------------|
| | LD50 Oral | Rat | >5000 mg/kg | - | OECD 401 |
| Lubricating oils (petroleum), | LC50 Inhalation Dusts | Rat | 5.1 mg/l | 4 hours | OECD 403 |
| C20-50, hydrotreated | and mists | | | | |
| neutral oil-based | | | | | |
| | LD50 Dermal | Rabbit - | >5000 mg/kg | - | OECD 402 |
| | | Male, Female | | | Read across |
| | LD50 Oral | Rat - Male, | >5000 mg/kg | - | OECD 401 |
| | | Female | " | | Read across |
| C14-16-18 Alkyl phenol | LD50 Dermal | Rat | 2000 mg/kg | - | - |
| | LD50 Oral | Rat | 2000 mg/kg | - | - |
| Distillates (petroleum), | LC50 Inhalation Dusts | Rat | >5 mg/l | 4 hours | OECD 403 |
| solvent-dewaxed heavy | and mists | | | | |
| paraffinic | | | " | | |
| | LD50 Dermal | Rabbit | >5000 mg/kg | - | OECD 402 |
| | LD50 Oral | Rat | >5000 mg/kg | - | OECD 420 |
| Distillates (petroleum), | LC50 Inhalation Dusts | Rat | >5 mg/l | 4 hours | OECD 403 |
| solvent-dewaxed light | and mists | | | | |
| paraffinic | | D.1.1.1 | | | 0505 400 |
| | LD50 Dermal | Rabbit | >5000 mg/kg | - | OECD 402 |
| Deneffin eile (netroleum) | LD50 Oral | Rat | >5000 mg/kg | - | OECD 401 |
| Paraffin oils (petroleum), | LC50 Inhalation Dusts | Rat | 5.1 mg/l | 4 hours | - |
| catalytic dewaxed heavy | and mists | Rat | 90.4 ma/l | 1 hours | |
| | LC50 Inhalation Vapour | Rat | 80.4 mg/l | 4 hours | - |
| | LC50 Inhalation Vapour | Rabbit | 20.1 mg/l | 4 nours | - |
| | LD50 Oral | Rat | >5000 mg/kg >5000 mg/kg | - | - |
| zinc bis(O,O-diisooctyl) bis | LC50 Inhalation Dusts | Rat | 5.1 mg/l | - 4 hours | - |
| (dithiophosphate) | and mists | nai | 5.1 mg/i | 4 110015 | - |
| | LC50 Inhalation Vapour | Rat | 80.4 mg/l | 1 hours | |
| | LC50 Inhalation Vapour | Rat | 20.1 mg/l | 4 hours | |
| | LD50 Dermal | Rat | 3001 mg/kg | - 110013 | - OECD 402 |
| | LD50 Oral | Rat | 3750 mg/kg | | OECD 402 OECD 401 |
| | | ιλαι | 5750 mg/kg | - | |

Acute toxicity estimates

| Product/substance | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|------------------|-------------------|--------------------------------|-----------------------------------|--|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | N/A | N/A | N/A | N/A | 5.53 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | N/A | N/A | N/A | N/A | 5.1 |
| Paraffin oils (petroleum), catalytic dewaxed heavy zinc bis(O,O-diisooctyl) bis(dithiophosphate) | N/A 3750 | N/A 3001 | N/A N/A | 20.1 20.1 | 5.1 5.1 |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

| : Based on available data, the classification criteria are not met. |
|---|
| : Based on available data, the classification criteria are not met. |
| : Based on available data, the classification criteria are not met. |
| |
| : |
| |



SDS no. :

090271

SECTION 11: Toxicological information

| Skin | : Based on available data, the classification criteria are not met. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required Contains Sensitiser. May produce an allergic reaction. |
|-----------------------------|--|
| Respiratory | : Based on available data, the classification criteria are not met. |
| <u>Mutagenicity</u> | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Reproductive toxicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Teratogenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Specific target organ toxic | ity (single exposure) |

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

| Product/substance | Category | Route of exposure | Target organs |
|------------------------|------------|-------------------|---------------|
| C14-16-18 Alkyl phenol | Category 2 | - | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Aspiration hazard

| Product/substance | Result |
|--|--|
| Distillates (petroleum), hydrotreated heavy paraffinic Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based | ASPIRATION HAZARD - Category 1 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), solvent-dewaxed light paraffinic Paraffin oils (petroleum), catalytic dewaxed heavy | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Information on likely routes : Not available. of exposure

Potential acute health effects

| Eye contact | : No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Defatting to the skin. May cause skin dryness and irritation. |
| Ingestion | : No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : No specific data. |
|-------------|---------------------|
| Inhalation | : No specific data. |

| Date of revision : | Version : 4.01 | United Kingdom (UK) | ENGLISH | 12/20 |
|--------------------|----------------|---------------------|---------|-------|
| 2024/02/14 | | | | |



SDS no. 090271 :

SECTION 11: Toxicological information

| Skin contact | : Adverse symptoms may include the following: irritation dryness cracking |
|--------------------------------|--|
| Ingestion | : No specific data. |
| Delayed and immediate effect | cts as well as chronic effects from short and long-term exposure |
| <u>Short term exposure</u> | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| <u>Long term exposure</u> | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | <u>ects</u> |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |
| | |

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/substance | Result | Species | Exposure | Test |
|--|-------------------------|---|----------|----------|
| ₱fistillates (petroleum), hydrotreated heavy paraffinic | Acute EC50 >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Acute EC50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | - |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | Acute EL50 >100 mg/l | Algae - Pseudokircheriella subcapitata | 72 hours | OECD 201 |



SDS no.

:

090271

| | Acute EL50 >10000 mg/l | Crustaceans - Daphnia | 48 hours | OECD 202 |
|--|--------------------------|---|----------|----------|
| | | magna | 001 | 0505.000 |
| | Acute LL50 >1000 mg/l | Fish - Pimephales promelas | 96 hours | OECD 203 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokircheriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | OECD 211 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | Acute EL50 >100 mg/l | Algae - Pseudokirchneriella subcapitata | 48 hours | OECD 201 |
| leutral oli-based | Acute EL50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Acute LL50 >100 mg/l | Fish - Pimephales promelas | 96 hours | OECD 203 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokirchneriella | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | subcapitata Crustaceans - Daphnia magna | 21 days | OECD 211 |
| C14-16-18 Alkyl phenol | Acute EC50 >100 mg/l | Daphnia - Daphnia magna | 48 hours | OECD 202 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | Acute EL50 >10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Acute LL50 >1000 mg/l | Fish - Oncorhynchus mykiss | 96 hours | OECD 203 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | OECD 211 |
| Distillates (petroleum), solvent-dewaxed light paraffinic | Acute EL50 >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Acute EL50 10000 mg/l | Crustaceans - Daphnia magna | 48 hours | OECD 202 |
| | Acute EL50 ≥100 mg/l | Fish - Pimephales promelas | 96 hours | OECD 203 |
| | Chronic NOEL >100 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna | 21 days | OECD 211 |
| Paraffin oils (petroleum), catalytic dewaxed heavy | Acute EC50 10000 mg/l | Daphnia | 48 hours | - |
| | Acute NOEL 101 mg/l | Algae - Pseudokirchneriella subcapitata | 72 hours | - |
| zinc bis(O,O-diisooctyl) bis dithiophosphate) | Acute EC50 1 to 1.5 mg/l | Daphnia | 48 hours | OECD 202 |
| | Acute LC50 10 mg/l | Fish | 96 hours | - |
| Molybdenum polysulphide ong chain alkyl | Acute EC50 9.6 mg/l | Algae - Pseudokirchneriella | 72 hours | OECD 201 |
| lithiocarbamate complex | Acute EC50 50 mg/l | subcapitata Crustaceans - Daphnia | 48 hours | OECD 202 |
| | Acute LC50 94.8 mg/l | magna Fish - Oncorhynchus mykiss | 96 hours | OECD 203 |
| | Chronic NOEC 4.1 mg/l | Algae - <i>Pseudokirchneriella</i> | 72 hours | OECD 201 |



SDS no. 090271

SECTION 12: Ecological information

| | subcapitata | |
|--|-------------|--|
| | | |

Conclusion/Summary

: Not available.

12.2 Persistence and degradability

| Product/substance | Test | Result | Dose | Inoculum |
|--|-----------|------------------------------|------|------------------|
| Sistillates (petroleum), hydrotreated heavy paraffinic | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Distillates (petroleum), solvent-dewaxed light paraffinic | OECD 301F | 31 % - Not readily - 28 days | - | Activated sludge |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | OECD 301B | 0 % - Not readily - 28 days | - | Activated sludge |

| Conclusion/Summary | : Not available. |
|--------------------|------------------|
|--------------------|------------------|

| Product/substance | Aquatic half-life | Photolysis | Biodegradability |
|---|-------------------|------------|------------------|
| ☑istillates (petroleum), | - | - | Not readily |
| hydrotreated heavy paraffinic | | | |
| Lubricating oils (petroleum), | - | - | Not readily |
| C15-30, hydrotreated | | | |
| neutral oil-based | | | |
| Lubricating oils (petroleum), | - | - | Not readily |
| C20-50, hydrotreated neutral oil-based | | | |
| Distillates (petroleum), | | | Not readily |
| solvent-dewaxed heavy | - | - | Not readily |
| paraffinic | | | |
| Distillates (petroleum), | - | _ | Not readily |
| solvent-dewaxed light | | | , , |
| paraffinic | | | |
| Paraffin oils (petroleum), | - | - | Not readily |
| catalytic dewaxed heavy | | | |
| zinc bis(O,O-diisooctyl) bis | - | - | Not readily |
| (dithiophosphate) | | | |
| Molybdenum polysulphide | - | - | Not readily |
| long chain alkyl | | | |
| dithiocarbamate complex | | | |

12.3 Bioaccumulative potential



SECTION 12: Ecological information

| Product/substance | LogPow | BCF | Potential |
|--|--------|-----|-----------|
| Distillates (petroleum), hydrotreated heavy paraffinic | >4 | - | High |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 6.1 | - | High |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | 9.2 | 260 | Low |
| Distillates (petroleum), solvent-dewaxed light paraffinic | 3.1 | - | Low |
| zinc bis(O,O-diisooctyl) bis (dithiophosphate) | 2.9 | - | Low |
| Molybdenum polýsulphide long chain alkyl dithiocarbamate complex | >5.1 | 88 | Low |

| 12.4 Mobility in soil | |
|---|---|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |
| Mobility in soil | : Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water. Loss by evaporation is limited |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %.

12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

| Product | |
|---------------------|---|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| | |



SDS no. 090271 2

SECTION 13: Disposal considerations

| | According to the European Waste Catalogue, Waste Codes are not product specific, |
|---------------------|---|
| | but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 13 02 05* |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |
| | |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ICAO/IATA |
|------------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

user

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.



SDS no. 090271

1

SECTION 15: Regulatory information

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Industrial emissions : Not listed (integrated pollution prevention and control) -Air Industrial emissions : Not listed (integrated pollution prevention and control) -Water

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia inventory (AIIC) : Not determined. **Canada inventory** : All components are listed or exempted. China inventory (IECSC) : All components are listed, exempted, or notified. **Europe inventory** : All components are listed or exempted. : Japan inventory (CSCL): All components are listed or Japan inventory exempted. Japan inventory (ISHL): All components are listed or exempted. **New Zealand Inventory of Chemicals** : All components are listed or exempted. (NZIOC) **Philippines inventory (PICCS)** : All components are listed or exempted.



SDS no. 090271

SECTION 15: Regulatory information

| Korea inventory (KECI) | : All components are listed or exempted. |
|--|---|
| Taiwan Chemical Substances Inventory (TCSI) | : All components are listed or exempted. |
| Thailand inventory | : Not determined. |
| Turkey inventory | : Not determined. |
| United States inventory (TSCA 8b) | : All components are listed or exempted. |
| Vietnam inventory | : Not determined. |
| | es solely to the conformity of the chemical product with the I to confirm the inventory status of this product may be based on |

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

| 15.2 Chemical safety | : Risk management measures and safety conditions of use are included in the | |
|----------------------|---|--|
| assessment | relevant sections of the SDS | |

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| | 5 i ; |
|-------------------|---|
| Abbreviations and | : ATE = Acute Toxicity Estimate |
| acronyms | CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. |
| | 1272/2008] |
| | DNEL = Derived No Effect Level |
| | DMEL = Derived Minimal Effect Level |
| | EUH statement = CLP-specific Hazard statement |
| | N/A = Not available |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | vPvB = Very Persistent and Very Bioaccumulative |
| | PNEC = Predicted No Effect Concentration |
| | LC50 = Median lethal concentration |
| | LD50 = Median lethal dose |
| | OEL = Occupational Exposure Limit |
| | VOC = Volatile Organic Compound |
| | UVCB Substance of unknown or Variable composition, Complex reaction products |
| | or Biological material |
| | NOEC No Observed Effect Concentration |
| | QSAR = Quantitative Structure–Activity Relationship |
| | |

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

| H304 | May be fatal if swallowed and enters airways. |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Full text of classifications



SDS no. 09 :

SECTION 16: Other information

| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 | | |
|---------------------------------|---|--|--|
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | | |
| Asp. Tox. 1 | ASPIRATION HAZARD - Category 1 | | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 | | |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 | | |
| Skin Sens. 1B | SKIN SENSITISATION - Category 1B | | |
| STOT RE 2 | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 | | |
| Date of printing | : 2024/02/14 | | |
| Date of issue/ Date of revision | : 2024/02/14 | | |
| Date of previous issue | 2023/04/18 | | |
| Version | : 4.01 | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.